D-222 935

THE LIBRARY OF CONGRESS Navy Research Section

A CATALOG OF

OSRD

REPORTS

Marker of Del memoralangho

Sec. anth. SOD memoralangho

MTTS: anth. Division 3

Rocket Ordnance

Compiled and Edited by Sylvia E. Weiss and Elizabeth C. McCue

> WASHINGTON, D. C. November, 1950

331 COPY NO.

51037 54AA

CONSTITUTAL

This document contains information affecting the national defense of the United States within the meaning of the Espionage Act, U.S.C. 50; 31 and 32. Its transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law.

Disclosure of information contained herein will be governed by U.S. Navy Regulations as specified in United States Navy Security Manual for Classified Matter.

LOAN INFORMATION

Copies of reports listed herein are available on loan for two weeks from date of receipt. Requests should be addressed as follows:

> Chief of Naval Research c/o Navy Research Section Library of Congress Washington 25, D. C.

Contractors of the Office of Naval Research and military agencies and installations, receiving A Catalog of OSRD Reports may submit requests direct. Contractors of military agencies other than the Office of Naval Research should send their requests to the above address via the bureau or agency cognizant of their contract. In the case of classified material, all contractors' requests should be so routed as to receive proper military endorsement; it should not be assumed that all recipients of A Catalog of OSRD Reports may automatically receive every document requested. It is necessary that the reports be identified by the item number, such as "OSRD catalog number 873".



CONTENTS

	Page
Bibliography	81
Contractor Index .	161
Contract Number Index	161
OSRD Number Index	162
Report Number Index	166
Author Index	172
Subject Index	178

DIVISION 3

SUMMARY TECHNICAL REPORT

- 1200 Rocket and underwater ordnance, edited by Eliot B. Bradford. Washington, D. C., 1946. 381p. Contents.--I. Underwater ordnance, by E. B. Bradford .-- II. Rocket propellants and interior ballistics, by B. H. Sage .-- III. Rocket ordnance: Thermodynamics and related problems. by R. E. Gibson. -- IV. Rocket weapons as developed and used in World War II, by C. W. Snyder .-- V. Rocket ordnance: Theory, principle, and design, by E. B. Bradford.
- ALLEGANY BALLISTICS LABORATORY
 See George Washington University, OEMsr-273.
- BELL TELEPHONE LABORATORIES


 See Western Electric Company,
 Inc., OEMsr-256.
- BUDD INDUCTION HEATING, INC.
 Detroit, Mich. OEMsr-671
 Project OD-26. See also Budd
 Wheel Company, Inc., OEMsr968.
- 1202 Hardening of inside diameters by inductive heat treatments, by H. E. Somes. July 1941.
 Reprinted from the Iron and Steel Engineer.
- BUDD WHEEL COMPANY, INC., Detroit, Mich. OEMSr-968 Projects CWS-10, CWS-30, CWS-34, NA-231, NO-35.1, NO-245, NO-247, NO-248, NO-249, NO-252, OD-14, OD-26, OD-96, OD-161, OD-163, OD-165, OD-166, OD-170, OD-184, OD-185, OD-196. See also George Washington University, OEMSr-273.

- 1203 Airborne flame thrower; final report by N. R. Droulard, W. W. Farr and W. B. Pope. Oct. 17, 1945. OSRD 6136. C
- 1204 Development of a new 4.2"
 chemical mortar of radical
 design; final report by N. R.
 Droulard, W. W. Farr and W.
 B. Pope. Oct. 17, 1945.
 OSRD 6145.
- 1205 81 mm. recoilless mortar; final report by N. R. Droulard, W. W. Farr and W. B. Pope.
 Oct. 17, 1945. OSRD 6150. C
- 1206 Extension of range of the
 4.2" chemical mortar M2; final report by N. R. Droulard,
 W. W. Farr and W. B. Pope.
 Oct. 17, 1945. OSRD 6144. C
- 1207 4½" rotated rockets; final report by N. R. Droulard, W. W. Farr and W. B. Pope. Oct. 17, 1945. OSRD 6148. R
- 1208 High performance rocket, design studies; final report by N. R. Droulard, W. W. Farr and W. B. Pope. Oct. 17, 1945. OSRD 6140. R
- 1210 Multiple powder charge launcher for JB-2; final report by N. R. Droulard, W. W. Farr and W. B. Pope. Oct. 17, 1945. OSRD 6141. R
- 1211 115 mm. rocket; final report by N. R. Droulard, W. W. Farr and W. B. Pope. Oct. 17, 1945. OSRD 6139. R
- 1212 Portable powder pressurized flame thrower; final report by N. R. Droulard, W. W. Farr and W. B. Pope. Oct. 17, 1945. OSRD 6138. C
- 1213 Recoilless 4.2" chemical mortar; final report by N. R.
 Droulard, W. W. Farr and W.
 B. Pope. Oct. 17, 1945.
 OSRD 6142. C

MATERIAL STATES OF STATES SANGED STATES STATES SANGED SANG

- 1218 60 mm. recoilless mortar; final report by N. R. Droulard, W. W. Farr and W. B. Pope. Oct. 17, 1945. OSRD 6149. C
- 1219 Step motor rockets; final report by N. R. Droulard, W. W. Farr and W. B. Pope. Oct. 17, 1945. OSRD 6146. R
- 1220 Summary report of rocket developments; final report by N. R. Droulard, W. W. Farr and W. B. Pope. Jan. 5, 1946. OSRD 6153. C
- 1221 T-59 high velocity rocket grenade (super bazooka); final report by N. R. Droulard, W. W. Farr and W. B. Pope.
 Oct. 17, 1945. OSRD 6133. C
- 1222 Tankborne flame thrower; final report by N. R. Droulard, W. W. Farr and W. B. Pope. Oct. 17. 1945. OSRD 6137. C
- 1223 12" jet accelerated A. P. bomb; final report by N. R. Droulard, W. W. Farr, and W. B. Pope. Dec. 3, 1945.
 OSRR 6151.
- Analysis of 4½" motor with end nozzle loaded with single cylindrical stick of powder having hole in center and web thickness of 15/16", by N. R. Droulard. May 30, June 6, 7, 16 and July 17, 1944. Title varies.
- 1225 Design of 10" step motor rocket, by W. W. Farr, W. B. Pope and N. R. Droulard. Nov. 3, 1944. C
- 1226 Elementary rocket design; stress analysis and tests (with particular reference to model T-41) by N. R. Droulard and W. J. Bortman. May 20, 1944.

- 1227 4½" multi-jet rail motor, cone section, X-52095-E, by N. R. Droulard. May 12, 1944.
- 1228 4½" step motor, embossed & riveted with 1-11/16" O.D. burster, X-52036-E, by N. R. Droulard. May 5, 1944. Revision, June 17, 1944. Title varies. C
- 1229 4½" step motor, embossed and riveted with 2" O.D. burster, X-52026-E, by N. R. Droulard. May 5, 1944. Revision, June 10, 1944. Title varies. C
- 1230 $4\frac{1}{2}$ " step motor embossed and riveted with $2\frac{1}{4}$ " O.D. burster, X-52009-E, by N. R. Droulard. May 5, 1944. C
- 1231 4½" step motor loaded with H-3 powder, by C. N. Hickman. June 28, 1944.
- 1232 4½" step motor, non-rotational X-51599-B, by N. R. Droulard. May 5, 1944. C
- 1233 $4\frac{1}{2}$ " step motors, by N. R. Droulard. July 3, 1944. C
- 1234 4½" two step motor H3 powder X-52851-E for X-52852-B, by M. Goehmann. July 4 and 6, 1944. Title varies. C
- 1235 Inspection and test data on model T-59 rocket bodies.
 Nov. 10, 1944.
- 1236 Investigation no. M-9; 4½" head from National Supply Co., Pittsburgh, Pa., by W. J. Bortman. Jan. 27, 1944.
- 1237 7.2" step motor, by N. R. Droulard. Dec. 8, 1944.
- 1238 Stresscoat analysis of 4.2
 RCM chemical mortar, by F. B.
 Stern. Dec. 1, 1944. R



- CALIFORNIA INSTITUTE OF TECHNOLOGY Pasadena, Calif. OEMsr-418 Projects AC-52, AC-102, CWS-22, NA-139, NC-20, NO-33, NO-34, NO-34.2, NO-34.3, NO-36.5, NO-39.1, NO-77R, NO-94, NO-99, NO-118, NO-120, NO-121, NO-140, NO-146, NO-147, NO-148, NC-179, NO-153, NO-164, NO-165, NO-168, NO-170, NO-176, NO-177, NO-205, NO-215, NO-227, NO-228, NO-230, NO-238, NO-245, NO-250, NO-251, NO-256, NO-259, NO-251, NO-256, NO-259, NO-251, NO-26, OD-27, OD-33, OD-137, OD-162, OD-164, OD-167, OD-168, OD-169. See also Division 6, California Institute of Technology, OEMsr-124 and OEMsr-329.
- 1239 Aircraft torpedo development and water entry ballistics [final report] 1946. OSRD-2550. R
- 1240 Ballistic data; fin-stabilized and spin-stabilized rock ts [final report] 1946. OSRD 2544.
- 1241 Field testing of rockets: range operations and metric photography [final report] 1946. OSRD 2547.
- 1242 Firing of rockets from aircraft; launchers, sights, flight tests [final report] 1946. OSRD 2549.
- 1243 Processing of rocket propellants; a treatise restricted to propellants prepared by dry extrusion from doublebase stock [final report] by W. H. Corcoran and Quentin Elliot. 1946. OSRD 2552. R

- 1244 Production of metal components of rockets [final report] by Kenneth L. Wentworth. 1946. OSRD 2546. R
- 1245 Rocket fuzes [final report] by R. B. King, V. K. Rasmussen, J. B. Hatcher and H. E. Fracker. 1946. OSRD 254b.
- 1246 Rocket launchers for surface use [final report] by Paul E. Lloyd. 1946. OSRD 2548. R
- 1247 Water entry and underwater ballistics of projectiles [firal report]. 1946. OSRD-2551. C
- 1248 Abridged catalog, CIT rockets. Mar. 15, 1945. UBC-34. OSRD 2415. C
- 1249 Abridged catalog entry, CIT launcher type 49. Aug. 10, 1944. IEC-14.
- 1250 Abridged catalog, rocket launchers. May 1, 1945. UEC-5. OSRD 2440.
- 1251 Abridged catalog; service rockets, fuzes, and launchers. Mar. 15, 1944. UMC-42. OSRD 3563. Supplement, Oct. 10, 1944. UMC-42.2. OSRD 2224. C
- 1252 Abstract of British reports on forward firing from aircraft. Aug. 4, 1943. UMC-7. Supplement, Sept. 28, 1943. UMC-7.2. C
- 1254 Accuracy of the CWR-N; local intermediate report by C.
 Weinland, J. W. McConnell and F. W. Thiele. Sept. 25, 1943. IBC-39.

ᡚᡚᡉᠵ᠈ᢟᢐᡛᡙᠽᢠᡊᠽᡊᠽᡊᠦᡎᡳᡎᠽᡊᠽᡊᡓᡎᡓᡎᡓᡎᡓᡎᠽᡀᡚᡎ᠒ᡚᡀᡚᢥ᠒ᡚᡚᡚᡚᡀᡀᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚ

- 1255 Activities of the technical supervisors at the Eaton Canyon Pilot Plant, by J. I. Gates. Oct. 1, 1945. JDC-77. OSRD 2530. R
- 1256 Addition of a rocket to a shell to increase the velocity; local intermediate report by Leverett Davis, jr. June 5, 1943. IPC-25. C
- 1257 [Administrative reports]
 semi-monthly, by Trevor Gardner and E. E. Tuttle. Dec.
 20, 1943-July 9, 1945. C
- 1258 Afterbody and gyro pot pressures of the Mk 13 torpedo under hot steady running conditions, by O. D. Terrell. Mar. 15, 1945. NOC-4.3. C
- 1259 Air drag test of 2-in. AAR; local intermediate report by F. E. Roach. June 19, 1943. IPC-36.
- 1259a Air flight and underwater characteristic tests of proposed VAB-7V vertical air bombs, by B. H. Rule and W. P. Huntley. [Jan. 1943] IPC-13. C
- 1260 Air flight tests of 8-in. diameter model torpedoes, by B. H. Rule and W. P. Huntley. Sept. 26, 1944. IOC-34. OSRD 2227.
- .1260a AIR fuse, by B. H. Rule and W. P. Huntley. [Oct. 29, 1942] IPC-16.
- 1261 Air resistance of the CWB, by Leverett Davis, jr. and Hsueshen Tsien. Feb. 19, 1943. OBC-19.

- 1262 Airborne rockets; weekly progress reports by P. E. Edelman, W. A. Fowler, W. Fowlie, O. D. Frampton, M. B. Gentry, A. E. Harris, R. Jacquith, W. E. Kane, J. L. Kavanan, A. Keast, G. A. Kendall, L. H. Mahony, A. L. Melzian, V. Rasmussen, G. Safonov, F. W. Thiele, L. Trilling and C. H. Wilts. Mar. 12, 1944-Sept. 15, 1945. Report nos. PMC-2.23, 2.34, 2.36-2.89 (Part 2). OSRD nos. 2114, 2121, 2128, 2137, 2142, 2148, 2155, 2163, 2169, 2178, 2183, 2193, 2200, 2208, 2214, 2219, 2229, 2238, 2245, 2250, 2258, 2266. 2277, 2286, 2293, 2300, 2307, 2316, 2322, 2329, 2335, 2341, 2352, 2360, 2368. 2376, 2385, 2391, 2397, 2402, 2411, 2417, 2424, 2435, 2442, 2452, 2461, 2470, 2478, 2437, 2494, 2506, 2511, 2521, 3457, 3764.
- 1263 The aircraft rocket training aid. Jan. 15, 1945. IHC-20. R
- 1264 Ammunition catalogue, CIT rockets. Aug. 10, 1943.

 JBC-20. Revision sheet for first edition of JBC-20, Feb. 10, 1944.
- 1965 Ammunition data sheets, 4.5 BR. Feb. 27-Apr. 25, 1943.
- 1266 Ammunition dispersion of long-burning unrotated rockets in forward firing from airplanes; local intermediate report by Leon Blitzer. Apr. 10, 1944. IPC-39.2. Revision of IPC-39.
- 1267 Ammunition manual for the 4"5 barrage rocket (1100 yd).
 July 26, 1943. JBC-19. R
- 1268 Amplification and extension of CIT/OPC 3.1, 12 Dec. 44, by Leverett Davis, jr. Dec. 14, 1944.

- 1269 Analysis of forward firing data from TBM and PV-1; local intermediate report by Leon Blitzε. Sept. 1943. IPC-46.
- 1270 Analysis of Mk 13 propeller steel, by Tom Curtis. Feb. 21, 1945. NOC-51.1. C
- 1271 An analysis of the Bourdon coil; local intermediate report by 3. N. Locanthi. June 27, 1945. IGC-10. R
- 1272 Analysis of the causes of dispersion of the 4.5 inch barrage rocket. Dispersion data on CIT rockets. May 17, 1943. JPC-8. Supplement, June 11, 1943. JPC-8.2. C
- 1276 The antisubmarine bomb (ASB).

 I, by W. N. Arnquist, Leverett Davis, jr., T. Lauritsen,
 J. McMorris and W. R. Smythe.
 June 25, 1942. JEC-7. II,
 Appendix, June 25, 1942. C
- 1277 The antisubmarine bomb. II,
 The propellant, with an appendix containing excerpts
 from weekly reports on the
 development of the antisubmarine bomb and its propellant, by W. N. Arnquist,
 Leverett Davis, jr., T. Lauritsen, J. McMorris and W. R.
 Smythe. Aug. 8, 1942. A-77.
 OSRD 803.

- 1277a [Antisubmarine bombs] Weekly progress report by C. W. Snyder. Dec. 6, 1942. NMC-1.58.
- 1278 The antisubmarine rocket projectile (AS-UP), by T. Lauritsen. Apr. 25, 1942. JBC-5.
- 1279 The antisubmarine rocket projectile and projector; progress report by T. L. Lauritsen and W. R. Smythe. May 8, 1942. A-50. OSRD 563. C

- 1280 The antisubmarine rocket projector; interim report by W. R. Smythe. Apr. 27, 1942.

 JEC-3. C
- 1281 [Antisubmarine rockets]
 Weekly progress reports.
 Apr. 5 and 12, 1942. PMC1.23, 1.24.
- 1282 Approximate curves for the trajectory of the 5"0 HCSR during the first 8 seconds, by Leverett Davis, jr. and L. I. Epstein. Jan. 12, 1945.

 OPC-15. Supplement, Aug. 2, 1945.
- An approximate formula for the variation of dispersion due to dynamic unbalance with launcher length and burning time, by Leverett Davis, jr. Dec. 26, 1944. OPC-15. C
- 1284 Approximate formulae for calculation of deflection of rockets, by J. G. Waugh.
 [Nov. 3, 1943] IPC-45. C
- An approximate method of computing hit probabilities for rectangular barrage patterns, by N. A. Haskell. Aug. 24, 1945. INC-6.
- 1285a Arming and firing tests of
 Mark #31 fuze, by B. H. Rule
 and W. P. Huntley. [Dec. 30,
 1942] IIC-6. C
- 1286 Artillery rockets, by C. C. Lauritsen. Mar. 15, 1944. RBC-1. OSRD 3431.
- 1287 A/S projectiles; local intermediate report by Rasmussen, Arnquist, Anthony and T. Lauritsen. Apr. 11, 1942.

 180-3. C
- 1288 A/S projector charges terminal velocity summary, by Bruce H. Rule and W. P. Huntley. Aug. 18, 1943. IPC-38.

- 1289 A/S warfare. Weekly progress reports by L. N. Slichter.
 Dec. 26, 1943-June 25, 1944.
 Report nos. P. 7-2.12, 2.14, 2.15, 2.17, 2.24, 2.38 (Part 7). OSRD nos. 2133, 3096, 3192, 3226, 3275, 3497. C
- 1290 The ASB retrieving line, by J. Edson. [June 3, 1942] IBC-9.
- 1291 ASPC sub-caliber underwater performance tests, by B. H. Rule and W. P. Huntley. June 23-Oct. 21, 1943. 1PC-32, 32.1, 32.2. Title varies. C
- 1292 Assembly and disassembly of CIT rocket fuzes; special edition for rocket school, by O. C. Wilson. [194-] OIC-13.
- 1293 Assembly and installation of barrage rocket launcher CIT type 2, for 1-ton 4x4 truck. July 24, 1943. JEC-10.2. R
- 1294 Assembly instructions, safety precautions, and firing instructions for 5"0 high velocity aircraft rocket. June 23, 1944. IBC-68.
- 1295 ATG report, by S. Rubin. Jan. 13, 1942. IBC-1.
- 129 Attitude and roll study of Mk 13 shape torpedo subsequent to entry, by Saul Baker. Jan. 11, 1946. NOC-6.2.
- 1297 Auxiliary equipment for CIT rotating mirror camera and further notes on the camera; technical report by Ira S. Bowen. June 8, 1945. K-3.3.
- 1298 Available propellant shapes. July 31, 1944. IDC-19. C

- 1299 Ballistic and physical characteristics of a Japanese rocket propellant, by Bruce H. Sage. Dec. 30, 1945.

 JDC-91. C
- 1300 Ballistic and physical characteristics of Japanese rocket propellant; initial statement and status reports 1-6 by S. Altshuler, D. F. Botkia and B. H. Levedahl. Jan. 4-Apr. 13, 1945. LP-213. C
- 1300a Ballistic data for the 5"0/5 SmSR Mdl 127, by P. H. Taylor. Feb. 15, 1945. OPC-15.1. C
- 1301 The ballistics of firing an ASB backwards from an airplane, by Leverett Davis, jr. Aug. 10, 1942. ITC-4. C
- 1302 Barrage rocket tacking box projector; local intermediate report. May 22, 1943. IBC-28.
- 1303 Bending stresses in a bomb case at water impact, by N. A. Haskell. Aug. 25, 1944. IOC-33.
- 1304 Bibliography of published reports. Oct. 19, 1941-Aug. 31, 1946. UMC-8.4. R
- 1305 Bibliography of published reports. Bibliographies dated June 1, 1944-Aug. 1945. Report numbers UMC-8.3, 11.2x, 11.3x, 11.4-11.14. OSRD-2515.
- 1307 Bibliography of reports on forward firing, by L. Blitz-er. Dec. 7, 1944. OBC-21.1.
- 1308 Boresighting and effective angle of attack data for various aircraft. Oct. 25, 1944. UNC-2. OSRD 2254. R

- 1309 BR crew training manual. Nov. 2, 1942. OBC-18.
- 1310 BR firing at MAAR; field report. Mar. 1943. IBC-20. C
- 1311 BR fragmentation, by O. C. Wilson. July 7, 1943. IQC-1. C
- BR parachute drops; local intermediate reports by J. E.
 Thomas, Paul E. Lloyd and R.
 D. Ridgeway. Oct. 20 and
 Dec. 6, 1943. Report nos.
 IBC-53, 57.
- 1313 Brief history of the development of the 3"5 aircraft rocket. May 10, 1944. JBC-25. C
- 1314 Brief history of the project, by T. Lauritsen. May 11, 1944. OBC-53.
- 1316 'ritish type "C" projectile, by B. H. Rule, W. P. Huntley, Max a'son and L. B. Slichter. June 21. Sept. 20 and Nov. 30, 1944. Report nos. 100-28, 28 2, 28.4. OSRD 2270. Title ries. C
- 1317 Bureau of Ordnance Mark 2 subcaliber VAR underwater performance tests, by B. H. Rule and W. P. Huntley. Sept. 18, 1943. IPC-41. C
- 1318 Bureau of Ordnance subcaliber ammunition for A.S. projector Mark 10 (hedgehog) underwater performance tests, by B. H. Rule and W. P. Huntley. Sept. 21, 1943. IOC-11. C
- 1319 Bureau of Ordnance subcaliber ASPC underwater performance tests, by B. H. Rule and W. P. Huntley. Sept. 18, 1943. IPC-40.

- 1320 Burning characteristics in the axial perforations of extruded Ballistite grains, by B. H. Sage. July 30 and Aug. 21, 1942. A-83, JDC-13. OSRD 815. C
- 1321 Burning rate of four-spoke grains of extruded Ballistite, by B. H. Sage. Sept. 25, 1942. JDC-18.
- 1322 Calculated motion of forwardfired spin-stabilized rockets including aerodynamic effects; local intermediate report by T. H. Pi. Mar. 2, 1945. IPC-70. C
- 1323 Calculated performance characteristics of 36 in. and 48 in. compressed air launching tubes, by 0. D. Terrell.
 Aug. 21, 1945. NOC-32.3. C
- 1324 Calculation of mallaunching of spin-stabilized rockets, by L. Davis, jr. and J. G. Waugh. Sept. 20, 1944. JPC-22. OSRD 2235. C
- 1325 Calculation of probable error; local intermediate report by W. R. Smythe. Dec. 8, 1942. TPC-1.
- 1327 The calculation of the mallaunching produced by statically or dynamically unbalanced rounds, by Leverett Davis, jr. Dec. 12, 1944. OPC-3.1. C
- 1328 Cap firing mechanisms, by H. N. Bane. Mar. 26, 1945. NOC-46.1. C
- 1330 Catalog: CIT rocket fuzes. Jan. 15, 1944. UIC-3. OSRD-3290. R
- 1331 Catalog: Forward-firing aircraft rockets. Nov. 1, 1943. JBC-22. C

- 1332 The cause of abnormally short range BR shots; local intermediate report by J. E. Thomas. Oct. 1, 1943. IBC-49.
- 1332a Cavitation and bubble studies, by William H. Christie and F. R. Watson. Sept. 24, 1945. NOC-59.1.
- 1333 Cemented joints of Ballistite columns, by J. McMorris. Feb. 13, 1942. IDC-7. C
- 1333a Changes occurring in propellant grains after extrusion, by Bruce H. Sage. Sept. 28, 1943. IDC-38.
- 1334 Characteristics of doublebase propellants containing nigrosine and carbon black, by B. H. Sage. July 16, 1943. JDC-43.
- 1335 Characteristics of HIR fuse for mousetrap ammunition, by T. Lauritsen. June 3, 1942. IIC-1. C
- 1336 Characteristics of the PIR fuze; preliminary report by Thomas L. Lauritsen, J. G. Waugh and V. Rasmussen. Aug. 3, 1942. JIC-1. C
- 1337 Charge design, two-inch ASB motor, by J. McMorris. June 25, 1942. JDC-10. C
- The chemical warfare bomb, by R. B. King and W. H. Sleeper, jr. Aug. 20 and 31, 1942.
 A-86, JBC-11. OSRD 866. C
- 1340 The chemical warfare grenade (CWG), by R. B. King, S. Rubin and O. C. Wilson. May 20, 1942. JBC-6. C

- 1341 The choice of a launcher angle to give an impact pattern which represents the directions of motion at the end of burning, by Leverett Davis, jr. May 5, 1944. IPC-58.
- 1342 The CIT acceleration camera, models 3 and 4, by Clyde Chivens. Aug. 25, 1945. JFC-3. USRD 2518.
- 1343 The CIT aircraft rocket sight type 2, by H. W. Babcock.
 Oct. 15, 1944. JNC-23.
 OSRD 2263. C
- 1344 CIT aircraft rocket sight type 3, by H. W. Babcock.
 May 28, 1945. ORC-1.52. C
- 1345 The CIT camera for measuring accelerations and velocities of projectiles; preliminary report by I. S. Bowen and J. B. Edson. Feb. 16, 1942.

 IFC-1. C
- 1346 CIT fuzes. Jan. 15, 1943. UIC-2.
- 1347 CIT launcher catalog. Feb. 7, 1944. JEC-14.
- 1348 CIT news letters. May 15-July 15, 1944. LMC 1.1-1.4. OSRD nos. 2106, 2135, 2146, 3736. C
- 1349 CIT rocket targets, by J. B. Edson. June 12, 1943. JBC-17. C
- 1350 CIT rocket weapons and test facilities; an illustrated record. Feb. 1, 1943. JBC-14. C
- 1351 CIT rockets. Nov. 18, 1942. UBC-1. C

- 1352 The CIT rotating mirror camera (Mod 2); technical report by I. S. Bowen. Apr. 27, 1945. K-3.1. R
- 1353 CIT torpedo launching range,
 Morris Dam Reservoir; general
 description of facilities, by
 F. C. Lindvall. Oct. 15,
 1943. JHC-2. C
- 1354 CIT type 1 Mod 1 launcher (single-rail 4.5 BR). June 26, 1943. JEC-8.
- 1355 CIT type 3 firing box. July 22, 1943. JEC-9.2. R
- 1356 CIT type 3 launcher (wooden 3-rail for 4"5 barrage rocket). July 1, 1943. JEC-9.
- 1357 CIT type 8 launcher for 4"5 barrage rocket. Aug. 4, 1943. JEC-11. R
- 1358 CIT type 33 Universal Emplacement Launcher; local intermediate report by H. A.
 Meneghelli. Mar. 1, 1944.
 IEC-11. C

and the second second for any second second

- 1359 Closed-breech ballistic data, by A. B. Meinel. Jan. 18, 1945. OPC-15.1. C
- 1360 Closed-breech SR rocket
 launcher, CIT type 38 and 56.
 Apr. 30, 1945. JEC-25.
 OSRD 2457. C
- 1361 Closures and seals for rocket motors, by B. H. Sage. Nov. 19, 1945. IAC-19. P.
- 1362 The coil spring decelerometer; local intermediate report by R. Stokes. Jan. 3, 1944. IHC-6.

- 1363 Comment on the damping moments of a rocket in flight, by L. Blitzer. Sept. 25, 1944. OPC-3.1. C
- 1364 Comparative behavior of Ballistite from Kenvil and Radford, by B. H. Sage. Oct. 14, 1942. JDC-21. C
- 1366 Comparative trajectories of various AA rockets; local intermediate report by Leverett Davis, jr. June 3, 1943.
 IBC-31. C
- 1367 Comparison between the 81-mm.
 mortar and the 4"5 barrage
 rocket; local intermediate
 report by E. Thomas and P.
 Lloyd. Sept. 23, 1943. IBC51. C
- 1368 Comparison of design and performance of 7-in. CWR and 7.2-in. CWR-N; local intermediate report by T. Lauritsen. [194-] IBC-47. C
- 1369 Comparison of experimental and predicted pressure distribution around a 1.7 inch by 0.6 inch by 11.5 inch grain, by R. N. Wimpress, B. H. Sage and W. N. Lacey. Apr. 13, 1942. ODC-5. C
- 1370 Comparison of fin and rotational stabilization of rockets, by C. C. Lauritsen.
 Jan. 25, 1944. JPC-15.
 OSRD 3271. C
- 1371 Comparison of fragmentation of the 4".5 barrage rocket with the 105 mm. howitzer shell; local intermediate report by O. C. Wilson, C. A. Wirtanen and J. A. Gilbert. July 30, 1943. IQC-2. C
- 1371a Comparison of static firing and range results for ASB, by J. Foladare and F. E. Roach. June 28, 1942. NMC-1.35. C

- 1372 Comparison of water tunnel tests on the 2¼-in. projectile with field results, by Leverett Davis, jr. June 12, 1943. OPC-6.
- 1373 The compressive characteristics of several propellants determined at a constant rate of stress application, by D. S. Clark. Oct. 11, 1945. JDC-80. OSRD-2534.
- 1374 Compressive, torsional and shear characteristics of some double-base propellants, by Bruce H. Sage. Nov. 1, 1945.

 JDC-81. C
- 1375 Computation of drag and deceleration coefficients of 5"0/10 GPSR, by T. H. Pi. Mar. 12, 1945. IPC-71. C
- 1376 Computation of effective rocket temperatures in 3.25-in., 5.0-in. and 11.75-in. motors. July 2, 1945. UNC-1 supplement.
- 1377 Computing manual for Muroc flight test station. Apr. 10, 1945. IPC-73.
- 1379 Cone centering device Mark XII-1 gyro, modification 1 and 2, by R. R. Stokes. Vab. 22, 1945. NOC-4.1. C
- 1380 Confidential bulletin; published semi-monthly. Aug. 1, 1944-July 15, 1945. LMC 1.5-1.26. OSRD 2153, 2175, 2197, 2226, 2243, 2256, 2283, 2304, 2327, 2358, 2373, 2389, 2406, 2429, 2432, 2447, 2450, 2459, 2466, 2485, 2502, 2503. C
- 1381 Consideration involved in the design of short-burning, long-range rockets; local intermediate report by Leverett Davis, jr. Sept. 10, 1945. IPC-80.

- 1382 A consideration of vertical pitch measurements by means of motion pictures; technical memorandum by G. M. Safonov. Revised Aug. 10, 1945. OMC-18.1. C
- 1384 The copper ball decelerometer; local intermediate report by R. Stokes. Jan. 3, 1944. IHC-12.
- 1385 Correlation between 1-in. diameter model of Mark 13-2 dummy torpedo and the prototype, by F. C. Lindvall, Max Mason and L. B. Slicater. Dec. 15, 1944. IOC-37. OSRD 2320. C
- 1385a Corrosion tests on various metals in solutions of smokeless powder, by Bruce H. Sage. Feb. 20, 1943. IDC-27.
- 1386 Corrosive effect of solutions of double-base powder on various metals, by B. H. Sage.
 Jan. 11, 1944. JDC-58.
 OSRD 3705. C
- 1387 Curvatures and other geometrical characteristics of selected nose types, by Max Mason and L. B. Slichter. Nov. 25, 1944 and Jan. 15, 1945. IPC-67. OSRD 2350. Title varies. C
- 1388 Curves for calculation of trajectories during burning of fin-stabilized rockets, by L. Blitzer, L. I. Epstein and M. C. Houghton. May 3, 1945.
 OPC-34. C
- 1389 Curves for external ballistic calculations on low-velocity rockets fired at high angles, by Leverett Davis, jr. Dec. 17, 1942. JPC-2. 2nd edition Aug. 20, 1943. JPC-2.2.
- 1390 Curves for the prediction of ranges; local intermediate report by F. E. Roach. June 1, 1943. IPC-26. C

- 1391 CWG; local intermediate report by S. Rubin. Feb. 5, 1942. IBC-2.
- 1392 Damage to Mark 26-3 exercise head, by Tom Curtis. Mar. 21, 1945. NOC-7.2. Appendix, by D. E. Hudson. May 14, 1945.
- 1393 Damage to the special I, CIT stiffened afterbody. Feb. 7, 1945. WOC-7.1.
- 1394 Deceleration coefficient of the 2-in. AA at high velocities; local intermediate report by Leverett Davis, jr. Apr. 22, 1943. IPC-23. C
- 1395 Deflection and dispersion of ASB's; local intermediate report by C. W. Snyder. Nov. 25, 1942. IBC-10. C
- 1396 Deflection of a rotating rocket due to mallaunching, by Leverett Davis, jr. Aug. 10, 1944. JPC-20. OSRD-2188.
- 1397 Deflection of rockets by wind; local intermediate report by R. J. Kennedy and W. N. Arnquist. June 30, 1943. IPC-31.
- 1398 The DeForest scratch gage decelerometer; local intermediate report by R. Stokes.
 Jan. 3, 1944. IHC-9. C
- 1399 Delay ejector units for the 3.5-in. "window" rocket, by B. H. Sage. July 19, 1945. JKC-1. OSRD 2542. C
- 1400 The dependence of the mass of propellant in a rocket motor on the web thickness and the motor dimensions, by Leverett Davis, jr. and Chester D. Mills, jr. Feb. 25, 1943.

 JAC-4. C

- 1402 The dependence of the masses of rocket components on their dimensions, by Leverett Davis, jr. Dec. 10, 1942.

 TAC-1. C
- 1404 Description and instructions for use, CIT type 6 Mod 1 launcher for the 4"5 barrage rocket (120-barrel for 2½-ton 6 x 6 amphibious truck, DUKW); manuals. Nov. 10, 1943 and Mar. 20, 1944. JEC-13, 13.2. OSRD 3592. R
- 1405 Description and instructions for use, CIT type 7 Mod 1 launcher for 7"2 rockets (42-rail for 2½-ton 6 x 6 amphibious truck, DUKW); manual, by A. S. Gould. Feb. 4, 1944. JEC-15. OSRD 3302. C
- 1406 Description and instructions for use, CIT type 8 and type 8 Mod 1 launcher for 4"5 barrage rocket; manual. Oct. 14, 1942. JEC-11.2. R
- 1407 Description and instructions for use, CIT type 31C launcher; manual by H. A. Meneghelli. May 1, 1944. IEC-12.
- 1408 Description and instructions for use, CIT type 31C (ship-board) launcher; manual by H. A. Meneghelli. July 15, 1944. JEC-17. OSRD 2167.
- 1409 Description and instructions for use, 4"5 rocket launcher Mk 7 (CIT type 8); manual by L. A. Richards. Mar. 27, 1944. JEC-11.3. OSRD 3615.
- 1410 Description and instructions for use of Mk 35 Mod O launcher (CIT type 46B).
 Mar. 15, 1945. JEC-22.
 OShD 2407. R
- 1411 Description and tentative specifications for loading the motor of AS projector charge. Revised Feb. 15, 1943. IDC-16.

- 1412 Description and tentative specifications for loading the motor of 4.5 BR ammunition. Sept. 8, 1942. IDC-18. Revision, Oct. 8, 1942. IDC-18.1.
- 1413 Description and tentative specifications for loading the motor of subcaliber mousetrap ammunition. Sept. 8, Oct. 5 and Oct. 7, 1942. IDC-16.
- 1414 Description and use of barrage rocket launcher (CIT type 2) for \(\frac{1}{4}\)-ton 4 x 4 truck. July 2, 1943. JEC-10.
- 1415 Description and use of the 5"0 high velocity aircraft rocket, models 13A and 14A; manual. Nov. 14, 1944. JBC-29. OSRD 2291. R
- 1416 Description and use of the 11".75 aircraft rocket model 3, from F4U-1D aircraft with displacement launcher; manual. Dec. 15, 1944. JEC-21. OSRD 2313.
- 1417 Description of an igniter for mousetrap propellant. Aug. 10, 1942. ICC-1. C
- 1418 Description of facilities at Eaton Canyon, by René Gorschalki. Nov. 1, 1945. JDC-82. OSRD 2537. R
- 1419 Description of facilities at the China Lake Pilot Plant.
 Nov. 1, 1945. JDC-S3. OSRD-2553. R
- 1420 Description of some CIT projectiles; local intermediate report. May 19, 1943. IBC-27. C
- 1421 Design and development of the 11.75 inch rocket motor, by C. W. Snyder. Nov. 6, 1945. IBC-75.

- 1422 Design and development of the 11".75 rocket motor Mark 1; local intermediate report by C. W. Snyder, S. Rubin, L. H. Mahony, C. S. Cox and J. N. McClelland. Jan. 10, 1945. OBC-49.1.
- 1423 Design and performance of an installation for the temperature conditioning of motors for static firing, by 3. H. Sage. June 1, 1945. JGC-9. OSRD 2501.
- 1425 Design of a cruciform charge for the 3"25 rocket motor, by B. H. Sage. July 19, 1943.

 JDC-46. C
- 1426 Design of a CWR grain for the 3"25 Mk 5 motor, by Q. Elli-ott. Aug. 5, 1943. IDC-34.
- 1427 Design of a fast-burning propellant grain for the barrage rocket motor, by B. H. Sage. Mar. 30, 1943. JDC-41. C
- 1428 Design of box grids; local intermediate report by S. Rubin. Nov. 6, 1942. JAC-4.
- 1429 Design of dies for the extrusion of solventless Ballistite, by B. H. Sage. May 29, 1943. JDC-44.
- 1430 Design of torpedo launching tube, by D. E. Hudson and O. D. Terrell. Mar. 14, 1945. NOC-32.1.
- 1431 The determination of a rocket trajectory, by C. F. Robinson, T. H. Pi and L. I. Epstein. July 23, 1945. IPC-79.
- 1432 Determination of depth of dive of aircraft torpedoes with the Foxboro depth and roll recorder Mk. 1, Mod. 2, by F. C. Lindvall. May 28, 1945. IOC-41. OSRD 2467. C

- 1433 Determination of head malalignment of rocket projectiles; local intermediate report by J. G. Waugh. Apr. 10, 1943. IGC-5. C
- 1434 Determination of ratio of effective burning time to reaction time from static burning curves, by Leon Blitzer. Sept. 10, 1945. OPC-15.2.
- 1435 Determination of sight settings. 3"5 and 5"0 aircraft rockets. Mk 4 and Mk 5 aircraft launchers. Mar. 20, 1944. UPC-2. OSRD 3502. R
- 1436 Determination of sight settings. 3"5 and 5"0 aircraft rockets from zero-length launcher. Apr. 25, 1944. UPC-3. OSRD 3646. R
- 1437 The determination of the angle of attack in a vertical plane, by Leverett Davis, jr. Oct. 30, 1944. OPC-24. Revision, Nov. 24, 1944. OPC-24.2. C
- 1438 Determination of the geometrical malalignment of rocket projectiles, by T. Lauritsen, L. A. Richards, S. Rubin and J. G. Waugh. Jan. 28, 1943.

 JGC-5. C
- 1439 The determination of the stability factor and the ratio of the moments of inertia of a spinner from yaw camera measurements, by Leverett Davis, jr. Feb. 26, 1945.
 OPC-30. C
- 1440 Determination of the vertical deviation and relations between the various deviations; local intermediate report by Leverett Davis, jr. Mar. 18, 1943. IPC-21.
- 1441 The determination of underwater velocities and decelerations of torpedoes by the use of electrified nets, by William H. Christie and Harry N. Bane. Sept. 28, 1945. NOC-58.1. C

- Development of a hexaform
 Ballistite propellant grain
 for an 8-in. rocket motor, by
 B. H. Sage. Nov. 15, 1945.
 JDC-93. C
- 1443 Development of a hexaform propellent grain for 3".25 rocket motors, by B. H. Sage. Feb. 1, 1946. IDC-44. C
- 1444 Development of a jet-propulsion unit for the Mk 13 torpedo, by B. H. Sage. Sept. 12, 1945. JOC-4. OSRD 2539.
- 1445 Development of a photo-flare for torpedo launching investigations, by B. H. Sage. Dec. 1, 1945. JHC-8. C
- 1446 Development of a propellant grain for use in a 2-inch reaction chamber, by B. H. Sage. Feb. 10, 1943. JDC-37.
- 1447 Development of a toroid igniter for application in the 3.25" spin-stabilized rocket motor, Mark 13, by B. H. Sage. Nov. 15, 1945. ICC-3.
- 1448 Development of a triform grain for 3.25-in. rocket motors, by B. H. Sage. Sept. 14, 1945. JDC-79. OSRD-2535. C
- 1449 Development of a 24-1b. cruciform charge for the 5.0-in. rocket motor, by B. H. Sage.
 May 4, 1944. JDC-62. OSRD-2108. C
- 1450 Development of cellulose acetate igniter cases for 1"25 and 2"25 rocket motors, by B. H. Sage. Aug. 12, 1943. JCC-8.
- 1451 Development of constant-burning-time 11".75 motor for use as booster, by C. W. Snyder. Sept. 17, 1945. OBC-49.1. R

CONTRACTOR MERCOCOCOS BOSOCOS DO DOS DOS DO DESCRIPTOR DE CONTRACTOR DE

- 1452 Development of igniter for cage-mounted propellants; interim report by J. McMorris and Sylvan Rubin. Dec. 19, 1941. JCC-1. C
- 1453 Development of new motor, by C. W. Snyder. Dec. 14, 1944. OBC-32.1. C
- 1454 Development of separable motor for AS model bomb tests; local intermediate report by W. N. Arnquist. Apr. 28, 1942. IBC-4.
- 1455 Development of the Mk 13 cruciform propellant grain, by
 W. H. Corcoran. Dec. 29,
 1943. JDC-56. OSRD 3492. C
- 1456 Development of the 3"5 air-craft rocket, models 1, 5, and 14. June 1, 1944. JBC-26. OSRD 2107. C
- 1457 Development of tin-plate case igniters for artillery rockets, by B. H. Sage. Dec. 30, 1945. JCC-12. C
- 1457a Developments, projects and special problems; past, present and future. June 1943.

 IMC-2. C
- 7the Didion-Bernoulli approximation for the trajectory of a projectile when the resistance is proportional to the square of the velocity, by Leverett Davis jr. Mar. 23, 1942. MTC-1. C
- 1459 Diffusion of air in Ballistite, by B. H. Sage and W. N. Lacey. Feb. 10, 1942. JDC-6. C
- 1460 Dispersed target method of determining barrage probabilities, by C. G. Willis and Gustaf Stromberg. Apr. 8, 1944. INC-4. C

- 1461 Dispersion and high temperature limit of the CWR-N; local intermediate report.
 Feb. 15, 1944. IBC-62. C
- 1462 Dispersion due to malalignment of fin-stabilized rockets in forward firing from
 aircraft, by L. I. Epstein.
 Aug. 10, 1944. JPC-23.
 OSRD 2190. R
- 1463 The dispersion of fin-stabilized rockets, by W. A. Fowler. Jan. 28, 1944. JPC-16. OSRD 3270.
- 1464 Dispersion of rockets. July 20, 1943. A-73M. OSRD 1632.
- 1465 Dispersion of rockets in forward firing from airplanes with reference to the CIT 3A12 and British UP 3 rockets; local intermediate report by Leon Blitzer. Aug. 25, 1943. IPC-39.
- 1466 Displacements of the 11".75 AR due to cross wind lift and Bernoulli effect, by P. W. Stoner and L. Davis, jr. June 20, 1945. OPC-3.1. C
- 1467 The double diaphragm decelerometer; local intermediate report by R. Stokes. Dec. 20, 1943. IHC-11. C
- 1468 Drag characteristics of various aircraft rocket projectiles; local intermediate report by Hsue-shen Tsien and Leverett Davis, jr. Jan. 15, 1944. IPC-52.
- 1469 Drawings for torpedo deceleration. June 29, 1944. JBC-28. C
- 1470 [Drawings of Mark 5 aircraft float lights] April 17, 1943. C

- 1471 [Drawings of rocket target launchers] Nov. 9, 1943. R
- 1472 [Drawings of tank rocket launchers] 1943. UEC-2.2.
- 1473 [Drawings of vertical antisubmarine bombs] Apr. 17, 1943.
- 1474 Drop table and decelerometer: construction, calibration, and operation, by F. C. Lindvall. Nov. 15, 1943. JGC-7.
- 1476 Drying characteristics and the effect of water on the physical characteristics and ballistic performance of JPH and JPN propellants, by B. H. Sage. Nov. 15, 1945. JDC-90.
- 1477 DUKW projector tests at San Diego; field report by A. S. Gould and L. A. Richards. Mar. 28, 1943. NMC-1.74. C
- 1478 Dynamic stability of bombs and projectiles, by M. A. Biot. Sept. 6, 1943. JPC-10. I. Forces on a solid moving through an ideal fluid. Jan. 2, 1943. JPC-4. II. Stability derivatives in a real fluid. Jan. 2, 1943. JPC-5. III. Stability of the rectilinear trajectory in air and water neglecting gravity. Jan. 2, 1943. JPC-6. IV. Stability of the vertical fall. May 26, 1943. JPC-11.
- 1479 The effect of acceleration, automatic sights, and head wind on the curve of approach and on the sight setting for the forward firing of rockets, by Leverett Davis, jr. [1944] OPC-21. A correction and an illustrative curve, by Leverett Davis, jr. and P. W. Stoner. Oct. 30, 1944. OPC-21.2. Revision, Nov. 24, 1944. OPC-21.3. C

- 1480 Effect of accuracy on the use of rockets. June 12, 1944.
- 1481 The effect of aerodynamic moments on the motion of spin-stabilized rockets during burning, by J. W. Follin, jr. Sept. 21, 1945. JPC-27. OSRD 2531. R
- 1482 Effect of aluminum on burning properties of solventless Ballistite, by B. H. Sage.
 May 4, 1944. IDC-41. OSRD-2126.
- 1483 The effect of burning time, fin size and projector length on the accuracy of the 1800-ft/sec 2-in. AA; local intermediate report by Leon Blitzer. Feb. 8, 1943. IBC-13.
- 1484 Effect of coloring agents upon the burning characteristics of Ballistite, by B. H. Sage. Oct. 1 and Dec. 11, 1942. IDC-9, JDC-25. Title varies.
- 1485 Effect of dimensions on performance of tubular grains for 2"25 rocket motors, by W. H. Corcoran. Jan. 27, 1944.

 JDC-59. OSRD 3634. C
- 1486 Effect of extrusion conditions on the quality of solventless Ballistite, by B. H. Sage. Jan. 10, 1945. JDC-73. OSRD 2380. C
- 1487 The effect of extrusion pressure on the degree of consolidation of JPN propellant, by B. H. Sage. Nov. 15, 1945.

 JDC-88.
- 1488 The effect of fin size, burning time, and projector length on the accuracy of rockets, by I. S. Bowen, L. Davis, jr. and L. Blitzer. Jan. 4, 1943. JPC-3. C

- 1526 Electrolytic integrating accelerometer, by William B.
 McLean. Feb. 14, 1946. OFC6. C
- 1527 Electronic bore-rider circuit, by U. E. Younger.
 Sept. 28, 1945. NOC-53.7. C
- 1528 Elementary principles of rocketry, by O. C. Wilson. July 17, 1943. LBC-1.
- 1529 Elements in the effectiveness of anti-submarine attacks by surface craft, by N. A. Haskell, P. M. Hurley, G. Stromberg, M. Ward, C. G. Willis and L. B. Slichter. May 1944. JNC-14. OSRD 2189. C
- 1530 Equipment and procedure for static firing tests; interim report by D. S. Clark. Mar. 21, 1942. JGC-2. C
- 1531a Equipment and procedures used in the static firing of rocket motors at Eaton Canyon, by B. H. Sage. Mar. 1, 1946.
 IGC-11. C
- 1532 Equipment for static firing tests, by E. L. Ellis and N. R. Gunderson. Nov. 12, 1942.

 JGC-3. C
- 1533 Estimate of costs associated with experimental production work for the U. S. Navy. Oct. 10, 1942. C
- 1534 Estimation of drag and noselift coefficients of some rockets necessary to give a prescribed underwater behavior; local intermediate report by Leverett Davis, jr. and L. Ivan Epstein. Apr. 10, 1944. IPC-57. C
- Estimation of lot quality in sampling by attributes, by J. G. Waugh. Feb. 21, 1944.

 IMC-3. C.

- 1536 Estimation of the inherent dispersion of rockets by firing pairs of rockets simultaneously, by J. G. Waugh.
 Oct. 11, 1943. IPC-43. C
- 1537 Evaluation of pressure-time relationships occurring in static firing of rocket motors, Jy B. H. Sage. Apr. 10, 1945. JGC-8. OSRD 2484.
- 1538 Examination of rules for lead angles as affecting the efficiency of mousetrap attacks, by M. A. Biot. Apr. 8, 1943. INC-3.
- 1539 Excerpt B from CIT weekly progress report; torpedo launching. Dec. 12, 1943. PMC-2.10.
- 1540 Excerpt C from CIT weekly progress report [rockets and rocket propellants] Oct. 24-Dec. 19, 1943. Report nos. PMC 2.3-2.11. C
- Excerpt from CIT weekly progress reports PMC-2.1, 2.2 and 2.4 on antisubmarine warfare. Oct. 10-31, 1943. Report nos. UMC-10.0, 10.1, 10.3. Title varies. C
- 1542 Excerpts from CIT complete projectile catalog. Aug. 25, 1944. IBC-72. C
- Experimental attempts to improve the accuracy of rockets: 1. Experiments to modify the internal structure of rocket motors. 2. Experiments with rotating rockets.
 3. Miscellaneous experiments to modify standard projectiles, by 0. C. Wilson and G. E. Kron. Nov. 26, 1943.

 JPC-9. C
- 1544 Experimental measurement of yaw moment coefficient, by S. Rubin. Dec. 23, 1943. OPC-15.

- 1471 [Drawings of rocket target launchers] Nov. 9, 1943. R
- 1472 [Drawings of tank rocket launchers] 1943. UEC-2.2.
- 1473 [Drawings of vertical antisubmarine bombs] Apr. 17, 1943.
- 1474 Drop table and decelerometer: construction, calibration, and operation, by F. C. Lindvall. Nov. 15, 1943. JGC-7.
- 1476 Drying characteristics and the effect of water on the physical characteristics and ballistic performance of JPH and JPN propellants, by B. H. Sage. Nov. 15, 1945. JDC-90.
- DUKW projector tests at San Diego; field report by A. S. Gould and L. A. Richards. Mar. 28, 1943. NMC-1.74. C
- 1478 Dynamic stability of bombs and projectiles, by M. A. Biot. Sept. 6, 1943. JPC-10. I. Forces on a solid moving through an ideal fluid. Jan. 2, 1943. JPC-4. II. Stability derivatives in a real fluid. Jan. 2, 1943. JPC-5. III. Stability of the rectilinear trajectory in air and water neglecting gravity. Jan. 2, 1943. JPC-6. IV. Stability of the vertical fall. May 26, 1943. JPC-11.
- 1479 The effect of acceleration, automatic sights, and head wind on the curve of approach and or the sight setting for the forward firing of rockets, by Leverett Davis, jr. [1944] OPC-21. A correction and an ill strative curve, by Leverett Davis, jr. and P. W. Stoner. Oct. 30, 1944. OPC-21.2. Revision, Nov. 24, 1944. OPC-21.3. C


- 1480 Effect of accuracy on the use of rockets. June 12, 1944.
- 1481 The effect of aerodynamic moments on the motion of spin-stabilized rockets during burning, by J. W. Follin, jr. Sept. 21, 1945. JPC-27.
 OSRD 2531. R
- 1482 Effect of aluminum on burning properties of solventless Ballistite, by B. H. Sage.
 May 4, 1944. IDC-41. OSRD-2126. C
- 1483 The effect of burning time, fin size and projector length on the accuracy of the 1800-ft/sec 2-in. AA; local intermediate report by Leon Blitzer. Feb. 8, 1943. IBC-13.
- 1484 Effect of coloring agents upon the burning characteristics of Ballistite, by B. H. Sage. Oct. 1 and Dec. 11, 1942. IDC-9 JDC-25. Title varies.
- 1485 Effect of dimensions on performance of tubular grains for 2"25 rocket motors, by W. H. Corcoran. Jan. 27, 1944. JDC-59. OSRD 3634. C
- 1486 Effect of extrusion conditions on the quality of solventless Ballistite, by B. H. Sage. Jan. 10, 1945. JDC-73. OSRD 2380. C
- 1487 The effect of extrusion pressure on the degree of consolidation of JPN propellant, by B. H. Sage. Nov. 15, 1945.

 JDC-88. C
- 1488 The effect of fin size, burning time, and projector length on the accuracy of rockets, by I. S. Bowen, L. Davis, jr. and L. Blitzer.
 Jan. 4, 1943. JPC-3. C

- 1489 The effect of fin size, burning time, and projector length on the accuracy of UP's; local intermediate report by I. S. Bowen. Nov. 13, 1942. IPC-10. C
- 1490 Effect of fins on dispersion of 5%0 HVAR; local intermediate report by Leon Blitzer.
 May 16, 1944. OPC-18. C
- 1491 Effect of fins on the yaw and deflection of CWG's, by Leon Blitzer. June 1, 1942. MTC-5.
- 1492 Effect of fins on yaw and deflection, by Leon Blitzer and Leverett Davis, jr. Aug. 10 and Oct. 31, 1942. MTC-7, ITC-5. Title varies. C
- 1493 Effect of launcher length on the downward deflection of the trajectory of the 4"5 BR (4H-01 Ma, Lot 4) at end of burning, by J. G. Waugh. [194-] OPC-13. C
- 1494 Effect of mal-launching on the accuracy of rockets (spinners); local intermediate report by L. Ivan Epstein, Jan. 13, 1944. IPC-53.
- 1495 Effect of nitrocellulose source upon the characteristics of double base powder, by B. H. Sage. Dec. 15, 1942 and Mar. 2, 1943. JDC-28, A-155. OCRD 1266.
- 1496 Effect of nose shape on underwater trajectory of Mk 13-2 torpedo models, by Max Mason and L. B. Slichter. Dec. 22, 1944. IOC-39. OSRD-2326, C
- 1497 Effect of opacity on the burning characteristics of extruded Ballistite grains, by B. H. Sage. Apr. 21, 1944. JDC-61. OSRD 2134. C

- 1498 The effect of pitch and entry angle on the underwater orbit of Mark 13-2 torpedo as determined by tests with 1.0-in. model, by Max Mason and L. B. Slichter. Aug. 28, 1944. IOC-32. OSRD 2198. C
- 1499 The effect of processing operations and of elevated temperatures upon the diphenylamine content of Ballistite, by L. Pauling and B. H. Sage. Sept. 29, 1944. JDC-66.

 OSRD 2298. C
- on the water content of black powder, by B. H. Sage. May 5, 1943. JCC-7.
- 1500a The effect of roughness of sea on the entry angle of a projectile, by R. I. Piper. Aug. 19, 1944. IOC-31. R
- 1501 The effect of roughness of the sea on the entry and ricochet angles of a projectile, by Max Mason and L. B. Slichter. Feb. 1, 1945. IOC-31, revised. OSRD 2374.
- 1502 Effect of small changes in burning time and velocity on trajectory drops of rockets fired forward from aircraft, by L. Blitzer. Nov. 1, 1944. OPC-28.
- 1503 Effect of squib boosters on the performance of black powder igniters, by B. H. Sage. Aug. 14, 1943. JCC-9. C
- 1504 Efficion of storage and weathering on ASPC rocket motors, by B. H. Sage. Sept. 23, 1943. JDC-50. C
- 1504a Effect of tail spin on underwater projectiles, by 3 K.
 Rule. Jan. 10, 1942. IPC2.



- 1546 Experimental values for rocket sight calibration for several aircraft; local intermediate report by O. D. Frampton. June 20, 1944. IPC-61.
- 1546a Explosives safety, by J. H.
 Maxson. Nov. 1, 1945. IZC3. R
- 1547 Explosives safety regulations. Feb. 15, 1945. CZC-1. OSRD 2395. C
- 1548 The exterior ballistics of fin-stabilized aircraft rockets, by L. Blitzer and L. Davis, jr. Aug. 20, 1945.

 JPC-24. OSRD 2528. R
- 1549 External ballistics of 5"
 HVSR fired rearward from aircraft; field report by George Safonov. Jan. 10, 1945.
 OPC-15.1. C
- 1550 External ballistics of the 2"5 rocket grenade (300—ft/sec) based upon data for the 2"5 RG (350-ft/sec); local intermediate report.
 July 29, 1943. IBC-42. C
- 1551 Extrusion and burning characteristics of a double-base propellant employing ethyl centralite as stabilizer, by B. H. Sage. Nov. 23, 1942.

 JDC-26. C
- 1552 Extrusion and burning characteristics of a nitrotoluene propellant. Nov. 1942. ODC-10. C
- 1553 Extrusion and burning characteristics of a special propellant, by B. H. Sage.
 Sept. 15, 1942. JDC-29. C

- 1554 Extrusion and burning characteristics of powders of the dinitrotoluene and cordite types, by B. H. Sage. Mar. 12, 1943. A-71M. OSRD 1305.
- 1555 Extrusion and burning characteristics of three types of modified Ballistite, by B. H. Sage. Mar. 11, Apr. 7 and May 18, 1943. JDC-40, 42, A-183. OSRD 1461. Title varies. C
- 1556 Extrusion and burning characteristics of two types of colloidal propellant, by B. H. Sage. Jan. 12, 1943.

 JDC-35. C
- 1557 The extrusion of Ballistite dyed with nigrosine, by B. H. Sage. Jan. 21, 1943. JDC-34.
- 1558 Extrusion of Ballistite tube from solventless sheet stock; second interim report by B. H. Sage and W. N. Lacey. Feb. 23, 1942. JDC-3.2. C
- 1561 Extrusion of large tubular grains of Ballistite, by B. H. Sage. Dec. 1, 1942 and Jan. 4, 1943. JDC-24, A-135. OSRD 1183. C
- 1562 Extrusion of multi-web grains of Ballistite, by B. H. Sage. Feb. 18, 1943. JDC-38. C
- 1564 Extrusion of solventless Ballistite; intermediate report by T. Lauritsen. Dec. 3, 1941. IDC-1. C
- 1565 Extrusion of UP propellant; local intermediate report by T. Lauritsen. Dec. 11, 1941. IDC-1. Revision, Dec. 15, 1941. JDC-1. C
- 1566 Exudation of nitroglycerin from Ballistite propellant grains, by B. H. Sage. Sept. 8, 1945. JDC-78. OSRD 2532.

- 1567 F4U-1, F4U-1D, FG-1. Sight settings for 2"25, 3"5, and 5"0 aircraft rockets. Nov. 14, 1944. UNC-4. OSRD 2271.
- 1568 F6F-3, F6F-5. Sight settings for 2"25, 3"5 and 5"0 aircraft rockets. Nov. 18, 1944. UNC-5. OSRD 2272. R
- 1569 Feasibility of visual coincidence scoring by two observers of tracer bullets shot at rocket targets, by J. W. M. DuMond. May 1, 1942. JNC-3.
- 1570 Field standardization of the 2"5 subcaliber rocket (170-ft/sec ASPC); local intermediate reports. June 24 and Oct. 18, 1943. IBC-33, 34.2. Title varies.
- 1571 Field standardization of the 7"2 ASR; local intermediate report. July 11, 1943. IBC-37.
- 1572 Field standardization of the 7V11; local intermediate report. May 24, 1943. IBC-22.2. C
- 1573 Field standardization of the 7V12; local intermediate report. May 24, 1943. IBC-29.
- 1574 Field standardization of the 7V13; local intermediate report. May 12, 1943. IBC-26.
- 1575 Field standardization of the 300-ft/sec subcaliber VAR; local intermediate reports.
 June 1943. IBC-34, 35. Title varies. C
- 1576 Field standardization of the VFR-CIT 200-ft/sec; local intermediate report. Aug. 1, 1943. IBC-41.

- 1577 [Field testing of rockets; range operations and metric photography] Progress reports by Jesse W. M. Dumond. Feb. 25-Apr. 6, 1942. NEC-1, 1.3-1.7.
- 1578 Field tests of the 3.25-in. rocket projectile (3A9); local intermediate report by C. W. Snyder. June 28, 1943. IBC-43.
- 1579 Figures selected from PBY officers' manual. Jan. 18, 1943. JNC-4. R
- 1580 Filing and indexing system for CIT files. Jan. 10, 1945. OZC-1.3.
- 1581 Filing and indexing system for Kellogg files. Mar. 5, 1943. OZC-1.2. C
- 1582 Final report of the activities of Production Control
 Department [of Section 5]
 Vols. 1-7. Jan. 5, 1942-Oct.
 15, 1945. R
- 1583 Firing circuit for the rocket booster stations (schematic diagram TL 3025), by R. N. Skeeters. July 26, 1945. NOC-32.3. C
- 1583a Firing depth tests of modified Mark 6 Mod. 1 depth charge pistols in Mark 9 depth charges, by B. H. Rule and W. P. Huntley. May 18, 1943. IOC-2.
- 1584 Firing of 3¼" UP's at Eaton Canyon Site; report of field tests by W. A. Fowler. Oct. 28, 1941. IHC-1.1. C
- 1585 Firing of 6" anti-submarine UP's at Eaton Canyon Site, by W. A. Fowler. Oct. 26, 1941. IHC-1.2.



- 1586 Firing tables for the 5"0/5
 HCSR Model 134 from the Precise Mk 50 and Mk 51 Launchers, by P. W. Stoner and J.
 W. Follin, jr. Aug. 9, 1945.
 OPC-41.1.
- 1586a Firing tests of ABN-7A magnetic fuze, by B. H. Rule and W. P. Huntley. [Dec. 31, 1942] IIC-5. C
- 1587 Firing tests of GMC sample of DUKW projector, by A. S. Gould. Mar. 28, 1943. NMC-1.74.
- 1587a Firing tests of HHR fuse, by B. H. Rule and W. P. Huntley. [Nov. 25, 1942] IPC-15. C
- 1588 Firing tests on 15/16" extruded Ballistite; local intermediate report by W. H. Arnquist. Dec. 29, 1941.
 IGC-1.2. C
- 1589 Flare specifications, by A. K. Billmeyer. Sept. 30, 1945. NOC-17.1.
- 1590 FM-2. Sight settings for 2"25, 3"5, and 5"0 aircraft rockets. Nov. 11, 1944. UNC-3. OSRD 2264.
- 1591 Formulas for the spin produced by inclined jets; local intermediate report by Leverett Davis, jr. March 25, 1944. IPC-55.
- 1592 Forward firing from aircraft; excerpts from CIT weekly progress reports. Oct. 3-Dec. 19, 1943. UMC 12.2-12.13.
- 1593 Forward firing of 3"5 air-craft rockets from TBF-1 and PV-1 aircraft. Nov. 6, 1943.

 JNC-9.2. C

- 1594 Forward fixing of 3"5 and 5"0 aircraft rockets from TBF-1, PV-1, SBD-5, and F6F-3 aircraft. Dec. 31, 1943. JNC-9.3. OSRD 3458. Supplement, Feb. 26, 1944.
- 1595 Forward firing of 5.0, 3.5, and 2.25 aircraft rockets from A-26B aircraft. June 15 and July 15, 1945. JNC-27, 28. OSRD 2449, 2476. Title varies.
- 1596 Forward firing of 11.75-inch aircraft rockets from A-26B aircraft. July 1, 1945.

 JNC-32. OSRD 2433. C
- 1597 Forward firing of 11"75 air-craft rockets from F4U-1D and F6F-5 aircraft. Jan. 27, 1945. JNC-29. OSRD 2357. Revisions 1-3. Apr. 28, July 2 and Aug. 15, 1945. C
- 1598 Forward firing of 11.75-inch aircraft rockets from P-38L aircraft. July 20, 1945.
 JNC-34. OSRD 2499. C
- 1599 Forward firing of rocket projectiles from British air-craft (abstracted from British reports). June 16, 1943.

 MBE-18x. C
- 1600 Forward firing of rockets from airplanes, by Leon Blitzer and J. C. Renard. June 6 and Oct. 4, 1943. OPC-5, JNC-9. Title varies.
- 1601 Forward firing of rockets from P-47D aircraft. Jan. 2, Feb. 10 and 17, 1945. JNC-24-26. OSRD nos. 2333, 2347, 2382. Title varies. R
- 1602 Forward firing of the British UP3 and CIT 3A rockets from airplanes; local intermediate report by Leon Blitzer. July 24, 1943. IPC-34. C



ᡧᡬ᠅ᢞ᠒ᢥ᠒ᡮ᠒ᢥ᠒ᢥ᠒ᢥ᠒ᢥ᠒ᢥ᠒ᢥ᠒ᢥ᠘ᢝᢝᢥ᠒ᢥ᠒ᡷ᠒ᡭ᠒ᡮ᠒ᡲ᠒ᡭ᠒ᡮ᠒ᡲ᠒ᡭᠵ᠒ᡷᢗᡠᠻᢑᠻᡑᠻᡑᠺᢐᡐᢒᢒᢒᠻᢣᢊᢣᠻᠫᡊᢣᡘᢘᠻᢘᢝᢘᡊᢑᡊᡙᡊᡙᡊᡙᡊᡙᡳᢘᢎᢘᡕ

- 1603 The 4.5-in. barrage rocket, by F. Fredericks, T. Lauritsen, F. C. Lindvall, V. Rasmussen, L. A. Richards and J. G. Waugh. Aug. 26, 1942. A-85. OSRD 842. C
- 1604 Fragmontation tests on special BR bodies; local intermediate report by O. C. Wilson, C. A. Wirtanen and J. A. Gilbert. Aug. 19, 1943.


 IQC-3. C
- 1605 Free and restricted column behavior of some double-base propellants, by B. H. Sage. Dec. 30, 1945. JDC-92. C
- 1606 Free-flight trajectories of CWG projectiles; local intermediate report by L. Blitzer. June 1, 1942. JPC-1. C
- 1607 Further investigation of partially colloided double-base powder in solventless extrusion, by B. H. Sage. Aug. 16, 1944. JDC-65. OSRD-2205. C
- 1608 Further investigations conducted with the yaw machine; local intermediate report.

 Jan. 4, 1943. ILC-2. C
- 1609 Further investigations of the underwater behavior of air-craft rcckets, by I. S. Bowen, R. V. Adams and S. Rubin. June 26, 1944. JBC-27. OSRD 2152.
- 1610 Fuzes for U. S. Navy 5"0 HVAR (excerpts from CIT fuze catalog). June 23, 1944. UIC-3.
- 1611 Gas malalignment and deflection-malalignment ratio for
 all types of BR fired from
 September 20, 1942 to April
 1, 1943; local intermediate
 report by C. W. Snyder. IBC23. C

- 1612 Geometric malalignment in rockets, by T. Lauritsen, L. A. Richards, S. Rubin and J. G. Waugh. Aug. 16, 1943.

 JGC-6. C
- 1613 Graphic illustrations of landing operations assisted by barrage rockets. Mar. 20, 1943. UEC-2.
- 1614 Gravity drop tables. British
 3"25 rocket motor no. 1 Mk 2
 (11-1b cruciform) with American 3"5 and 5"0 bodies. May
 25, 1944. UPC-4. OSRD 2112.
- 1615 Gravity drops (mils) normal to effective launching line, 2.25-in. AR model 1; Mk 5 launcher. July 15, 1944. OPC-23. R
- 1616 Gunnery and tactical training with rocket targets, by J. Edson. Dec. 14, 1943.

 JNC-10. OSRD 3167. R
- 1617 Gyroscopic orientation recorder, by S. Baker. Sept. 28, 1945. NOC-6.1.
- 1618 Handling of forward firing rocket equipment aboard carriers. Jan. 8, Feb. 26 and Mar. 28, 1944. JNC-13, 13.2. OSRD 3504. Title varies. C
- 1619 Hazards in the shipment of propulsive and non-propulsive rockets. June 22, 1943.
 IMC-1. C
- 1620 Heat transfer to nozzles used in jet propulsion equipment, by B. H. Sage. Sept. 30 and Oct. 20, 1942. JDC-20, A-56M. OSRD 951.
- 1622 High performance 2-in. APR; local intermediate report by F. E. Roach. Aug. 13, 1942. IAC-2. C



- 1624 History of solventless extrusion of double-base propellant at the California Institute of Technology, by R. N. Wimpress. Mar. 1, 1945.

 IDC-43.
- 1625 Horn fuze tests, by W. P.
 Huntley, R. L. Noland, B. H.
 Rule and G. A. Spassky. July
 8, 1943-June 17, 1944. IIC16, 16.2-16.4. C
- 1626 Hydrophone-signal amplifier for interval timer, by U. E. Younger. Sept. 25, 1945. NOC-42.1.
- 1627 Hydrostatic pressure test of "Y" and breech sections, by J. T. Bowen. July 19, 1945. NOC-35.1. C
- 1628 Igniters. Mar., June and July 1943.
- 1629 Ignition of Ballistite during confined pressing operations, by B. H. Sage. Sept. 20, 1943. IDC-39. C
- 1630 Ignition of the powder charge in an extrusion press, by B. H. Sage. May 5, 1943. IDC-33.
- 1631 Ignition within a twelve-inch vertical extrusion press.
 Nov. 24, 1944. JDC-71.
 OSRD 2348. C
- 1631a IHR fuze tests, by B. H. Rule and W. P. Huntley. [Dec. 31, 1942] IIC-7.
- 1632 Impact and deceleration of the ASB (mousetrap), by Bruce H. Rule and W. P. Huntley.
 [194-] IPC-12. C

- 1633 Impact and deceleration of the ASPC Mark 1 projectile and modified A.S. bomb, by B. H. Rule and W. P. Huntley. Feb. 10, 1943. JBC-15. C
- 1634 Impact characteristics of several double-base propellants, by B. H. Sage. Dec. 10, 1945. JDC-86.
- 1635 Impact decelerometers, by R. L. Noland, T. H. Wiancko, W. P. Huntley and B. H. Rule. Nov. 13, 1943 and Jan. 24, 1944. IHC-2, JHC-3. OSRD-3430. C
- 1637 Index to CIT progress reports. Mar. 7, Aug. 22, 1943 and May 21, 1944. UMC-4, 4.2, 4.3. OSRD 3887. UMC-4.3 supplements 1-4, July 23, 1944-Sept. 15, 1945. OSRD-2543.
- 1638 The inertial forces on the parts of a mallaunched rocket, by Leverett Davis, jr. Jan. 10, 1945. OPC-3. Corrections and extension, Jan. 23, 1945.
- 1638a Influence of additive agents upon the burning characteristics of extruded grains of double-base propellant, by P. A. Longwell, B. H. Sage and W. N. Lacey. June 15 and Nov. 17, 1942. IDC-13, 21. Title varies.
- 1639 Influence of burning time, mass velocity, and tube wall thickness on the heat failure of rocket tubes; local intermediate report. Jan. 20, 1943. IAC-6.
- 1640 The influence of extrusion and subsequent storage upon the burning characteristics of Ballistite, by B. H. Sage. June 1 and Sept. 21, 1942. JDC-15, A-96. OSRD 895. C

- 1641 Influence of size of the axial perforation upon the performance of radial burning grains, by R. H. Sage. Sept. 21 and Oct. 22, 1942. A-106, IDC-20, JDC-19. OSRD 966. Title varies.
- 1642 The influence of temperature upon design and application of rocket motors. May 4, 1943. IAC-8.
- 1643 The influence of the Magnus moment on the stability of rotating projectiles, by L. Davis, jr. and J. W. Follin, jr. Sept. 1, 1945. JPC-29. CSRD 2529.
- 1644 Influence of tricresylphosphate upon the burning characteristics of extruded
 grains of Ballistite, by B.
 H. Sage. July 10, 1942.
 JDC-16.
- Initial conditions for the calculation of CWG trajectories, by Leverett Davis, jr.
 Mar. 21, 1942. MTC-2. C
- 1646 Initial firing test of type 3
 CIT sight; preliminary field
 report by H. W. Babcock. May
 22, 1945. ORC-2.00 C
- 1647 Inspection procedures for 2"25 aircraft rocket model 3 (subcaliber) (2"25 rocket motor Mk 12 and 2"25 body Mk 1); manual. May 30, 1944.

 JSC-6. OSRD 2119. R
- 1648 Inspection procedures for 3"5 aircraft rocket model 5 (3"25 rocket motor Mk 7 and 3"5 rocket body Mk 1); manual.

 Apr. 29, 1944. JSC-5. OSRD-2110. R
- 1649 Inspection procedures for 5.0 high velocity aircraft rocket, models 13, 14, 15, and 16 (5.0 rocket motor Mk 1 and 5.0 rocket body Mk 5); manual. Aug. 28, 1944. JSC-7. OSRD 2204. Supplement no. 1, Sept. 1944. OSRD 2234. R

1650 Inspection procedures for 5.0 spin-stabilized rockets; manual. Supplement no. 1 - Inspection of 5.0 rocket head Mk 8 (for 5.0/10 common spin-stabilized rocket, CIT model 32). Mar. 15, 1945. JSC-10. OSRD 2421.

- 1651 Inspection procedures for 5"0/5 high-capacity spin-stabilized rocket CIT model 34 (5"0 rocket motor Mk 4 and 5"0 rocket head Mk 10); manual Jan. 15, 1945. JSC-10. OSRD 2383.
- 1652 Inspection procedures for 11".75 rocket motor Mk 1; manual. Nov. 22, 1944. JSC-9. OSRD 2311.
- 1653 Installation and use of barrage rocket projectors for tank lighters. May 28, 1943. JBC-16.
- 1654 Installation of BR projector; excerpts from report no. JBC 10.2. Sept. 18, 1942. JBC-10.3. R
- 1655 Installation of projectors on PBY, by F. C. Lindvall. Sept. 5, 1942. OEC-13. C
- 1656 Instruction manual. Optical inspection fixture, model M-4. 5"0 high velocity aircraft rocket. Oct. 2, 1944. JSC-8. OSRD 2236. R
- 1657 Instructions and drawings for installation of Mk 5 Mod 1 launchers on P-47 aircraft.
 June 23, 1944. IEC-13. R
- 1658 Instructions for use of CIT type 3 launcher (wooden 3-rail for 4"5 barrage rocket) and CIT type 3 firing box; manual. Nov. 17, 1943. JEC-9.3.

- 1659 Instruments developed for an experimental study of the water entry of torpedoes and full-scale torpedo models, by F. C. Lindvall. Apr. 10, 1945. JHC-6. OSRD 2431. C
 - 1660 Intensified exposure of motor seals, by B. H. Sage. July 21, 1945. JDC-76. OSRD-2519. C
 - 1661 Internal and external ballistic data, fin-stabilized rockets. Mar. 15, 1945.
 UBC-28. OSRD 2409. C
 - 1662 Internal ballistic calculations for four motors with neutral-burning grains; local intermediate report by C. T. Elvey. June 8, 1943. ILC-4.
 - 1663 Internal ballistics of jetpropelled devices, by B. H. Sage. Oct. 23, 1942. JAC-2.
 - The internal ballistics of the 1-1/8 in. motor using (a) 97 grams of 1½ in. propellant and (b) 97 grams of 1½ in. propellant; local intermediate report by John McMorris. Aug. 20, 1942. IDC-12.
 - 1665 Interpretation of range measurements with the Mule; local intermediate report by W. N. Arnquist. Feb. 5, 1942.
 IHC-1.3. C
 - 1666 An introduction to the study of rockets, by O. C. Wilson and W. N. Lacey. Feb. 5, 1944. JMC-2. OSRD 3304. C
 - of rockets. 2d ed., by O. C. Wilson and W. N. Lacey. Mar. 15, 1944. JMC-2.2. OSRD-3503.
 - 1668 The investigation of a highstrength propellant, by B. H. Sage. Nov. 7, 1944. JDC-67. OSRD 2364.

- 1669 Investigation of JPH propellant, lots FDAP 28 and FDAP 29, by M. O. Blatt, D. F. Botkin, Q. Elliott, B. H. Levedahl and L. S. Sinclair. June 5, 1945. JDC-74. OSRD-2517.
- 1670 An investigation of nickel-catalyzed powder, by B. H. Sage. Dec. 15, 1945. JDC-94.
- 1671 Investigation of several types of German rocket motors, by B. H. Sage. Aug. 25, 1945. IAC-18.
- 1672 Investigation of stabilization of deflagration of tubular propellant, by B. H. Sage. Nov. 15, 1945. JDC-85. C
- 1673 An investigation of the dispersion of double-base powder in acetone-water mixtures, by B. H. Sage. Sept. 7, 1943.

 JDC-49. C
- 1674 Investigation of the effectiveness of flash protection afforded by process storage compartments, by B. H. Sage. July 10, 1943. IDC-32. C
- 1676 Investigation of the use of plastic-case igniters for the ASPC motor, by B. H. Sage.
 Jan. 7, 1943. JCC-5. C
- 1678 Investigations on the burning characteristics of propellant powder and their effects upon steady-state pressure in rocket motors, by B. H. Sage. Nov. 1, 1945. JDC-84. C
- 1679 Land service use of 11.75inch aircraft rockets against caves. Aug. 15, 1945. JBC-32. OSRD 2516.

- 1680 Loading of retro-bombing projectors for PBY-5 aircraft and preparation of 200-ft/sec ammunition; crew manual. Aug. 14, 1943. JEC-6.3. R
- 1681 Loading of vertical bombing projectors for TBF-1 and TBF-2 aircraft and preparation of 300-ft/sec ammunition; crew manual. June 9, 1943. JEC-7.
- 1682 Loading of vertical bombing projectors (PBY-5) and preparation of ammunition. Jan. 6 and May 1, 1943. JEC-6, 6.2. Title varies. R
- 1683 Mallaunching due to elliptical bourrelets, by W. B. Dayton. Oct. 10, 1945. OPC-15.
- 1684 Mallaunching of dynamically unbalanced rounds from rigid launchers, by W. B. Dayton. Dec. 9, 1944. OMC-13. C
- 1685 Manual, description and instructions for use, CIT type 9 rocket launcher (extensible single rail 4"5 BR). May 5, 1944. JEC-16. OSRD 3719. R
- 1636 Manual, description and instructions for use, CIT type 44 launcher for 5"0 SSR. Jan. 18, 1944. JEC-19. OSRD 2349. C
- 1687 Manual for the computation of effective rocket temperatures, aircraft rockets with 3"25 motors, by L. Davis.

 June 10, 1944. UNC-1. OSRD-2118. R
- 1688 Manual for the 4"5 barrage rocket (1100 yd). 2d ed. Oct. 10, 1943. JBC-19.2. R

- 1689 Manufacture and performance of grains for use in a 2.5-inch reaction chamber; local intermediate report by B. H. Sage. Apr. 10, 1943. IDC-29.
- 1690 Manufacturing and inspection problems, rocket target Mk 3; manual. Mar. 1, 1944. JSC-3.
- 1691 Manufacturing methods for 3,25 rocket motor Mk 7 and 3,5 rocket body Mk 1; manual. Jan. 20, 1944. JSC-2. C
- 1691a Mark IX Mousetrap (proposed new ASPC); entry and underwater tests, by B. H. Rule and W. P. Huntley. [June 5, 1943] IPC-29.
- 1692 Mark 12 depth charge, by B.
 H. Rule and W. P. Huntley.
 Nov. 24, 1943 and Jan. 26,
 1944. IOC-19, 21. Title varie C
- 1693 h .. mine target impact tests, py B. H. Rule and W. P. Huntley. Sept. 4, 1943.
- 1694 Mark 25 depth mechanisms, FBD 1-25 and FJD 1-25, by D. A. Kunz. Apr. 2, 1945. NOC-5.4.
- 1695 Mark 25-00 assembly and structural tests, by D. A. Kunz. Mar. 29, 1945. NOC-5.3.
- 1695a Mark 138 fuze tests, by B. H.
 Rule and W. P. Huntley. June
 8, 1943. IIC-15. C
- 1696 The Mark 140 fuze (HIR 3):
 Tests of arming depth, premature firing, and sensitivity; local intermediate report. Sept. 1, 1943. IIC-

- 1697 Measurement of deceleration components; local intermediate report by R. Stokes.
 Dec. 20, 1943. IHC-4. C
- 1698 The measurement of heats of explosion and combustion of Ballistite, by B. H. Sage.
 Aug. 10, 1944 and Jan. 13, 1945. JDC-69. OSRD 2458. C
- 1698a Mechanical destruction tests of metal parts of subcaliber Mk 1 ASPC tail, by B. H. Sage. Apr. 20, 1943. IBC-24.
- 1699 Mechanism of pitch sensitivity for aircraft torpedoes, by Harold Wayland. Revision, Feb. 27, 1945. NOC-47.1. C
- 1700 The mechanism of water entry of projectiles, by M. A. Biot. Sept. 1, 1943. JPC-13.
- 1701 The mercury decelerometer; local intermediate report by R. Stokes. Jan. 3, 1944. IHC-10. C
- 1702 Metal-oxidant igniters for Ballistite, by B. H. Sage. Feb. 25, 1943. JCC-6.
- 1703 A method of analysis for gasphase mixtures of acetone, water, and air, by B. H. Sage. Mar. 13, 1944. IDC-40. C
- Method of changing a standardization report when the weight but not the shape of a rocket is changed, by Leverett Davis, jr. July 28, 1943. IPC-35. C
- 1705 Method of computing ballistic data for rotating rockets.
 Jan. 18, 1944. OHC-8. C
- 1706 Method of computing external ballistic data. Apr. 12, 1943. OHC-4. R

- 1707 Method of computing external ballistic data. Apr. 19, 1943. OHC-4.2. 2d ed., Sept. 30, 1943. OHC-4.3. C
- 1708 Method of computing trajectories and sighting tables for forward firing aircraft rockets, by L. Blitzer and L. Davis, jr. Feb. 20, 1944.

 JPC-17. OSRD 3361. C
- 1709 Methods for one piece nozzle manufacture. Mar. 8, 1944.

 JSC-4. Supplement no. 1, May 16, 1944.
- 1710 Methods of manufacture for the 4".5 barrage rocket; manual, by Lowell Martin. Sept. 22, 1943. JSC-1. C
- 1711 Microscopic examination of extruded Ballistite, by William N. Lacey and B. H. Sage.
 Nov. 21, 1941 and Jan. 6, 1942. ODC-2, A-31M. OSRD-315
- 1711a Minimum clearance angle for 5"0/5 HCSR, by Leverett Davis, jr. and J. W. Follin, jr. May 12, 1945. OPC-15.1.
- 1712 The Mk 2-0 D & R program (TLP 20); preliminary report by F. R. Watson, Harry Bane and Loren Barre. July 10, 1945. NOC-20.1.
- 1713 Mk 146 fuze (PIR): static firing progress report, by D. E. Brink. Mar. 18, 1944. IIC-21. C
- 1714 Modeling of water entry of bombs and projectiles, by L. B. Slichter. Mar. 31, 1944. IHC-17. R
- 1715 Motion of the 5.0 hybrid SSR in forward firing from aircraft as inferred from yaw camera records, by L. Ivan Epstein. Feb. 17, 1945.
 OPC-29. Supplements 1 and 2, Feb. 17 and May 26, 1945.
 Title varies. C

- 1716 Motor catalog. Sept. 28, 1942-Feb. 10, 1943. UAC-1, 1.2, 1.3. Supplement, by C. T. Elvey. June 8, 1943. UAC-2. Title varies. C
- 1717 Motor design, by F. E. Roach. Aug. 10, 1942. IBC-6. C
- 1717a Motors for anti-submarine bombs, vertical bombs and barrage rockets, by W. A. Fowler. Oct. 22, 1942. IAC-3.
- 1718 Mousetrap operation instructions, by L. B. Slichter and T. Lauritsen. Oct. 25, 1942.

 JPC-13. C
- 1719 The multi-unit indenter decelerometer; local intermediate report by R. Stokes.

 Jan. 3, 1944. IHC-8. C
- 1720 Naval Ordnance Laboratory centrifuge checks of the calibration of the CIT midget step accelerometer, by 0. D. Terrell. Mar. 15, 1945.

 NOC-3.1. R
- 1721 The Navy type spring decelerometer; local intermediate report by R. Stokes. Jan. 3, 1944. IHC-7. C
- 1722 Neon tube cameras, by Saul Baker. Oct. 15, 1945. NOC-61.1. C
- 1723 Net data inconsistancies, by H. N. Bane. July 13, 1945. NOC-45.1.
- 1724 A new system of coordinates, by J. W. Follin, jr. Jan. 9, 1945. OPC-3.1. C
- 1725 Note on range and dispersion of 5"O HVAR model 13; local intermediate report by H. M. Greene and L. Davis, jr. Mar. 27, 1945. IBC-74. C

- 1726 A note on the reasons why the same spin stabilized rocket cannot be used both for very accurate f re with a flat trajectory and for barrage purposes, by Leverett Davis, jr. Apr. 4, 1845. OPC-33.
- 1727 Notes on CIT manual on rocket targets. June 18, 1933.
 OBC-27.1. C
- 1728 Notes on meeting on production. Sept. 2, 1943. C
- 1729 Notes on target fin construction, by W. D. Lacey. Oct. 9, 1943. IBC-50. C
- 1730 Notes on the external ballistics of rotating rockets, by Leverett Davis, jr. Apr. 6, 1944. JPC-18. OSRD 3644. C
- 1731 Nozzle erosion as a function of the physical properties of the material; local intermediate report. June 22, 1944. IAC-13.
- 1732 Nozzle erosion in the 3MR3 rocket motor determined from static firing records; local intermediate report by N. U. Mayall. Aug. 7, 1944. IAC-14.
- 1733 Observations on the water entry of a torpedo; local intermediate report by R. W. Ager. Nov. 23, 1943. IOC-14.
- On the computation of pressure-time curves; local intermediate report by C. T. Elvey. June 3, 1943. ILC-3.
- 1735 On the use of compressed gas for counterpoising mobile multiple rocket projectors, by Jesse W. M. DuMond. Feb. 24, 1942. IEC-2.



- 1736 ½ scale model British projectile type "C", by B. H. Rule and W. P. Huntley. Nov. 1, 1943. IOC-12.
- 1737 l" model test facilities, by B. K. Rule and R. C. Bradley. May 6, 1944. IHC-16. C
- 1738 100-cycle timing oscillator, by U. E. Younger. June 28, 1945. NOC-53.3. R
- 1739 The 100-knot vertical flare
 Mark 4, by John McMorris.
 Sept. 21, 1942. JBC-12.
- 1740 Operation of (1) midget neon lamps, (2) small B batteries, and (3) timing oscillators, by Udene E. Younger. Apr. 27, 1945. NOC-53.1. R
- 1740a Optical method of measuring angular changes of model projectiles during entry phase; preliminary report by B. H. Rule. Jan. 22, 1945. IPC-69.
- 1742 Packing box projectors; local intermediate report by F. C. Lindvall, F. Fredericks and P. E. Lloyd. Dec. 17, 1942. IEC-4.
- 1743 Pallet blade centering device, by R. R. Stokes. Feb. 26, 1945. NOC-4.2.
- 1744 Partial-burning equipment, by John McMorris and F. E. Roach. Nov. 3, 1942. JGC-4, OGC-15. C
- 1745 Partial burning of Ballistite tubes, by John McMorris.
 Dec. 12, 1941. JGC-1. C
- 1745a Partial burning of DBP sticks; local intermediate report by J. McMorris. Dec. 12, 1941. IDC-2. C

- 1746 Partially colloided doublebase powder manufactured by a solvent process, by B. H. Sage. Sept. 10, 1943. IDC-37. Revision, May 23, 1945.
- 1747 Performance characteristics of 2½-inch diameter underwater integral motor target bomb, by B. H. Rule. May 20, 1942. IPC-6.
- 1747a Performance characteristics of 7-inch diameter underwater bombs at velocities up to 50-ft/sec, by B. H. Rule. May 15, 1942. IPC-3. C
- 1747b Performance characteristics of 8-inch diameter underwater bombs at velocities up to 50-ft/sec, by B. H. Rule.
 June 15, 1942. IPC-4. C
- 1748 Performance of static firing equipment as influenced by the length of pressure line from Bourdon coil to test motor; local intermediate report by E. L. Ellis. Dec. 5, 1942. IGC-3.
- 1749 Performance of the "fishtail" projector; local intermediate report by C. E. Weinland.
 June 1, 1943. IEC-7. C
- 1750 Performance tests of modifications of 2½-inch diameter sub-calibre target bomb with ring tail assembly, by B. H. Rule. Sept. 2, 1942. IPC-6, Addendum 1.
- 1751 Performance tests on elect.ic squibs and rocket igniters after storage at elevated temperatures, by B. H. Sage. Oct. 16, 1943. JCC-10. OSRD 3050.
- 1752 Personnel organization.
 OSRD Physics 3. July 1943
 and Jan. 1944.



1753 Photographic investigation of the reaction of rocket propellant grains; status report 3 by L. Green. Aug. 2, 1945. LP-200. C

- 1754 Photographic measurements of Indianhead 4.5-in. rockets.
 Mar. 2, 1943. UFC-1. C
- 1755 Photographic measurements of rocket flight, by D. Barrett, I. S. Bowen, F. F. Crandell, J. B. Edson and J. B. Irwin. June 1, 1942. JFC-1. C
- 1757 Photographic methods for determining the performance of rockets fired in a forward direction from airplanes; local intermediate report by I. S. Bowen. Sept. 15, 1943. IFC-2.
- 1758 Photographic studies in underwater ballistics, by P. M. Hurley, J. S. Fassero and R. C. Jackson. Nov. 15, 1945. IPC-81.
- 1759 A pilot plant for the manufacture of double-base propellant by a modified solvent process, by B. H. Sage. Dec. 1, 1944. JDC-70. OSRD 2372.
- 1760 Pitch sensitivity of depth of dive for Mk 13-6 hot shots, by H. Wayland. May 28, 1945. NOC-47.2. C
- 1761 Plastic subcaliber nozzle tests; local intermediate report by J. A. Gilbert. June 9, 1943. IAC-9. C
- 1762 Preliminary calculations on the forward firing of SSR from airplanes, by Leverett Davis, jr. Oct. 17, 1944.
 OBC-41.4.
- 1763 Preliminary data 3"5 and 5"0 spin-stabilized rockets.

 Mar. 15, 1945. JBC-31.

 OSRD 2408. R

- 1764 Preliminary development work on the utilization of Western Cartridge small arms powder for rocket propellant, by B. H. Sage. Dec. 15, 1945.
- 1765 A preliminary investigation of plastic cases for igniters for Ballistite, by B. H. Sage. Sept. 15, 1942 and Jan. 18, 1943. Report nos. ICC-2, JCC-3, A-138. OSRD-1191. C
- 1766 Preliminary report on the HIR Mk III fuze, by V. Rasmussen. Sept. 12, 1942. OIC-3. C
- 1768 Preliminary sighting data for British aircraft rocket 3"25 motor with 11-1b cruciform grain, 62-1b body; also tubular grain. June 23, 1944.

 IPC-62. R
- 1769 Preliminary sighting data for 5"0 high-velocity aircraft rocket. June 22, 1944. OBC-52. R
- 1770 Preliminary standardization of the CWR-N; local intermediate report. Sept. 3, 1943. IBC-46.
- 1771 Preliminary standardization of the IRG; local intermediate report by J. McMorris.
 June 18, 1943. IBC-30. C
- 1772 Preliminary standardization of the 3".5 AR (3A12); local intermediate report. Sept. 18, 1943. IBC-48.
- 1773 Preliminary studies of the ballistic behavior of 218B propellant, by B. H. Sage. Sept. 4, 1943. IDC-36. C
- 1774 Preliminary test of "Y" and breech sections, by J. T. Bowen. June 8, 1945. NOC-35.2.

- 1775 Preliminary tests of 1" diameter model anti-submarine bombs and projectiles with bubble eliminating devices, by B. H. Rule and W. P. Huntley. Nov. 10, 1943. IPC-47.
- 1776 Preliminary tests of 1" diameter torpedo models, by B. H. Rule and W. P. Hurtley. Nov. 26, 1943. IOC-16. C
- 1777 Preliminary tests of 8" diameter model torpedoes; progress memorandum nos. 1-7 by
 B. H. Rule and W. P. Huntley.
 Oct. 30, 1943-Sept. 14, 1944.
 IOC 13.1-13.7.
- 1777a Preliminary tests of Mark 24 mine and proposed fuzes, by Max Mason. [Feb. 1943] IIC-10.
- 1779 Preparation of double-base propellant for solventless extrusion, by B. H. Sage.
 Mar. 1, 1943. JDC-39.
- 1780 Pressure build-up in partial burning tests; local intermediate report by John McMorris and W. N. Arnquist. Jan. 21, 1942. IDC-3.
- 1781 Pressure distribution along radial burning propellant grains, by B. H. Sage. Aug. 10, 1942. JDC-14.
- 1783 Principles appropriate to the revision of rocket propellant specifications. July 6, 1945. C
- 1784 Principles of rocket firing from aircraft, illustrated.
 Apr. 2, 1945. JNC-30. OSRD-2428. R
- 1785 Procedure in calculating "dispersions" and "probable errors", by W. A. Fowler.
 Mar. 20, 1943. IPC-19. C

- 1786 Procedure in calculating gas malalignment; local intermediate report by W. A. Fowler.
 Mar. 19, 1943. IPC-20. C
- 1787 The production of instability by the Magnus moment; local intermediate report by Leverett Davis, jr. and J. W. Follin, jr. Apr. 3, 1945. IPC-75.
- 1788 Progress on the installation and training program for the antisubmarine bomb, or "mousetrap", by W. R. Smythe. Aug. 19, 1942. A-51M, OBC-15. OSRD 805. C
- 1789 Project report, Section 5, by R. N. Batterson. Dec. 2, 1943. C
- 1790 Project summaries for Div. 3: Special projectiles. Sept. 1, 1943. JMC-1. C
- 1790a Projectile dolly for carrier use; local intermediate report by G. M. Mosteller.
 Mar. 14, 1944. IHC-15. C
- 1792 A projector for target rockets; interim reports by W. R. Smythe. Jan. 15 and Feb. 24, 1942. JEC-1 and JEC-2. C
- 1793 Projector for the 4½-inch barrage rocket. July 25, 1942. JEC-4.
- 1794 Proof-firing of rocket ammunition, 4"5 barrage rocket; manual by James D. DeSanto.
 Mar. 6, 1944. JHC-4. C
- 1795 Proof test of PBY VB projector; local intermediate report by F. C. Lindvall. Dec. 14, 1942. IEC-3.
- 1796 Propellant grains for use in a 2.5-inch motor. Nov. 5, 1942. ODC-9. C

ᡚᡶᢊᡆᢖᡊᡟᡳᠬᡳᡊᡒᡊᡳᡊᡳᡊᡳ᠘ᠵ᠘ᢣ᠘ᢣ᠒ᢣ᠒ᡊ᠅ᠵᢋᡳ᠐ᢣ᠐ᢣ᠒ᠰ᠒ᠰᡚᡮᡚᡚᡚᠿᡚᡚᡚᡚᡚᡚ᠘ᢢᡎᢣᡎᡓᡓᢟᡳᢟᡐᡛᡐᡚᢋᠿ᠙ᢋ᠙ᢣ᠘ᢢ᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘ ᠋

- 1797 Propellant processing, igniter construction, and motor loading facilities, by B. H. Sage. Nov. 24, 1943.

 JDC-45. C
- 1798 Propellants and igniters.
 Internal ballistics of rockets. Test methods and equipment: static; weekly and biweekly progress reports by B.
 H. Sage. Jan. 2, 1943-Sept.
 15, 1945. Report nos. PMC-2.12-2.89 (Part 3). OSRD

 nos. 2102, 2115, 2122, 2129, 2138, 2143, 2149, 2156, 2164, 2170, 2179, 2184, 2194, 2201, 2209, 2215, 2220, 2230, 2239, 2246, 2251, 2259, 2267, 2278, 2287, 2294, 2301, 2308, 2317, 2323, 2330, 2336, 2342, 2353, 2361, 2369, 2377, 2386, 2392, 2398, 2403, 2412, 2418, 2425, 2436, 2443, 2453, 2462, 2471, 2479, 2488, 2495, 2507, 2512, 2522, 3092, 3146, 3189, 3223, 3250, 3279, 3305, 3326, 3381, 3392, 3468, 3472, 3493, 3518, 3528, 3571, 3610, 3638, 3649, 3684, 3708, 3737, 3765. C
- 1799 Propeller fixity investigations, by Tom Curtis. Oct. 2, 1945. NOC-11.1.
- 1800 Proposed airplane rocket facilities at Naval Ordnance
 Test Station, Inyokern, by G.
 Mosteller. Mar. 8, 1944.
 OHC-9. R
- 1801 Proposed design of rocket motor for Mk 13 torpedo, by B.
 H. Sage. Nov. 15, 1943.
 IAC-12. C
- Proposed layout of facilities for Naval Ordnance Test Station, Inyokern, California. Nov. 12, 1943. IHC-3. C
- Proposed vertical bombing projectors for PBY-5A, by F. C. Lindvall. Revised, Oct. 14, 1942. OEC-13.2. C

- 1804 Protective cage for afterbody of Mk 13-6 torpedo, by Max Mason and L. B. Slichter. Aug. 27, 1945. IOC-43. C
- 1805 Qualitative discussion of equilibrium yaw, by S. Rubin. Dec. 22, 1943. OPC-15. C
- 1806 Quality control department, its development and operation, by B. H. Sage. Oct. 30, 1945. ISC-4.
- 1807 Radius of curvature of the underwater trajectory of a rocket; local intermediate report by Leverett Davis, jr. Mar. 17, 1944. IPC-54. C
- 1808 Range corrections for altitude and wind; local intermediate report by Leverett Davis, jr. and Sylvan Rubin.
 Oct. 9, 1943. IPC-42. C
- 1809 Range of the 5"C AR (JPN) model 5 and model 11 rock-ets when ground fired from the aircraft rocket launch-er Mk 4; local intermediate report by J. G. Waugh and J. N. McClelland. Jan. 27, 1945. IBC-73.
- 1810 Range standardization of 4".5 barrage rocket (1100 yd); local intermediate report.
 July 9, 1943. IBC-36. C
- 1811 Range tables for spin-stabilized rockets, by J. W. Follin, jr. and P. W. Stoner.
 Nov. 15, 1946. JPC-31.
 OSRD 2536. R
- Range tables for the 5.0/2
 HCSR, Model 151-A with 3.84
 grain, by P. W. Stoner and J.
 W. Follin, jr. Aug. 17,
 1945. OBC-41.2. C
- 1813 Ranges and velocities as functions of projectile and propellant weights. June 1943. UPC-1.

- 1814 Rate of diffusion of nitroglycerin through cellulose acetate, by B. H. Sage. Jan. 1, 1945. JDC-68. OSRD 2365.
- 1815 Rearward firing of 5.0 HVSR from B-25H airplane; field report by G. Safonov and G. A. Kendall. Dec. 20, 1944. OBC-37.1. Correction and addition, Jan. 3, 1945.
- 1816 Recorder settings and range errors for attacks with a-head-thrown weapons on deep targets, by M. A. Biot. Sept. 1, 1943. JPC-14.
- 1817 The recording step decelerometer; local intermediate report by R. Stokes. Dec. 20, 1943. IHC-14.
- 1818 Refractory linings for UP motors; local intermediate laboratory report by J. Mc-Morris. Feb. 13, 1942. IAC-1.
- 1819 Regulated power supply circuit, by Udene Younger. May 22, 1945. NOC-53.2. R
- 1820 The relation of column strength to the ballistic performance of Mark 13 grains, by B. H. Sage. Dec. 15, 1945. JDC-87.
- 1821 The relationship between dispersion in firing from a plane and from the ground, by I. S. Bowen. Dec. 25, 1942. TPC-2.
- Relative yaws and deflections of UP's due to malalignment for neutral, regressive, and progressive burning, by Leverett Davis, jr. June 1, 1942. ITC-2.
- 1823 Remarks on the use of double base powder in jet propelled devices, by C. C. Lauritsen. Feb. 23, 1942. A-40M. OSRD-404. 2d printing, Mar. 15, 1944. ODC-7. OSRD 3432. C

- Report as to utility of visual coincidence scoring by two observers of tracer bullets shot at rocket targets, by Jesse DuMond. Apr 29 and June 6, 1942. IEC-1, 1.2. Title varies.
- 1824a Report on visit to Germany to obtain information on solid propellants for rockets, by Robert A. Cooley. Aug. 10, 1945. RDC-2. C
- 1825 Resistance of Ballistite grains to internal pressure, by B. H. Sage. Dec. 16, 1942. JDC-31. C
- 1826 Responses of the control surfaces of the Mk 13-2 torpedo; local intermediate report by R. W. Ager. Nov. 15, 1943.

 10C-18.
- Results of mallaunching calculations, by Leverett Davis, jr. and P. W. Stoner. Nov. 7, 1944. OBC-43.1. C
- 1828 Results of static firing tests on extruded propellant, by W. N. Arnquist. Jan. 19 and 22, 1942. IGC-1.3, 1.4.
- 1829 Results of tests on carbon strain gages, by Udene E. Younger. Dec. 11, 1943.
- 1830 Resumé of activities and proposal for further work in the Propellant Section, by B. H. Sage and W. N. Lacey. Feb. 21-Aug. 23, 1942. Report nos. NDC 15, 1.40-1.43. Title varies. C
- 1831 Resume of visit to the Sunflower Ordnance Works, Lawrence, Kansas, by W. H. Corcoran. Nov. 2, 1944. DDC-1.
- 1832 Retro-bombing: a description of projectiles and installations on aircraft. June 23, 1943. JBC-18. C




- 1861 Scoring registers for target practice with automatic weapons; interim report by James B. Edson. Feb. 20, 1942.

 JNC-1. C
- 1862 7"2 demolition rocket, description and use. Feb. 10, 1944. JBC-24. OSRD 3301. C
- 1863 Shearing stress on projectiles at water impact, by Max Mason and L. B. Slichter.
 Apr. 14, 1945. IPC-74.
 OSRD 2483.
- 1864 The shock mounted CIT step accelerometer applied to the study of impulsive velocity changes associated with the high speed water entry of aircraft torpedoes, by O. D. Terrell. Aug. 10, 1945. NOC-3.3.
- 1865 Short description of service rockets. Apr. 15, 1944. UBC-18. OSRD 3635. C
- 1866 A short description of the yaw machine. Nov. 17, 1943. OGC-24.
- 1867 Short duration acceleration tests of the CIT midget step accelerometer, by O. D. Terrell. May 1, 1945. NOC-3.2.
- 1868 Shroud ring Mk 1 Mod 0 as applied to the Mk 13 type torpedo; instruction pamphlet. June 26, 1944. IOC-29.
- 1870 Sighting and trajectory drop tables for 2"25 aircraft rockets. Aug. 5, 1944. IBC-70. OSRD 2174. R
- 1871 Single shroud rocket tail with internal insulated firing ring, by L. A. Richards. Jan. 22, 1943. IBC-11. C

- 1872 Sinking velocity and forward travel of British type "C" projectile, by Max Mason and L. B. Slichter. Oct. 12, 1944. IOC-28.3. C
- 1873 SIR fuze tests; local intermediate report by N. Gunderson, D. E. Brink, C. F. Robinson, V. Rasmussen and R. B. King. Jan. 15, 1943. IIC-9.
- 1874 The 6-inch rocket motor, by Earl Thomas. Nov. 9, 1942.

 JAC-3.
- 1875 Six inch scatter bomb; tests of preliminary design shapes, by B. H. Rule and W. P. Huntley. [Jan. 12, 1943] IBC-12.
- 1876 Slat deck impact deceleration tests, ASPC Mark 1, by B. H. Rule and W. P. Huntley. July 12, 1943. IOC-5.
- 1877 Smoke float rocket, by S. Rubin. Nov. 24, 1943. IBC-54. OSRD 3073.
- 1878 Smoke tracers for UP's; local intermediate report by J. Mc-Morris. Feb. 14, 1942. IKC-1. C
- 1879 Soft metal wires in shear as delay elements for time fuzes, by J. McMorris. July 12, 1943. IIC-17. C
- 1880 The solar yaw camera, by W. R. Smythe. May 8, 1945. JFC-2. OSRD 2190A. F



1882 Some effects of radiation upon double-base powder.
June 15 and Aug. 4, 1942.
JDC-11, A-79. OSRD 798.

1883 Some factors entering into the design of high performance rockets; local intermediate report by E. Ellis and F. Roach. Jan. 10, 1943.

IAC-5. C

1884 Some operational and logistical problems in the use of rockets, by William A. Fowler. Feb. 1, 1945. JNC-16. OSRD 2366.

1885 Some physical properties of Ballistite; interim report by B. H. Sage and W. N. Lacey. Dec. 27, 1941. JDC-2. C

1887 Some physical properties of double-base powders, by B. H. Sage. Oct. 12, 1943. JDC-51. OSRD 3203. C

1888 Some properties of solventless Ballistite, by B. H. Sage. Dec. 1, 1942. JDC-30.

1839 Some Schlieren photographs of rocket jets, by N. U. Mayall. Sept. 25, 1945. JGC-10. OSRD 2538. C

1891 Some studies of the physical properties of Ballistite, by D. S. Clark. Feb. 11, 1943.

JDC-36. C

1892 Sound ranging facilities and procedures at the C.I.T. torpedo launching range; local intermediate report by F. R. Watson. May 15, 1944. IHC-18.

1893 Sources of error and dispersion in forward firing of non-rotating aircraft rockets, by L. Blitzer and L. Davis, jr. Apr. 25, 1944.

JPC-19. OSRD 3690. R

1894 Special underwater tests (Morris Dam) on fuzes and projectiles; weekly progress reports by B. H. Rule, Max Mason and L. B. Slichter.

Dec. 26, 1943-Jan. 21, 1945.
Report nos. PMC 2.12, 2.16-2.18, 2.22, 2.24, 2.25, 2.30, 2.31, 2.37, 2.38, 2.42, 2.46, 2.49, 2.52, 2.56, 2.60, 2.66 (Part 6). OSRD nos. 2125, 2132, 2159, 2187, 2212, 2233, 2262, 2297, 2356, 3095, 3253, 3276, 3308, 3471, 3496, 3531, 3647, 3687.

1895 Specification for standard assembly 5"0 rocket motor (5MR5), by M. C. Pond. Dec. 19, 1944 and May 29, 1945. IAC-15, 17. Title varies. C

1895a Specifications for propellant of mousetrap ammunition.
Aug. 19, 1942. IDC-15. C

1896 Specifications for standard assembly, 5"0 rocket motor Mk 6 Mod 2, by M. C. Pond. May 15, 1945. IAC-16. R

1897 Spinner theory: Qualitative notes, part I; local intermediate report by Leverett Davis, jr. Dec. 18, 1943.

IPC-50. C

1898 Spontaneous decomposition of a Ballistite grain, by B. H. Sage. Nov. 20, 1943. JDC-54. OSRD 3234. C

- 1899 The stability factor deduced from the yaw camera record and the effect on it of the Magnus moment, by P. W. Stoner and Leverett Davis, jr. Apr. 14, 1945. OPC-32. C
- 1900 The stability factors and equilibrium yaws of a number of SSR; preliminary report by Leverett Davis, jr. and L. I. Epstein. Feb. 12, 1945. OPC-15.
- 1901 Stabilization of reaction of tubular propellant grains by the use of longitudinal ridges in the central perforations, by B. H. Sage. May 19, 1945. JDC-75. OSRD-2541. C
- 1902 Standardization of aircraft metric photography technique, using F-46 torpedo camera, by R. V. Adams. Apr. 14, 1945. OEA-1. R
- 1903 Standardization of projectiles on basis of field tests, by J. Foladare. Apr. 1, 1943. OBC-33.
- 1903a Standardization of 7V7 motor. Jan. 10, 1943. NMC-1.63. C
- 1903b Standardization of the CWB motor. Dec. 13, 1942. NMC-1.39. C
- 1904 Standardization of the CWR-N; local intermediate report. Oct. 12, 1943. IBC-46.2. C
- 1905 Standardization of 3.25-in.
 OD motors using 3.5 lb of propellant; local intermediate report. Mar. 8, 1943.
 IAC-7.

- 1905a Standardization tests of CIT type 3 launcher (wooden 3-rail for 4"5 BR), by P. E. Lloyd. Aug. 7, 1943. IEC-9.
- 1906 Static and field standardization of the 3"5 AR Model 1; local intermediate reports. Oct. 9, 1943 and Jan. 5, 1944. IBC-52, 58. Title varies. C
- 1907 Static and field standardization of the 5"0 AR Model 107; local intermediate report. Jan. 5, 1944. IBC-59.
- 1908 Static and field standardization of the 7"2 demolition rocket. Feb. 1, 1944. IBC-61. C
- 1909 Static and field standardization of the short-burning 250-yd 4"5 BR; local intermediate reports. July 31 and Aug. 8, 1943. IBC-38, 40. Title varies.
- 1910 Static firing tests; local intermediate report by W. N. Arnquist. Dec. 24, 1941. IGC-1.1.
- 1911 Static firing tests for UP section, by W. A. Fowler and W. N. Arnquist. Nov. 7 and Dec. 4, 1941. OGC-10. C
- 1912 Static firing tests on 15/16" extruded propellant, by W. N Arnquist. Dec. 8, 10 and 12, 1941. OGC-10.
- 1913 Static firing tests on large diameter grains of extruded Ballistite, by B. H. Sage.
 July 30, 1942. JDC-12. C

1914 Static tests of 15/16" OD, \(\frac{1}{4}\)"
ID extruded propellent, by \(\Walksymbol{W}\). A. Fowler and \(\Walksymbol{W}\). N. Arnquist.
Nov. 25, 1941. C

- 1915 Static tests of the 3MR12 motor mounted for rotation; local intermediate report by N. U. Mayall. May 28, 1944. IBC-66.
- 1916 Status of 2-inch armor-piercing rocket, by F. Roach. July 1, 1942. OBC-8. C
- 1917 Status of 3-inch AA, by F.
 Roach. Sept. 15, 1942. OBC16. R
- 1918 Status of 3-in. AA, by F. Roach. Oct. 1, 1942. OBC-16.1.
- 1919 Status of 5"O HVAR (5"O motor); local intermediate report by C. W. Snyder. Apr. 1, 1944. IBC-64.

- 1920 Status of 6-inch Mule, by T. Lauritsen. July 3, 1942. OBC-13.
- 1921 Status of 7Vll; preliminary standardization tests. Apr. 14, 1943. IBC-22.
- 1922 Status of 12"0 aircraft rocket, by S. Rubin. June 2, 1944. IBC-67.
- 1923 Status of 16-channel CWB projector; local intermediate report by F. C. Lindvall.
 Jun. 9, 1943. IEC-5. C
- 1924 Status of beach barrage rocket, by W. A. Fowler. July 1, 1942. OBC-12. C
- 1925 Status of chemical warfare grenade, by O. C. Wilson and S. Rubin. July 1, 1942.
 OBC-4. C

- 1926 Status of high altitude rocket work at CIT, by W. A. Fowler. June 8, 1942. IBC-5.
- 1927 Status of HIR-2 fuze, by T. Lauritsen. July 3, 1942. OIC-1.
- 1928 Status of propellant supplies of OEMsr-418, by B. H. Sage. Jan. 22, 1944. R
- 1929 Status of rocket target, by J. Edson. July 1, 1942. OBC-9. C
- 1930 Status of sub-caliber antisubmarine bomb, by O. C. Wilson. July 1, 1942. OBC-5.
- 1932 Status of the CWB, by R. B. King. July 1, 1942. OBC-10.
- 1933 Status of vertical flare bomb, by J. McMorris. July 1, 1942. OBC-6. C
- 1934 Status report on publications, by Joseph Foladare.
 Oct. 14, 20 and Nov. 11,
 1943. Report nos. OZC 10.1610.18.
- 1935 Status report on smoke float rockets; local intermediate report by S. Rubin. June 7, 1943. IBC-32. C
- 1936 Steady state running attitude and depth rudder position for the Mk 13 torpedo, by J. H. Carr and R. W. Haussler. Oct. 1, 1945. NOC-60.1. C
- 1937 Stresses in catapults for launching projectile models, by L. B. Slichter and J. G. Wandel. Sept. 12, 1945. IEC-16. R

- 1938 Structural damage associated with water entry of projectiles, by D. E. Hudson. Feb. 15, 1945. JOC-3. OSRD 2381.
- 1939 Structural damage report on Mk 25-00 #5, by W. H. Saylor and D. A. Kunz. Mar. 7, 1945. NOC-5.1. C
- 1940 Structural tests--Mk 25-00 free wheeling propeller assembly unit #1, by D. A. Kunz. Aug 6 and 20, 1945. NOC-5.10, 5.11. Title varies.
- 1941 Structural tests--Mk 25-00 propeller assembly, by D. A. Kunz. June 28, 1945. NOC-5.9.
- 1942 Structural tests--176-L cast aluminum afterbody with cast aluminum shroud ring, by D. A. Kunz. Mar. 15, Apr. 18 and May 29, 1945. Report nos. NOC-5.2, 5.5, 5.8. Title varies. C
- 1943 A study of certain hazards involved in the loading and assembly of rocket motors, by A. D. Ayers. July 15, 1943. IDC-35, JDC-48.
- 1944 Study of methods for evaluating quality of solventless extruded Ballistite, by B. H. Sage. Oct. 12, 1943. JDC-52. OSRD 3439. C
- 1945 A study of nozzle erosion; local intermediate report. Mar. 8, 1944. IGC-7.
- 1946 Study of nozzle side forces by means of compressed air jet; local intermediate report by G. E. Kron and O. C. Wilson. Dec. 15, 1942. ILC-1.
- 1947 Study of partial burnings of Mk 6, Mk 7 and Mk 8 grains, by C. T. Elvey, C. D. Swanson and C. E. Duemler. July 25, 1944. IDC-42. C

- 1948 A study of the uniformity of burning characteristics of tubes extruded from solvent-less Ballistite; interim report by B. H. Sage, D. S. Clark and W. N. Lacey Mar. 2, 1942. JDC-9.
- 1948a A study of the uniformity of deflagrating characteristics of extruded solventless sheet Ballistite; interim report by B. H. Sage and W. N. Lacey. Feb. 20, 1942. IDC-6. C
- 1949 Study of velocity measurements, by Udene E. Younger. Sept. 21, 1945. NOC-50.1. C
- 1950 Style guide for authors of monographs. Sept. 4, 1945. IZC-1 (revised). R
- 1951 Style guide for editors and printers of monographs. Nov. 8, 1945. IZC-2. Supplements 1 and 2, Dec. 17 and 21, 1945. IZC-2.1, 2.2. R
- 1952 Style manual for reports published by the Editorial Department. Nov 29, 1943.
 IZC-1. C
- 1953 A suggested method of scoring to increase the marksmanship of anti-aircraft gun crews and to decrease the necessary training period, by Alex E. S. Green. May 1, 1942. ONC-1.
- 1954 Summary of activities for Section 5, by R. Neal Batterson. Dec. 2, 1943-Oct. 1, 1945.
- 1955 Summary of comparative tests of the rocket sight (air-craft) Mark 1 (CIT AR Sight) and a fixed sight in the firing of aircraft rockets, by 0. D. Frampton. Mar. 8, 1945. ORC-1.42.

- 1956 Summary of information to date on Mk 13-2, 176 and Westinghouse joints, by D. A. Kunz. May 8, 1945. NOC-5.6.
- 1957 Summary of project Camel activities for Section 5, by R. N. Batterson. Aug. 11 and Sept. 21, 1945.
- 1958 Summary of structural tests to date on cast aluminum afterbodies for the Mk 25 torpedo, by D. A. Kunz. May 8, 1945. NOC-5.7.
- 1959 Summary of underwater performance data for ASPC Mk 1, by Max Mason. [Feb. 1943] IPC-18.

- 1959a Survey of yaw machine data, by G. E. Kron, L. Blitzer, S. Rubin and O. C. Wilson. July 19, 1942. NMC-1.38. C
- 1960 A system of notation for use in treatments of exterior ballistics of rockets. July 13, 1945. OZC-23. C
- 1961 Target launchers. Dec. 10, 1943. JNC-10 appendix no. 2.
- 1962 [Target rockets] Weekly progress reports. Nov. 8-Dec. 14, 1941. Report nos. PMC 1.2-1.5, 1.7.
- 1963 TBM-1, TBF-1, sight settings for 2"25, 3"5 and 5"0 air-craft rockets. Nov. 28 and Dec. 1, 1944. UNC-6,7. OSRD 2273, 2274. Title varies. R
- 1964 Temperature gradient in the tubing of the 3".25 rocket motor Mk 7; local intermediate report by F. E. Roach, J. M. Schmidt and W. F. Nash, jr. May 22, 1944. ILC-5. C

- 1965 The temperature of sponcaneous ignition of several samples of American Ballistite, by P. A. Longwell, B. H. Sage and W. N. Lacey. Apr. 2, 1942. JDC-8.
- 1966 Tentative inspection procedures for extruded Bailistite grains, by B. H. Sage. Aug. 25, 1943. IGC-6. C
- 1967 Tentative values for the stability factor and equilibrium yaw of the 5"0/1 HCSR Model 50; preliminary report by L. I. Epstein. Apr. 30, 1945. OPC-15.1.
- 1968 Tentative values for the stability factor and equilibrium yaw of the 5"0/2 HCSR Model 51; preliminary report by L. I. Epsten. May 26, 1945. OPC-15.1.
- 1969 Terminal ballistics of spinstabilized rockets, by Leverett Davis, jr. June 19, 1945. OPC-15.1. R
- 1970 Terminal ballistics of spinstabilized rockets; local intermediate report by Leverett Davis, jr. Aug. 3, 1945. IQC-4.
- 1971 Test facilities and acoustic range at Morris Dam, by B. H. Rule. Oct. 15, 1942. JHC-1.
- 1972 Test facilities and acoustic range at Morris Dam, by B. H. Rule. Nov. 23, 1942. A-118. OSRD 1082. R
- 1973 A test of modeling of the underwater trajectory of cone-nosed cylinders 1/8 inch to 5 inches in diameter, by Max Mason and L. B. Slichter. Apr. 2, 1945. IOC-38. OSRD-2468.

できたいとのです。これのこととは、これがいとのでは、これできたとのできた。これできたからでは、これをからなる。

- 1974 Test of significance of differences in deviation in deflection and deviation in range of rockets; local intermediate report by J. G. Waugh. June 19, 1944. IPC-60.
- 1975 Test of significance of differences in mean deviations from the centroid of rocket groups, by P. H. Taylor. OPC-15.1.
- 1975a Test of subcaliber ASB projector at MAAR; field report by O. C. Wilson and C. H. Wilts. July 12, 1942. NMC-1.37. C
- 1976 Test of type 3 CIT AR Sight; field report by O. D. Frampton. May 28, 1945. ORC-1.53.
- 1977 Testing of cruciform grains from consolidated ball powder; status report 1 by Q. Elliott. Nov. 8, 1944. R
- 1978 Testing of quality of extruded grains received from Bruceton, by R. N. Wimpress. Apr. 6, 1943. IDC-28.
- 1979 Testing of quality of small grains of extruded Ballistite, by B. H. Sage. Aug. 20 and Sept. 19, 1942. JDC-17, A-94. OSRD 896. Title varies. C
- 1079a Testing of quality of solvent extruded powder, by B. H. Sage. Feb. 5, 1943. IDC-26.
- 1930 Tests of double-ended rocket motors at Goldstone; local intermediate report by O. C. Wilson. Aug. 5, 1943. IAC-11.
- 1981 Tests of fast-burning BR with AIR 2 fuze; local intermediate report by C. W. Snyder and V. Rasmussen. Feb. 26, 1943. IBC-17.

- 1981a Tests of heavy POD dummy rugged model, by B. H. Rule and W. P. Huntley. Oct. 4, 1944. IOC-36.
- 1981b Tests of jiggle switch fuze in Mark 24 mine. Apr. 24, 1943. IPC-24.
- 1982 Tests of lateral dispersion of BR with various nozzles; local intermediate reports by L. A. Richards and J. G. Waugh. Jan. 14 and Feb. 5, 1943. IBC-14. 19.
- 1983 Tests of preliminary firing mechanisms for SIR fuze, by B. H. Rule and W. P. Huntley. Jan. 1943. IIC-8. C
- 1984 Tests of production samples of Mark #31, Mod. 1 fuses, by B. H. Rule and W. P. Huntley. [Feb. 1943] IIC-11.
- 1985 Tests of significance of means; local intermediate report by W. G. Waugh. Jan. 27, 1945. IPC-68. C
- 1986 Tests of SIR (Mrr.: 130) fuze: local intermediate report. Apr. 27, 1943. IIC-11. C
- 1987 Tests of the vert cal bombing of submarines, by W. N. Arnquist. C. D. Anderson and F. C. Lindvall. Sept. 7 and 29. 1942. A-52M. 54M. OSED 872, 911. Title varies. C
- 1988 Tests on nozzle performance with the "mule", by W. A Arnquist. Mar. 11, 1912.
 IHC-1.4. C
- 1990 A theoretical analysis of the results of the field firing of dynamically unbalanced 3"5 SSR Model 123, by J. W. Follin. Dec. 22, 1944. OPC-15.1.



- 1991 Theoretical curves showing yaw, orientation and deflection of 3"5 SSR, 5"0 HVSR during burning, by L. I. Epstein. Dec. 30, 1944. JPC-20 supplement. C
- 1992 The theoretical determination of the effective rocket temperature for the 3"25 Mk 7 motor when Newton's law of cooling holds, by L. Davis, jr. May 22, 1944. IPC-59. OSRD 3878.
- 1993 Theoretical trajectories for a projectile resembling the 5 in. rocket, by Leverett Davis, jr. [Nov. 1943] IPC-48.
- 1994. A theory for the difference between the true angle of attack and the effective angle of attack, by Leverett Davis, jr. Sept. 28, 1945. JPC-30. OSRD 2527.
- 1995 Theory of errors in anti-submarine attacks by surface vessels, by N. A. Haskell. Mar. 16, 1944. JNC-15. C
- 1996 Theory of the oil line with applications to the interpretation of pressure-time recordings, by Bart Locanthi and Dorothy D. Locanthi.

 Jan. 25, 1945. IGC-8. C
- 1997 The theory of the variation with temperature of the dispersion of the CWG, by Leverett Davis, jr. May 1, 1942.

 MTC-4.
- 1998 Thermodynamic properties of products of reaction of Ballistite; intermediate report by B. H. Sage and W. N. Lacey. Feb. 4, 1942. JDC-4.
- 1999 35 millimeter Miller oscillograph, by H. N. Bane. Jul, 13, 1945. NOC-57.1. C

- 2000 Threaded-closure plastic-case igniters for 2"25 rocket motors, by B. H. Sage. Mar. 16, 1944. JCC-11. OSRD-3645.
- 2001 3"5 and 5"0 spin-stabilized rockets. Oct. 25, 1944. OBC-41.1. C
- 2002 3"5 AR bodies with non-ricochet properties at low angles of water impact; local intermediate report by I. S. Bowen. Oct. 10, 1944. IPC-64
- 2003 Time relationships of certain entry phenomena for the Mk 13 torpedo at 20° entry angle, by S. Baker and R. Stokes. Sept. 11, 1945. NOC-24.1. C
- 2004 Tip-off about a fixed point, by Wallace Hayes. Nov. 17, 1944. OPC-3.
- 2005 Torpedo deceleration, by W.
 R. Smythe. Apr. 10, 1943 and
 June 29, 1944. IBC-21, JBC28. OSRD 2160. C
- 2006 Torpedo (deceleration, model tests, torpedo range work); weekly progress reports by F. C. Lindvall, Max Mason, B. H. Rule, L. B. Slichter and W. R. Smythe. Dec. 26, 1943-Apr. 1, 1945. Report nos. PMC-2.12, 2.14-2.78 (Part 5). OSRD nos. 2104, 2117, 2124, 2131, 2140, 2145, 2151, 2158, 2166, 2172, 2181, 2186, 2196, 2203, 2211, 2217, 2222, 2232, 2241, 2248, 2253, 2261, 2269, 2280, 2289, 2296, 2303, 2310, 2319, 2325, 2325, 2332, 2338, 2344, 2355, 2363, 2371, 2379, 2388, 2394, 2400, 2405, 2414, 2420, 2427, 3094, 3191, 3225, 3252, 3277, 3307, 3328, 3383, 3393, 3470, 3474, 3495, 3520, 3530, 3573, 3612, 3640, 3648, 3686, 3710, 3739, 3767

- 2007 Torpedo launching project report, by F. C. Lindvall.
 Feb. 1, 1945. JHC-5. OSRD-2346. C
- 2008 Torpedo launching tests at CIT torpedo launching range, by F. C. Lindvall. May 17, 1944. JOC-2. OSRD 2105. C
- 2009 Torpedo range work; biweekly progress reports by F. C. Lindvall. Apr. 15-Sept. 16, 1945. Report nos. PMC 2.79-2.89 (Part 5). OSRD nos. 2438, 2445, 2455, 2464, 2473, 2481, 2490, 2497, 2508, 2513, 2523.
- 2010 Training of barrage rocket crews, by W. F. Royal, W. A. Fowler and L. A. Richards. Sept. 23 and 29, 1942. JBC-10.4, 10.5.
- 2011 Trajectories of aircraft rockets. Jan. 4, 1946. UBC-35. OSRD 2540.

- 2012 Trajectories of aircraft rockets, 2"25 target. Oct. 10 and Dec. 14, 1944. UBC-29, 29.2. OSRD 2242, 2312.
- 2013 Trajectories of aircraft rockets, 3"5 and 5"0. Sept. 25, 1944. UBC-27. OSRD-2225. R
- 2014 Trajectories of 5"0 high velocity aircraft rocket and 2"25 practice round. Dec. 15, 1944. UBC-32. OSRD-2314.
- 2015 Trajectories of 11".75 aircraft rockets. Nov. 17, 1944. UBC-30. OSRD 2290 C
- 2016 Trajectories of rockets at short ranges, by L. C. Damsgard and L. Davis, jr. May 31, 1945. OPC-3.1.

- 2017 Trajectory data for 7"2 VAR (200-ft/sec) PBY 5. July 15, 1943. JNC-4.2 supplement. C
- 2018 Trajectory drops for 5"0 HVAR (JPN). Aug. 24, 1944. IBC-71.
- 2019 Transfer from California Institute of Technology to U. S. Navy, NOTS, Inyokern, California. Vol. II, Capital equipment inventory, China Lake and Salt Wells Pilot: Plants. Oct. 31, 1945. UZC-8. Vol. III, Capital equipment inventory transferred from Eaton Canyon Facility, Pasadena, California. Oct. 31, 1945. UZC-7. R
- 2020 The transfer of the Foothill Camel Plant Section to the U. S. Navy. Vol. 1. Oct. 15, 1945. UZC-5. R
- 2021 The transfer of the Goldstone Field Testing Station to the U. S. Navy at U. S. Naval Ordnance Test Station, Inyokern, California. Oct. 15, 1945. UZC-2. R
- 2022 The transfer of the Morris
 Dam Hydrodynamics Station and
 the Morris Dam Underwater
 Ballistics Station to the
 U. S. Navy, U. S. Naval Ordnance Test Station, Inyokern,
 California. Oct. 15, 1945.
 UZC-3. R
- 2024 The 2"25 subcaliber aircraft rockets Models 1 and 3. Nov. 20, 1944. JBC-30. OSRD-2305. R
- 2025 2½" diameter model Mark 13 aircraft torpedo tests, by B. H. Fule and W. P. Huntley. Nov. 15, 1943. IOC-15. C
- 2026 A 12-channel projector for the chemical warfare bomb (CWB), by Jesse W. N. DuMond. June 15, 1942. JEC-5. C

2027 A 12-in. vertical press for the extrusion of Ballistite, by P. Sabin. Oct. 26, 1943.

JDC-53. OSRD 3440. C

- 2028 [205-ft/sec sub-caliber projectile] Drawings. Apr. 17, 1943. C
- 2029 Type HIR Mark III fuse tests; progress report nos. I-II by B. H. Rule. Sept. 19, 1942. OIC-7.
- 2030 Type 3 Sight; pilot's reactions to, by D. Kirkpatrick.
 May 26, 1945.
- 2031 Underwater ballistics; biweekly progress reports by
 Max Mason and L. B. Slichter.
 Apr. 15-Sept. 16, 1945. Report nos. PMC 2.79-2.39 (Part
 6) OSRD nos. 2439, 2446,
 2456, 2465, 2474, 2482, 2491,
 2498, 2509, 2514, 2524. C
- 2032 Underwater behavior of 3.5in. aircraft rockets, by I. S. Bowen. Dec. 6, 1943. JBC-23.
- 2033 Underwater behavior of the 11".75 aircraft rocket, by I. S. Bowen. Oct. 25, 1944. IPC-65. OSRD 4350. C
- 2033a Underwater characteristics of 7.2-inch diameter Mousetrap projectile and 7-inch diameter integral-motor modification tests, by B. H. Rule.
 May 15, 1942. IPC-5. C
- 2034 Underwater performance of 5" diameter Mk 15 depth charge, by Max Mason and L. B. Slichter. Sept 21, 1945. IOC-44. C

- 2035 Underwater performance of 6" diameter, Mark 12 fast sinking depth charges with tails of various sizes and with Mark 140 fuze and protective cap, by B. H. Rule and W. P. Huntley. June 7, 1944. IOC-27.
- 2036 Underwater performance of 7"2 diameter fast sinking depth charge with Mark 140 fuze, with and without protective cap, by B. H. Rule and W. P. Huntley. May 13 and Sept. 7, 1944. IOC-26, 26.2. OSRD-2223.
- 2037 Underwater performance of British projectile type "C", by Max Mason and L. B. Slichter. May 10, 1945. IOC-28.5. OSRD 2475. C
- 2038 Underwater performance of hedgehog with line and weight ("mustard plaster"), by R. L. Noland. May 5, 1944. IOC-25.
- 2039 Underwater performance of Mark 12 depth charge with Mark 140 fuze with and without protective cap, by R. L. Noland. Jan. 31, 1944. IOC-22. C
- 2040 Underwater performance tests of B.O. ASPC Mark 11, by B. H. Rule and W. P. Huntley. Aug. 10, 1943. IPC-33. C
- 2041 Underwater performance tests of Bureau of Ordnance 5"/38 caliber projectile, by B. H. Rule and W. P. Huntley. Aug. 5, 1943 and Aug. 7, 1944. IOC-6, 6.1.
- 2042 Underwater performance tests of Bureau of Ordnance Mark 6 and Bureau of Ordnance Mark 8 projector charges (hedgehog) with Mark 140 fuze and protective cap, by R. L. Noland. Feb. 28, 1944. IOC-23. C

- 2043 Underwater performance tests of Bureau of Ordnance Mk 6 hedgehog projectile, by B. H. Rule and W. P. Huntley. Aug. 25, 1943. IOC-9. C
- 2044 Underwater performance tests of Mark 9 depth charges with Baranol filling, by B. H. Rule and W. P. Huntley. May 27, 1943. IOC-3. C
- 2045 Underwater performance tests of Mark 17 aircraft depth charge with and without nose projection, by B. H. Rule and W. P. Huntley. Aug. 5, 1943.
- 2046 Underwater performance tests of 7"2 rocket Mark 3 mouse-trap assembly with Mark 131 fuze and with Mark 140 fuze and protective cap, by R. L. Noland. Feb. 4, 1944. IBC-60.
- 2047 Underwater photography facilities at Morris Dam, by B. H. Rule. Mar. 6, 1945. IHC-21.
- 2048 Underwater tests of depth charges and depth charge pistols, by B. H. Rule. June 18, 1943. JOC-1. C
- 2049 Underwater tests of Mark 6 and Mark 9 depth charges, and depth charge pistols, Mark 6, Mark 6-Mod. 1, and Mark 7, by B. H. Rule and W. P. Huntley. Mar. 12, 1943. IOC-1. C
- 2050 Underwater tests of mousetrap with line and drogue, by B. H. Rule and W. P. Huntley. Aug. 12, 1943. IOC-17. C
- 2051 Underwater tests of ½" model of 3.5 AR, by Max Mason and L. B. Slichter. Nov. 6, 1944. IPC-66. C

- 2052 Underwater tests of $2\frac{1}{2}$ " ASR subcaliber with magnesium flare head, by B. H. Rule and W. P. Huntley. Aug. 3, 1943. IPC-37. Addendum no. 1, Dec. 27, 1943.
- 2052a Underwater tests of $2\frac{1}{2}$ " VAR subcaliber with magnesium flare head, by B. H. Rule and W. P. Huntley. Dec. 20, 1943. IPC-51.
- 2053 Underwater tests of proposed practice hedgehog ammunition, by B. H. Rule and W. P. Huntley. June 2, 1943. IOC-4.
- 2054 Underwater trajectories of the 3"5 aircraft rocket Model 5, by R. V. Adams. June 10, 1944. JPC-21. OSRD-2161. C
- 2056 Underwater trajectory tests of production units of British projectile type "C", by Max Mason and L. B. Slichter. Jan. 2, 1945. IOC-28.4.
 OSRD 2339.
- 2058 Universal sighting for guns and launchers, by Leverett Davis. Oct. 11, 1943. IPC-44.
- 2059 UP vacuum ranges as functions of the burning distance, by W. N. Arnquist. May 31, 1942. IPC-1. C
- 2060 Use of A/S projector, Mark
 20. Pt. I. The mousetrap attack; Pt. II. General information. Feb. 17, 1943. IEC-6.
- 2061 Use of 4.5-inch barrage rocket; manual by T. Lauritsen, F. C. Lindvall and L. A. Richards. Aug. 1, 1942. JBC-10. Revised, Nov. 16, 1942. JBC-10.2. 2d ed. Apr. 7, 1943. JBC-10.6. C

- 2062 Use of mousetrap ammunition; manual by Thomas Lauritsen. June 27, 1942. JBC-8. Correction sheets, Nov. 2, 1942. ZBC-1.
- 2063 Use of rocket launcher Mk 51
 Mod 0 (twelve-round automatic
 for 5"0 spin-stabilized rockets); manual. Nov. 13, 1944.
 JEC-20. OSRD 2281. R
- 2064 Use of sub-caliber mousetrap ammunition; manual by O. C. Wilson. June 30, 1942. JBC-9. C
- 2065 Use of the hydropressure plug for water impact studies; local intermediate report by R. R. Stokes. Sept. 15, 1944. IOC-35.
- 2066 Use of the 7-dial scoring register and tape recorder for rocket target practice, by James Edson. Aug. 11, 1943. JNC-6.

THE TANKS OF THE PROPERTY OF T

- 2067 The use of the ultimate strength as determined in a simple compression test as a measure of JP propellent quality of Mark 13 grains, by B. H. Sage. Dec. 1, 1945.

 JDC-89. C
- 2068 U.W.R. projectile, by B. H. Rule and W. P. Huntley. Jan. 10, 1944. IBC-56.2. Addendum no. 1, Apr. 19, 1944. IBC-56.3. C
- 2069 VAR-7V11 vertical anti-submarine rocket entry and underwater tests, by B. H. Rule and W. P. Huntley. June 2, 1943. IPC-28.
- 2070 VAR-7V13 vertical antisubmarine rocket entry and underwater tests, by B. H. Rule and W. P. Huntley. June 2, 1943. IPC-30.

- 2071 VAR subcaliber underwater performance tests, by B. H. Rule and W. P. Huntley. June 17 and July 15, 1943. IPC-27, 27.1.
- 2072 Variable angle torpedo launcher, by Francis Carlisle. Aug. 9, 1945. NOC-38.1.
- 2072a Variation in weight of grains of fixed length for mousetrap ammunition. Sept. 3, 1942. IDC-14.
- 2073 Velocity-distance, velocity-time, and distance-time curves for underwater travel of various torpedoes, by E. D. Cornelison and J. G. Waugh. Sept. 30, 1945. NOC-48.2. C
- 2074 Velocity-time and distancetime curves for war weight hot shots, by R. W. Ager. Apr. 10, 1945. NOC-48.1. C
- 2075 Vertical antisubmarine bomb (VASB). Vertical flare (VP), by W. A. Fowler. July 23, 1942. OBC-14.2. C
- 2075a The vertical bomb installation on a B-18A bomber; status report. Aug. 1, 1942.
 NMC-1.40. C
- 2076 Vertical bombing, by C. D. Anderson, W. N. Arnquist, H. Babcock, L. Davis, T. Lauritsen, F. C. Lindvall and J. McMorris. Aug. 25, 1942-Jan. 8, 1943. Report nos. OBC 14.3-14.5, A-141. OSRD-1242.
- 2077 Vertical bombing from B-18A aircraft 205 ft/sec ammunition; officers' manual. May 15, 1943. JNC-4.3. C

2078 Vertical bombing from PBY-5 aircraft; officers' manual. Jan. 19, 1943. JNC-4. Supplement, Mar. 5, 1943. R

- 2079 Vertical bombing from PBY-5 aircraft 205-ft/sec ammunition. Mark 1 projectors-Squadron VP-63. Officers' manual. May 1, 1943. JNC-4.2.
- 2080 Vertical bombing from TBF-1 and 2 aircraft 300-ft/sec ammunition. June 5, 1943.

 JNC-5. C
- 2081 Vertical bombing tests Mojave antiaircraft range. Aug. 25, 1942. C
- 2081a Vertical bombing with ASB std. (Mousetrap), by B. H. Rule and W. P. Huntley. Jan. 1943. IBC-15. C
- 2083 Vertical flare bomb field tests at Goldstone. July 15, 1942. C
- 2084 Vibrating-reed drive unit, by Udene E. Younger. Apr. 3, 1944. NOC-53.5. R
- 2085 Vibration testing of rocket motors, by K. H. Robinson. Feb. 17, 1944. JDC-60. OSRD 3790.
- 2086 Water entry and underwater trajectory tests on Bureau of Ordnance ASPC (mousetrap), by B. H. Rule. Dec. 3, 1942. IPC-14.
- 2087 Water entry of 8 in. diameter aircraft torpedo models with hemispherical and ogival nose, by B. H. Rule and W. P. Huntley. Nov. 13, 1944. IOC-20. OSRD 2282. C

- 2088 Water entry of 8 in. diameter model aircraft torpedoes with special noses and ring tail, by B. H. Rule and W. P. Huntley. Apr. 7, 1944. IOC-24. 1st revision, Nov. 1, 1944. OSRD 2255.
- 2089 Water entry tests of NAE beacon Mark 1, Mod. 1, by Mar Mason and L. B. Slichter.
 Mar. 1 and Aug. 14, 1945.
 IOC-40, 40.2. Title varies.
- 2090 Waterproofing of strain gages, by H. N. Bane. July 9, 1945. NOC-56.1. R
- 2091 Well colloided, solvent-process powder for solventless extrusion, by B. H. Sage.
 July 7, 1944. JDC-64. OSRD-2173. C
- 2092 YMTF fuse, by B. H. Rule and F. P. Huntley. Oct. 27, 1943. IIC-20. C
- 2093 X-ray studies of double-base powder. Chromatographic studies of irradiated Radford sheet powder. Treatments to improve burning characteristics of extruded tubes, by R. B. Corey, A. L. LeRosen, Henri Levy and Linus Pauling. July 31, 1942. JDC-23. C
- 2094 Yaw and deflection of UP's developed during burning, by Leverett Davis, jr. Feb. 23 and Mar. 31, 1942. ITC-1, MTC-3.
- CALIFORNIA INSTITUTE OF TECHNOLOGY
 Pasadena, Calif. OEMsr-702
 Projects CWS-22, NO-33, NO77R, NO-99, OD-14, OD-26, OD27. See also Budd Induction
 Heating, Inc., OEMsr-671;
 California Institute of Technology, OEMsr-418; George
 Washington University, OEMsr273; and Division 8, California Institute of Technology,
 OEMsr-881.

- 2095 Investigations of double base powders; final report by Linus Pauling. Jan. 1943. C
- 2096 Absorption coefficients from single measurements on sheet powders, by Robert B. Corey. I. Radford Ballistite JP 37; investigation no. 150. Feb. 9, 1943. II. JP 39 containing 0.1% nigrosine; investigation no. 152. Feb. 9, 1943.
- 2097 An apparatus for the determination of the burning rate of propellants. V. Modification of the pressure regulator; investigation no. 570 by Robert B. Corey. Feb. 19, 1944.
- 2098 The burning rate of Ballistite JP 214. III. Effect of moisture; investigation no. 542 by Robert B. Corey. Feb. 19, 1944.
- 2099 The burning rates of Ballistite JP 269, cordite JP 76, and a propellant from a German rocket torpedo; investigation no. 598 by Robert B. Corey. Mar. 16, 1944. C
- 2100 Chromatographic studies of double-base powders. I, by Robert B. Corey, R. B. Escue, A. L. LeRosen and W. A. Schroeder. Jan. 1, 1943. A-132. OSRD 1152. C
- 2101 The effect of orientation and of acetone on the burning rate of double base powder; investigation no. 618 by Robert B. Corey. Mar. 29, 1944.
- 2102 Investigations of double-base powders; interim and monthly reports by Robert B. Corey, R. B. Escue, A. L. LeRosen, Henri A. Levy, Linus Pauling, A. O. Dekker, Charlotte Green, R. M. Noyes and A. M. Soldate. July-Dec. 15, 1942. Report nos. RP 21.1-21.3. C

- 2103 Investigations of double-base powders, spectrophotometric studies. I, by Robert B.
 Corey, A. O. Dekker and A. M.
 Soldate. Dec. 16, 1942. A124. OSRD 1103. C
- 2105 Measurements of pH on doublebase powders, by Robert B. Corey, Charlotte Green and Henri Levy. Feb. 23, 1943. A-151. OSRD 1265.
- 2106 Spectrophotometric determination of the absorption coefficients of double-base powders, by Robert B. Corey. IV. Hercules powder HES-4138.1, containing dinitrotoluene; investigation no. 86. Nov. 27, 1942. V. Rad-ford Ballistite JP 39 containing nigrosine dye; investigation no. 110. Dec. 16, 1942. VI. Radford powder containing methylene blue; investigation no. 133. Feb. 3, 1943. VII. Cordite. JP-73. from Bruceton; investigation no. 136. Feb. 4, 1943. Title varies.
- 2107 X-ray diffraction studies of molecular orientation in double-base smokeless powders made by the solvent and solventless processes, by Henri A. Levy. Dec. 24, 1942. A-128. OSRD 1151.
- 2108 An x-ray diffraction study of Hercules smokeless powders HES-4135.1, HES-4138.1, and HES-4139.1. Relative molecular orientation in solvent process strand and grains extruded therefrom by the solventless process; investigation no. 100 by Robert B. Corey. Nov. 27, 1942. C
- DUKE UNIVERSITY, Durham, N. C.

 OEMsr-733

 Projects NO-23, NO-26, NO-33,
 OD-14, OD-52.
- 2111 Burning rates of propellants; progress reports by L. G.
 Bonner. Nov. 5, 1942-Feb. 8, 1944. C

- 2112 Determination of the linear burning rates of propellant powders from measurements in the closed chamber; interim report by L. G. Bonner. June 15, 1944.
- 2113 Summary of discussion and information obtained on visit to Allegany Ballistics Laboratory, by Marcus E. Hobbs.
 June 13, 1944.
- 2114 Values of the linear burning rates of propellants as obtained from closed chamber measurements; progress report by L. G. Bonner and M. E. Hobbs. Apr. 25, 1944. C
- GEORGE WASHINGTON UNIVERSITY

 Washington, D. C. OEMSr-273

 Projects CWS-10, CWS-22, CWS-30, CWS-34, NA-197, NO-33,

 NO-34, NO-34.1, NO-35.1, NO-77R, NO-99, NO-120, NO-245,

 NO-247, NO-248, NO-249, NO-252, NO-253, NO-254, NO-296,

 OD-14, OD-26, OD-27, OD-33,

 OD-66, OD-155, OD-161, OD-163, OD-165, OD-166, OD-170,

 OD-171, OD-172, OD-184, OD-185, OD-196, OD-197,

 OD-198, OD-200, OD-201. See also Budd Wheel Company,

 Inc., OEMSr-968; California

 Institute of Technology,

 OEMSr-418; Hercules Powder

 Company, OEMSr-337 and OEMSr-416; National Bureau of


 Standards; Western Electric

 Company, Inc., OEMSr-256; and

 Division 8, Carnegie Institute of Technology, OEMSr-202.
- 2119 Ballistics characteristics and rocket design data for extruded composite propellants; final report by R. Lumry and L. Streff. Dec. 1945. P-10.1. OSRD 5624. Addendum to OSRD 5576.
- 2120 Booster launcher for testing of aircraft rockets; final report by M. J. Walker. Oct. 1945. W-18.1. OSRD 5812. R

- 2122 The Bumblebee rocket motor; final report by S. S. Penner. Dec. 1945. W-22. OSRD 5821.
- 2123 Burning-rate studies of double-base powders; final report by W. H. Avery, R. E. Hunt and M. N. Donin. Jan. 1946. P-1. OSRD 5827. C
- 2127 A comparison of the specific impulse of four double-base rocket propellants; final report by John Beek, jr. and John P. Rappolt. Dec. 1945. P-3.1. OSRD 5829. R
- 2129 Correlation of wind tunnel data on rockets; final report by Seymour Sherman and N. G. Gunderson. Dec. 12, 1945.
 B-2.5. OSRD 5882. C
- 2130 The design of metal components for rocket motors; final report by H. C. Stumpf and George W. Engstrom. Dec. 1945. B-5. OSRD 5891. C
- 2131 Design of the high-velocity rocket, Vicar; final report by R. J. Thompson and R. R. Newton. Dec. 1945. W-21. OSRD 5793.
- 2132 Determination of burning rates from pressure-time relations in closed chambers; final report by Lyman G. Bonner. Dec. 1945. P-1.3.

 OSRD 5816. C
- 2133 Determination of energies of explosion of propellant powders; final report by J. J. Donovan, L. F. Gonyea and H. Fritz. June 1946. P-6. OSRD 5841.
- 2134 Determination of the burning rates of certain powders by the strand technique; final report by J. J. Donovan, L. F. Gonyea and H. Fritz. June 1946. P-1.2. OSRD 5833. C



- 2136 Development of a new 4.2-in. chemical mortar of radical design; final report by T. R. Paulson. Dec. 1945. W-9.4. OSRD 5790.
- 2137 Development of heads and fuzes for 115-mm Aircraft Rocket; final report by M. J. Walker, A. Kossiakoff and F. T. McClure. June 1946. W-8.3. OSRD 5786.
- 2138 Development of portable smokeless powder operated gas generator for pressurizing M2-A2 flame throwers; final report by A. S. Collins and A. A. Nellis. Dec. 1945. W-16.3. OSRD 5880. C
- 2139 Development of propellant charge for 115-mm Aircraft Rocket; final report by Raymond L. Arnett, John Beek, jr., George W. Engstrom, Morton Goldman and Alexander Kossiakoff. June 1946. W-8.1. OSRD 5784.
- 2141 Development of rocket motor for 115-mm Aircraft Rocket; final report by George W. Engstrom and A. Kossiakoff. June 1946. W-8.2. OSRD-5785.
- 2142 Development of the T4 powder charge for the 2.36" rocket grenade; final report by R. Lumry and L. Streff. Nov. 29, 1945. W-3.4. OSRD 5589.
- 2143 The development of the T12 grenade; final report by D. M. Brasted. Dec. 1945. W-3.3. OSRD 5776.

- 2145 Dry extrusion of powder at 'Allegany Ballistics Laboratory; final report by G. F. Padgett and Howard Higbie. Dec. 1945. P-7. OSRD 5844.
- 2146 Effects of pressure and temperature on the rate of burning of double-base powders of different compositions; final report by W. H. Avery, R. E. Hunt and L. D. Sachs. Mar. 1946. P-1.4. OSRD 5824. C
- 2147 Electric charge in a rocket during and after burning; final report. 1944. OSRD-5889. C
- 2149 Erosive burning of doublebase powders; final report by R. J. Thompson and F. T. Mc-Clure. Dec. 1945. P-1.1. OSRD 5831. R
- 2150 Extension of range of the 4.2 in. chemical mortar, M2; final report by G. C. Bowen, C. F. Curtiss, R. B. Kershner and A. R. T. Denues.

 June 1946. W-9. OSRD 5789.
- 2152 Flame temperature and radiation studies in rockets, by R. S. Craig. Dec. 1945. P-2.1. OSRD 5832. R
- 2154 The follow-through rocket grenade, T1; final report by W. P. Spaulding and S. Golden. Dec. 1945. W-6.2. OSRD 5780. C
- 2155 Formulation of manufacturing specifications for solid propellants; final report by Raymond L. Arnett. Nov. 1945. P-9. OSRD 5851. R
- 2156 A gas generator for a small turbine; final report by S. S. Penner, A. J. Madden and R. L. Evans. Dec. 1945. W-17. OSRD 5808.

- 2160 Impulse determinations of rockets by means of rotating systems; final report by S. S. Penner and R. C. Whiteman. Dec. 1945. P-3.2. OSRD-5830. R
- 2161 Induction firing for rockets; final report by Carold F. Bjork and M. Bondy. Dec. 1945. W-18.3. OSRD 5814.
- 2162 Instantaneous burning rate project; final report by S. S. Penner and R. C. Whiteman. Apr. 16, 1945. P-30.1. C
- 2164 Investigation of fiberglas laminates as materials for rocket motors; final report by J. Beek, jr and J. F. Kincaid. Dec. 1945. B-5.1. OSRD 5893.
- 2165 Investigations of the use of rockets to dispense mine-clearing hose; final report by S. D. Brandwein, C. A. Boyd and W. J. Harrington. Dec. 1945. W-13.2. OSRD-5796. C
- 2166 The jet-accelerated armor piercing bomb; final report by C. N. Hickman. Oct. 15, 1945. W-1. OSRD 5761.
- 2170 Mathematical studies of the motion of a spin-stabilized rocket during the burning period; final report by W. J. Harrington. June 1946. B-2.3. OSRD 5879.
- 2173 Miscellaneous propellant studies. I.-Investigation of some special propellant charge designs, by L. G. Bonner. II.-The utilization of magnesium as a rocket fuel, by S. Golden and W. P. Spaulding. Final report. Dec. 1945. P-10. OSRD 5852.

- 2174 A multiple-cartridge launcher for the JB-2; final report by R. B. Kershner, C. F. Curtiss, V. D. Russillo and C. N. Hickman. Jan. 1946. W-20. OSRD 5818. C
- 2175 The one-shot portable flame thrower, El6Rl; final report by R. E. Hunt, A. Stefcik, L. F. Gonyea and W. H. Avery. Feb. 1946. W-16.2. OSRD-5805.
- 2176 The 115-mm Aircraft Rocket; final report by R. E. Gibson and A. Kossiakoff, June 1946. W-8. OSRD 5781. C
- 2177 Physical properties of rocket propellants; final report by Howard Higbie. Apr. 1946.
 P-8. OSRD 5845. C
- 2179 Point-initiating base-detonating electromagnetic fuze, T2003; final report by F. T. McClure, D. D. Miller, J. F. Lemons and M. A. Paul. Mar. 1946. W-6.1. OSRD 5881. R
- 2181 Production model of portable smokeless powder-operated gas generator for pressurizing M2-A2 flame throwers, by Robert Lee James. Dec. 1945. W-16.3. OSRD 5806. Supplement to final report OSRD-5880.
- 2182 Propellant charge design of solid fuel rockets; final report by W. H. Avery and J. Beek, jr. June 1946. B-4. OSRD 5890.
- 2183 Propellant charge development for 4.5-in. spinner rockets, T38E5, T105, and T110; final report by D. M. Brasted and S. D. Brandwein. Dec. 1945. W-11. OSRD 5800. R

- 2184 Recoilless 4.2-in. chemical mortars; final report by R. B. Kershner, A. R. T. Denues, J. M. Woods, J. Levin and F. Culp. Apr. 1946. W-10.
- 2186 The relation of manufacturing tolerances to rocket dispersion of fin-stabilized rockets; final report by R. R. Newton and M. Goldman. Dec. 1945. B-2.6. OSRD 5883. C
- 2187 The restriction of powder burning; final report by Amos Turk, L. G. Bonner, A. J. Madden, J. J. Donovan and W. H. Avery. Dec. 1945. P-4. OSRD 5834.
- 2188 Rocket for projecting detonating cable; final report by C. A. Boyd, W. J. Harrington and D. Leenov. Jan. 1946. W-13.4. OSRD 5798. R
- 2189 The rocket for the Anti-personnel Mine-clearing Snake, M1; final report by C. A. Boyd and R. H. Bond. Dec. 1945. W-13.1. OSRD 5795. R
- 2190 The rocket for the projected line charge; final report by C. A. Boyd, D. Leenov and W. J. Harrington. Dec. 1945. W-13.3. OSRD 5799. C
- 2191 The rocket for towing bangalore torpedoes; final report by C. A. Boyd and R. H. Bond. Nov. 1945. W-13.5. OSRD-5801. C
- 2192 Rocket-projected special-purpose bombs; final report by A. Africano, J. B. Rosser, S. Shulman and J. F. Kincaid. Dec. 1945. W-23. OSRD 5822.
- 2194 60-mm recoilless mortar; final report by S. Golden and N. T. Grisamore. Jan. 1946. W-14. OSRD 5802. C

- 2195 Small-caliber high-velocity rocket, Curate; final report by R. J. Thompson, G. D. Brewer and R. R. Newton. Jan. 1946. W-21.1. OSRD-5820. C
- 2200 Static range operational and fire control equipment for rocket research; final report by C. M. Lathrop and N. E. Alexander. June 1946. J-1. OSRD 5855.
- 2201 The status of ABL projects as of VJ-day; final report by R. E. Gibson. Sept. 3, 1945.
 OSRD 5932. C
- 2202 Step motor rockets; final report by C. N. Hickman and J. M. Woods. June 1946. W-7. OSRD 5794.
- 2204 A study of ignition in the
 2.36-in. rocket grenade; rinal report by R. S. Craig and
 L. D. Sachs. Dec. 1945. P5. OSRD 5837. R
- 2205 Summary of interim ballistic studies of the 4.2-in. chemical mortar; final report by A. R. T. Denues. Dec. 1945. W-9.1. OSRD 5792. C
- 2206 T59 high-velocity rocket grenade (super bazooka); final report by S. Golden, W. P. Spaulding and L. E. Morey. Dec. 1945. W-6. OSRD 5779.
- 2206a Temperature transients in walls of rocket chambers; final report by E. A. Cook and E. H. deButts, jr. June 1946. B-3.1. OSRD 5887. C
- 2207 Tests of various methods of obtaining rotation of the 4.2-in. chemical mortar shell; final report by G. C. Bowen. Oct. 1945. W-9.2. OSRD 5694.

- 2208 Theoretical studies of long-range and high-altitude rockets; final report by J. Barkley Rosser, F. T. McClure, C. N. Hickman and Nancy Marmer Thompson. Dec. 1945. B-6. OSRD 5897.
- 2212 Alternate formulations for H-5 powder, by M. N. Donin. [194-] P-10.1. II, Further testing of RDS 1295.1 and 1301.1; unsalted H-5 powder (G83-c). June 1, 1945.
- 2213 An analysis and interpretation of data dealing with igniter behavior in Revere 4.5" motors, by Raymond L. Arnett. Apr. 26, 1944.
- 2214 The Analytical Section of the Chemistry Laboratory; progress report by N. Marans.
 Mar. 13, 1945. C
- 2216 Applications and performance of rockets, by C. N. Hickman. Feb. 15, 1944.
- 2217 Approximations to the aerodynamic equations in a rocket motor, by Grace Shover Quinn and J. Barkley Rosser. Fcb. 16, 1944.
- 2218 Assembly operations for bayonet igniter model no. 2, by
 J. W. Burns. Mar. 29, 1944.
 A-88M. OSRD 3429. C
- 2219 Assisted take-off tests using British UP3 rockets; preliminary draft by Leo Maas. June 12, 1942.
- 2220 1. An attempt to promote burning at low temperatures by decreasing heat loss s to the rocket chamber. 2. . · ·i-mum charge of 7/8 R.O.W. 10034 which gives satisfactory burning in the 4½ in. Budd at 20°C, by C. F. Bjork.

 June 28, 1943. C

- 2221 Automatic control firing system for flame thrower, by C. N. Hickman. Nov. 11, 1944.
- 2222 Bar type strain gage for use in measuring thrust of rockets, by C. N. Hickman. Feb. 9 1942.
- 2223 Black powder manual, by J. W. Burns. Feb. 24, 1944. C
- 2224 Blast tests on the 4.2"
 R.C.M., by G. C. Bowen.
 [194-] C
- 2225 Blow-up tests of the Revere 4½ inch rocket, by Charles A. Boyd, Sol D. Brandwein, D. W. Osborne and R. B. Staver. Dec. 7, Dec. 29, 1942, Nov. 20, 1943 and Jan. 19, 1944. Title varies. C
- 2226 Blow-up tests on 3¼ inch motors, by Alexander Kossia-koff. Jan. 6, 1943. C
- 2227 Boattail pressure plate and obturator assembly for the 4.2" shell, by C. N. Hickman. Mar. 31, 1945.
- Booster launcher, firing program #9. Determination of maximum penetration of homogeneous armor plate by the 115mm rocket using inert SAP heads, by M. J. walker. June 23, 1945. W-80.
- 2229 Budd 4.5 inch rocket flight tests, by C. A. Boyd, M. Duvall, M. R. Goff, D. W. Osborne and M. J. Walker. May 13-Aug. 5, 1943.
- 2230 Burning characteristics of JRP-2, the Japanese BAKA propellant, by M. N. Donin.
 July 15, 1945. P-105. C

- 2231 Burning characteristics of Russian powders, by Carold F. Bjork and Alfred Africano.
 Jan. 13, 1943. A-136. OSRD-1142. C
- 2232 Burning period and radial dispersion in Budd 4.5 inch motors, by Milton R. Goff and Darrell W. Osborne. Dec. 9, 1942.
- 2233 Burning rate of publican candle powder, by M. A. Fineman. Feb. 12, 1945. C
- 2234 [Burning-rate studies of double-base powder] Weekly progress reports by W. H. Avery, R. S. Craig, Milton Donin, Joseph J. Donovan, M. A. Fineman, Harry Fritz, Lloyd F. Gonyea, R. E. Hunt, F. T. McClure, A. J. Madden, N. Marans, S. Solomon Penner and L. D. Sachs. Mar. 27, 1944-Jan. 9, 1945.
- 2235 Burning rates of black powder "wafers" and grains of various size, by A. Africano and C. F. Bjork. June 5, 1943.
- 2236 Burning rates of carbon cooled powders, by Edward H. de-Butts, jr. Oct. 6, 1944. C
- 2237 Burning rates of laminated charges, by Sidney Golden.
 May 29, 1944.
- 2238 Burning rates of restricted grains of G-2 (Russian) powder, by A. J. Madden and M. A. Fineman. Oct. 9, 1944.
- 2239 Business trip to St. Marys, Pennsylvania, by J. Vodonik. Sept. 20, 1944.

- 2240 Calculations of the heats of explosion of smokeless powders, by R. E. Gibson. May 19, 1942.
- 2241 Calculations on the Hickman suggestion for US V-1 launching, by R. B. Kershner and J. J. Donovan. Jan. 19, 1945.
- 2242 Calorimetry; weekly progress reports by L. F. Gonyea.
 Aug. 28-Dec. 12, 1944. C
- 2243 Camera data taken in connection with Ordnance Program
 No. 5191, by J. Barkley Rosser. May 8, 1944. C
- 2244 Cancellation of Project OD26 and substitution of specific projects; memorandum no. 2 by C. N. Hickman. Nov. 12, 1943.
- 2245 Causes of dispersion in 4.5inch rockets, certain aspects of the malalignment problem; preliminary report by Milton R. Goff. Aug. 6, 1943. C
- 2246 Changes in the spider design in the extrusion dies at Indian Head, by Howard E. Higbie. July 6 and 17, 1943.

 A-72M. OSRD 1623. C
- 2247 Characteristics of the 4½inch rocket projectile, by D.
 W. Osborne. June 6, 1943.
- 2248 Characteristics of the 115-mm aircraft rocket, by A. Kossiakoff. May 19, 1945.
- 2249 Comments on 4.2" recoilless and conventional mortars, by C. N. Hickman. Dec. 17, 1944 C.

and a land absence have every property converte mean

- 2250 Comparison of cordite S.C. composition with and without potassium nitrate, by Carold F Bjork. Dec. 10, 1942. C
- 2251 Comparison of G22 (JPN) powder extruded through dies with and without a parallel section, by A. Bernstein.
 Mar. 19, 1945.
- 2252 Comparison of Radford and Canadian powders of the Russian formulation at -25°C, by Joseph J. Donovan. Dec. 27, 1943.
- 2253 A comparison of the burning rate of a powder containing potassium cryolite with the rate of one containing potassium nitrate, by William H. Avery. May 19, 1943. C
- 2254 Concerning the use of rockets with liquid propellants: in meterological research; for long-distance transportation of mails; as long-distance projectiles with a range of 1000 km and beyond, by Fritz Neubauer. July 22, 1941. R
- 2255 Conference at Frankford Arsenal on annealing and calibrating of copper balls, by C. N. Hickman. Feb. 7, 1945.
- 2256 Conference on facilities required for solvent extrusion at ABL, by A. Kossiakoff.

 May 16, 1944. R
- 2257 Conference on methods of launching JB-2, by C. N. Hickman. Jan. 20, 1945.
- 2258 Contents of ABL-WPR reports classified under ABL project numbers. [1945] C

- 2259 Cross-pin trap for long rocket powder columns, by C. N. Hickman. May 14, 1942. C
- 2260 "D" range; progress reports by Robert Evans and Milton Donin. Nov. 21, 1944-Jan. 31, 1945.
- 2261 Demonstrations and descriptions of new 4.2-inch chemical mortars of radical design, by R. E. Gibson. Nov. 1, 1945. ABL SR-11. OSRD-5879. R
- 2262 Density of loading tests with 7/8" NT-PXS powder; preliminary draft by Alfred Africano. July 22, 1942. C
- 2263 Description and facilities of the Allegany Ballistics Laboratory, Cumberland, Md. [1945] ABL SR-5. C
- 2265 Description of Infantry
 School problems witnessed at
 Fort Benning, Ga., Sept. 510, by R. A. Ruehrwein and A.
 Kossiakoff. [194-] C
- 2266 The design of cage traps for rockets, by C. N. Hickman.
 Mar. 18, 1943.
- 2267 Design of rocket targets adopted by the Army Ordnance, by L. A. Skinner. May 21 and July 13, 1942. A-46M. OSRD-701. C
- 2268 Detection of extrusion holes in OSPFT grains by means of x-rays, by R. E. Hunt. Nov. 30, 1945. W-162.10. C
- 2269 [Determination of energies of explosion of propellant powders] Progress reports by L. F. Gonyea. Sept. 12, 1944-Jan. 3, 1945.

- 2270 Determination of mass emissivity from restricted burning data, by S. Solomon Penner. Oct. 16, 1944. C
- 2271 Determination of powder gas emissivities, by R. S. raig and S. Solomon Penner. Oct. 4, 1944. C
- 2272 Determination of useful temperature range for Russian lot 1 in the 4½ in. Budd motor, by C. F. Bjork. June 10, 1943.
- 2273 Development of portable cordite operated gas generator for pressurizing M2-A2 flame throwers, by A. S. Collins and A. A. Nellis. July 12, 1945.
- 2274 [Development of portable smokeless powder-operated gas generator for pressurizing M2-A2 flame throwers] Progress with project W-163 since Mar. 12, 1945, by A. S. Collins. Apr. 9, 1945.

- 2275 Diffusion coefficient of acetone in double base powder, by S. S. Penner and S. Sherman. [194-]
- Diffusion of nitroglycerine in wrapped powder grains, by
 S. S. Penner and S. Sherman.
 Jan. 15, 1945.
- 2278 Discussion of work on jet propulsion projects, by C. N. Hickman. Nov. 3, 1941. C
- 2279 Dispersion flight tests of Budd 4.5 inch rockets, by Charles A. Boyd, D. W. Osborne and M. J. Walker. Oct. 14-Dec. 30, 1942.

- 2281 Double base powder for jet propulsion, by R. E. Gibson.
 May 25, 1942.
- 2282 Driver rocket improvements, by C. N. Hickman. Dec. 2, 1944.
- 2283 Drop tests of radio fuzes for the 12 inch jet accelerated A.P. bombs; preliminary report by A. Kossiakoff. Dec. 29, 1942.
- Dry extrusion of double-base powder at Indian Head, I, by Howard E. Higbie. Dec. 7, 1942. A-123. OSRD 1100. II, Extrusion of solventless sheet powder of the Russian formulation. Jan. 26, 1943. A-133. OSRD 1226. C
- 2285 [Dry extrusion of powders]
 Weekly progress reports by G.
 F. Padgett. Feb. 5-Mar. 11,
 1944. R
- 2286 Dry extrusion of Western Cartridge ball powder, by Jcseph J. Donovan. June 2, 1943.
- 2287 The effect of burning area of powder on the chamber pressure in rockets, by C. N. Hickman. Nov. 28, 1941. C
- 2288 The effect of burning time on the dispersion of rockets, by C. N. Hickman. Jan. 29, 1943.
- 2289 Effect of different igniter on maximum pressure in Revere 4.5" motors with 4.65 pounds of no. 14400 powder at 70°F, by Raymond L. Arnett. Jan. 10, 1944.
- 2290 Effect of jet blast on airplane wing, by C. N. Hickman Aug. 7, 1942. C

- 2291 Effect of nitroglycerin and total volatile content on the burning characteristics of JPT powders; preliminary draft by Alfred Africano and M. J. Walker. Aug. 25, 1942.
- 2292 The effect of non-linear acceleration on the dispersion of rockets; preliminary draft by C. N. Hickman. Jan. 7, 1943.
- 2293 Effect of nozzle contour on the performance of ABL JATO Model II and a new nozzle design for this model, by L. G. Bonner. Aug. 22, 1945. W-191.
- 2294 Effect of 1½ percent KNO₃ in 7/8 in. x 1¼ in. Russian powder 4107.1, by Alfred Africano. Nov. 27, 1942. C
- 2295 Effect of pressure and nozzle taper on the velocity of a 14 pound 2-5/8 inch diameter rocket, by C. N. Hickman. Feb. 13, 1941.

- 2296 The effect of pressure and temperature on the rate of burning of double-base powders of different compositions, by William H. Avery and Roy E. Hunt. Sept. 3, 1943.
- 2297 Effect of pressure and temperature on the rate of burning of double-base powders of different compositions, by William H. Avery and Roy E. Hunt. Oct. 27, 1943. A-225. OSRD 1993. Revisions and corrections, Dec. 23, 1944. ABL-WPR supplement 6. OSRD-4568. II, by W. H. Avery, R. E. Hunt and L. D. Sachs. Mar. 3, 1945. ABL-WPR supplement 9. OSRD 4942. R

- 2298 Effect of temperature gradient on the performance of APL, J.A.T.O. Model II, by L. G. Bonner. Aug. 21, 1945. W-191. C
- 2299 The effect of the initial velocity of a rocket on the kinetic energy given to it by the jet, by C. N. Hickman.

 [194-] C
- 2300 The effect of treatment with p-phenylenediamine on the ignition of powder grains, by M. N. Donin. July 11, 1945. P-53.1. C
- 2301 Effect of ultrasonic irradiation on powder strength, by
 Dorothy Reinhard, Barbara
 Smith and Howard Higbie.
 July 13, 1945. P-80. C
- 2302 Effects of storage at extreme temperatures on rocket propellants. [194-] C
- 2303 Efficiency of rockets compared to guns, by C. N. Hickman. Sept. 5, 1942. Supplement to OSRD Catalog no. 2506. C
- 2304 Electro magnetic fuse, by C. N. Hickman. Mar. 27, 1945.
- 2305 Electron microscopy of double-base powder, by M. N. Donin. May 4, 1945. P-10.1.
- 2306 An electronic dc/ac converter for use with wire strain gages, by S. Golden and N. E. Alexander. Oct. 4, 1943.

 II. An improved model having better frequency response.

 Dec. 2, 1943. C

- 2307 Elimination of heat losses to rocket chambers in an effort to increase range; preliminary draft by Carold F.
 Bjork. Jan. 5, 1943. C
- 2308 Establishment of temperature limits for 12 inch AP jet propelled bomb, by Leo Maas, jr. June 2, 1943. C
- 2310 Expanded program for conventional 4.2 chemical mortar, by C. N. Hickman. Apr. 30, 1945.
- 2311 Experimental arrangement for obtaining pressure, travel and time relations for the 4.2 in. chemical mortar, by Arthur Russell Taylor Denues.

 Mar. 16, 1943. C
- 2312 Experimental powders from Kenvil, by W H. Avery. Aug. 4, 1945. P-100. C
- 2313 Experiments with a thinner web propellant for use in the 4½ inch rocket projectile; interim report by R. E. Gibson. Apr. 27, 1943. C
- 2314 Extrusion and impact testing of DINA powders, by G. F. Padgett. Dec. 27, 1943. C
- 2315 Extrusion of cordite type powders at Indian Head, by Howard E. Higbie. Nov. 16, 1942.
- 2316 The extrusion of dried, solvent processed double-base powder at Indian Head, by Howard E. Higbie. Sept. 28, 1943. A-220. OSRD 1886. R

- 2317 The extrusion of dried solvent processed double base powder at Indian Head, by Howard E. Higbie, E. S. Johnson and Roy E. Hunt. Sept. 26, 1942 and Oct. 15, 1943. II, Powders containing dibutyiphthalate. Oct. 17, 1942. III, Powder of the cordite S. C. type. Oct. 21, 1942. IV, Comparison of conical and curved dies. Dec. 11, 1942. VII, Experimental powders of various compositions in 3/8 O.D. grains for closed bomb tests. Jan. 27, 1943. VIII, Trench mortar sheet dyed with a cyanine dye. Feb. 1, 1943. IX, Effect of preheating and press temperature on extrusion pressures and consolidation. Feb. 5,
- 2318 Extrusion of new formulations, by G. F. Padgett.
 Aug. 21, 1945. P-71.
- 2319 [Extrusion of powders] Progress reports of Group 2A7, by Howard Higbie and G. F. Padgett. May 15, 1944-Jan. 24, 1945.
- 2320 The extrusion of solventless sheet powder at Indian Head, by Joseph J. Donovan. June 15, 1943.
- 2321 The extrusion of solventless sheet powder of the Hercules trench mortar sheet formula, by G. F. Padgett. Nov. 9, 1942.
- 2322 Extrusions of double-base powder at Indian Head, by G. F. Padgett. July 20, 1943. A-203. OSRD 1658. R
- 2323 Factors to be considered in design of rocket having annular jet, by C. N. Hickman.
 Dec. 14, 1942. C

- 2324 Facts pertinent to wrapped charges obtained from the British reports published by the Armaments Research Department, Woolwich, by Paul L. Kingsley. Apr. 5, 1944.
- 2325 Failure of Budd 4½ inch motors with a 1.77 inch throat in recent flight tests at 130°F, by F. T. McClure and J. B Rosser. Nov. 12, 1943.
- 2327 Fin tail attachment for 4.2" chemical shell, by C. N. Hickman. Dec. 23, 1944. C
- 2328 Fireproofing of fabric for assisted take off, by Leo Maas, jr. July 16, 1942. C
- 2329 Firing mechanisms for 3¼ inch rockets. [194-] C
- 2330 Firing of G-47 powder in the Kleinschmidt chamber, by A. J. Madden and J. A. Fineman. Dec. 30, 1944.
- 2331 Firing tests of the jet propelled parachute flares, by W. E. Jeremiah. July 18, 1942. C
- 2332 Firing tests on long "A" charges, by C. N. Hickman and Alfred Africano. Jan. 3, Feb. 7 and Mar. 3, 1942. Title varies.
- 2333 Fissure tests of (a) Sunflower Plant powder, lot 1
 (b) 0.02 percent Prussian blue powder, HES 4238.1C
 (c) 0.05 percent Prussian blue powder, HES 4239.1C, by A. Bernstein. May 18, 1943.
- 2334 The fissuring of double base powders at low pressures, by Alfred Africano. Aug. 12 and Sept. 14, 1942. A-93. OSRD-888. Title varies. C

- 2335 Flat spring type rocket driver, by C. N. Hickman. Dec. 9, 1944.
- 2336 Flight tests of $4\frac{1}{2}$ inch rockets, by C. A. Boyd, C. N. Hickman, D. W. Osborne and M. J. Walker. Aug. 21, 1942, May 1 and 5, 1943. Title varies.
- 2337 Flight tests of powders A-34 and A-35 in Budd 4½ inch rockets, by D. W. Osborne and M. J. Walker. June 12, 1943.
- 2338 Flight tests of T-12, onepiece rocket grenade, by D. M. Brasted. Oct. 1, 1943.
- 2339 Flight tests of 3¼ in. rockets loaded with composite propellant 218B, by R. A. Ruehrwein. June 19, 1943.
- 2340 Flow of propellant gases in rockets, by J. O. Hirschfelder. Aug. 25, 1942. C
- 2341 Fly-screen barrage, by H. D. Baker. Apr. 14, 1941. R
- 2342 4.2" match-type rocket driver, by C. N. Hickman. May 18, 1945. C
- 2343 4.2 inch mortar recoilless attachment, designs no. 2 and no. 3, by C. N. Hickman.
 Nov. 7, 1943.
- 2344 The 4.2" recoilless chemical mortar. [194-] and [Nov. 20. 1944] Title varies. C

- 2345 4.5" Budd flight program XX, by M. J. Walker and C. A. Boyd. Feb. 1, 1943. C
- 2346 A 4½-in. high-explosive rocket shell for projection from airplanes; progress report by C. N. Hickman and L. A. Skinner. July 2, 1942. A-70. OSRD 673.
- 2347 4.5 inch rocket flight program XVII, XVIII, XIX, by M. J. Walker and C. A. Boyd. Jan. 20, 1943. C
- 2348 [4½-in. rockets] Weekly progress reports, Jet Propulsion Research Laboratory, Indian Head, Md. May 16, 1943-Feb. 4, 1944. Report nos. 1-39.
- 2349 14" accelerated AP bomb drop tests, by C. N. Hickman.
 Jan. 2, 1942. C
- 2350 14" AP bomb tests, Indian Head, Maryland, by C. N. Hickman. Mar. 27-June 25, 1942. Title varies.
- 2351 The functioning of copper ball gages with and without grease, by C. F. Bjork. May 18, 1943.
- 2352 Further tests of A-20, A-21 and A-22 powders in Budd 4.5-inch rockets, by Charles A. Boyd. May 10, 1943. C
- 2353 Further tests of 1-1/8 in. x 1/4 in. double base powder, by Nathan Shapiro. Sept. 30, 1942.
- 2354 Further tests of the California Institute of Technology solventless extruded 3-3/4" x 1¼" powder charges, by Alfred Africano. Sept. 15, 1942.

- 2355 Further tests of the Western Cartridge Company cemented ball powder charges, by M. Walker. July 15, 1942. C
- 2356 Fuze, T-2003. Proposed organization for development, by F. T. McClure. Feb. 19, 1945. W-60.4. C
- 2357 A gage for obtaining the maximum lateral thrust of rockets, by C. N. Hickman. Feb. 2, 1942.
- 2358 German solid fuel units for jet assisted take-off of planes (JATO) and for launching systems for guided missiles, by P. T. Kirwan. Oct. 30, 1945. F-1.
- 2359 Ground test on jet propelled 14" A.P. bomb, by C. N. Hickman. July 16 and 29, 1941.
- 2360 Heat transfer by radiation to rocket motors, by S. S. Pen-ner. Mar. 22, 1945. C
- 2361 Heats of explosion, by Joseph J. Donovan. Nov. 1, 1944.
- 2362 High pressure tests of Budd $4\frac{1}{2}$ inch rockets with 90° seat between head and motor, by Charles A. Boyd and D. W. Osborne. Nov. 12, 1942. C
- 2363 High pressure tests of burster tubes in Budd 4½ inch rockets, by Charles A. Boyd and Darrell W. Osborne. Dec. 5. 1942.
- 2364 High pressure tests of the Budd 4.5 inch rocket, pilot plant production, by C. A Boyd. July 24, 1943.

- 2365 High temperature tests of Budd $4\frac{1}{2}$ inch rockets with 1.75 inch throats, by D. W. Osborne. May 31, 1943. C
- 2366 High velocity, short burning time rocket, by C. N. Hick-man. Sept. 8, 1943. C
- 2367 History of rocket development, by Albert Hausenstein.
 [194-] Published serially in the "Zeitschrift fur das gesamte Schiess- und Sprengstoffwessen". May Oct.
 1939. R
- 2368 Ignition delay in the $4\frac{1}{2}$ in. rocket. Neon tube method of measuring component times, by N. E. Alexander. May 18, 1943.
- 2369 Impact, frictional-impact and static spark sensitivities of igniter mixtures and black powder; technical note no. 46 by M. A. Elliott and F. W. Brown. Mar. 9, 1945. C
- 2370 Impulse determinations; preliminary report by S. S. Penner and R. C. Whiteman. May 14, 1945. P-12. C
- 2371 Indian Head Committee meeting. May 23, 1942.
- 2372 Indianhead tests, by C. N. Hickman. Oct. 2, 1941. C
- 2373 Influence of radiation upon the burning rates of propellants; weekly progress report by W. H. Avery. July 8, 1944. ABL-WPR supplement no. 1. OSRD 3880.
- 2374 Initial velocity, and range dispersion, in terms of burning time of Canadian propellent powder, 3/8" stick for rocket, H E., 2.36", M-6, by J. A. Folse. May 15, 1943.

- 2375 Inspection and testing of a 7/8-in. stick powder; progress report by John Beek, jr. Aug. 4, 1942. A-78. OSRD-769.
- 2376 Insulation for wires in burning rate bomb, by J. J. Donovan. Jan. 31, 1945.
- 2377 Integrated absorption coefficient for G-2 for the visible region, by S. Solomon Penner. Nov. 21, 1944.
- 2378 Integrated absorption coefficients from 0.704 to 0.904 of G-73 and B-100, by R. S. Craig. Mar. 28, 1945. C
- 2379 Interior ballistics of rockets, by R. E. Gibson. Feb. 23, 1944.
- 2380 Interior ballistics of the 4.2 in. recoilless mortar, by R. B. Kershner, C. F. Curtiss and S. Golden. Nov. 30, 1943.
- 2381 Internal ballistics of powder driven rockets, by Emory Lakatos. Aug. 21, 1940. C
- 2384 Investigation of BAKA rocket power unit, by J. J. Donovan. May 21, 1945. W-510. C
- 2385 Itinerary followed during visit to Fort Benning, by R. A. Ruehrwein, J. B. Rosser, R. B. Kershner and A. Kossiakoff. Sept. 13, 1944. C
- JATO program, by L. G. Bonner, A. J. Madden, M. Fineman, A. Turk, R. S. Craig and W. A. Hendricks. Apr. 3. 1945. W-191.

- 2387 Jet accelerated 4.2" chemical projectile, by C. N. Hickman. July 16, 1942. C
- 2388 Jet acceleration of armor piercing bombs; progress report by C. N Hickman. June 30, 1941. A-4. OSRD 8. C
- 2389 Jet acceleration tests of the 14-in. armor-piercing bomb, by C. N. Hickman. July 9, 1942. A-69. OSRD 691. C
- 2390 Jet propelled illuminating flare, by W. E. Jeremiah.
 July 3 and Nov. 11, 1942.
 A-113. OSRD 992.
- 2391 Jet propulsion, Indian Head Committee meeting, by J. A. Snackenberg. Nov. 12, 1941.
- 2392 Jet propulsion project; welding of solventless sheet powder by pressure, by C. N. Hickman. July 22, 1941. C
- 2393 Jet propulsion tests, by C. N. Hickman and Jesse W. M. DuMond. June 3-Nov. 14, 1941. Title varies.
- 2394 Jet propulsion weapons for use in national defense, by C. N. Hickman. Oct. 9, Dec. 5 and 12, 1941. Title varies.
- 2395 Jumping-jack powder tester, by C. N. Hickman. Oct. 31, 1941. C
- 2396 Laboratory tests for fireproofing airplane fabric, by Leo Maas, jr. Aug. 12, 1942.
- 2397 A laminated propellant charge for rockets; progress report no. 2 by Sidney Golden. May 18, 1943.

- 2398 A laminated propellant design for a "superbazooka" rocket; progress report no. 3 by Sidney Golden and Wallace P. Spaulding. Sept. 25, 1943.
- 2399 Launching methods for U. S. V-1, by C. N. Hickman. Jan. 14, 1945.
- 2400 A less regressive design for powder grains (A-75M); Theoretical study of the validity of a certain method of determining a burning law (A-76M); by Beatrice Kelly, R. B. Kershner, F. T. McClure and J. Barkley Rosser. Nov. 25, 1943. OSRD 2069.
- 2401 Long range rockets, by J.
 Barkley Rosser and R. E. Gibson. Apr. 8, 1943. C
- 2402 Low temperature performance of T-80 (3½" RG), by L. C. Whiteman and S. S. Penner. Mar. 10, 1945.
- 2403 A low velocity projectile with extremely short burning distance, requiring an extremely short projector, by Sidney Golden. May 18, 1943.
- 2404 M6A3 ignition studies; progress report by R. S. Craig. Sept. 28, 1944.
- 2405 The manufacture of solventless double base powder, by F. H. Untiedt. Dec. 1942.
- 2406 Measurement of rocket velocity, by C. N. Hickman. Nov. 4, 1942.
- 2407 Measurements of temperature developed at the front of the burster tube in the Budd $4\frac{1}{2}$ nnch rocket, by Charles A.
 Boyd. Dec. 31, 1942. C

- 2408 Mechanical fuse and ignition system for 12 inch AP jet accelerated bomb, by Leo Maas, jr. May 13, 1943. C
- 2409 Meeting of Division 3. Nov. 28, 1944.
- 2410 A method of induction firing for rockets; weekly progress report by C. F. Bjork and M. Bondy. Jan. 20, 1945. ABL-WPR supplement 8. OSRD 4694.
- 2412 Milled slots in driver rocket adaptor for parting by shear, by C. N. Hickman. Mar. 24 and Apr. 18, 1945. C
- 2413 Miniature rockets for wind tunnel tests, by G. C. Mac-Donald, R. C. Whiteman and S. S. Penner. Sept. 13, 1945.
- 2414 Minutes of meeting of Indianhead Jet Propulsion Committee, by E. C. Watson. July 30, 1941. C
- 2415 Minutes of meeting of Rocket
 Propellant Panel Sub-group on
 Chemical Analysis and Heats
 of Explosion of Rocket Powders, by R. E. Gibson. Oct.
 2, 1944. C
- 2416 Minutes of the second and third meetings of the subgroup on burning rates and related problems, by R. E. Gibson. Apr. 17 and 29, 1944.
- 2417 Mixed charge experiments; preliminary report by C. A. Boyd. Oct. 14, 1943.
- 2418 Mixed charges of SOW 14319 and A-61 powders in the 4.5 inch rocket, by C. A. Boyd and S. Brandwein. Nov. 6, 1943.

- 2419 Modification of 4.2" shell and attachment for 4.2" mortar, by C. N. Hickman. Nov. 17, 1944.
- 2420 Modifications of H-5 powder, by M. N Donin. May 5, 1945. P-10.1. C
- 2421 Modified T-2 powders; by M.
 N. Donin. June 12, 1945. P10. C
- 2422 Mounting requirements for measuring thrust of rockets, by C. N. Hickman. Sept. 17, 1941.
- 2423 Multiple cartridge launcher for airplanes, by C. N. Hickman. Oct. 9, 1945. C
- 2424 Multiple cartridge launcher for JB-2, by R. B. Kershner and V. D. Russillo. June 25, 1945.
- 2425 Multiple cartridge launching system for the U. S. version of the V-1 bomb, by C. N. Hickman. Jan. 17, 1945. C
- 2426 A multiple nozzle rocket; a high velocity rocket propelled by thin web powder, by C. N. Hickman. Aug. 19, 1943.
- 2427 Multiple nozzle rocket formulas and suggested designs, by C. N. Hickman. Aug. 26, 1943. C
- 2428 New equipment for measuring and recording the pressure of powder gases in rocket chambers and the thrusts exerted by blocked rockets, each as a function of time, by Jesse W. M. DuMond. Nov. 13, 1941. A 28M-30M. OSRD 30. C

2429 New gases for measuring the thrusts of rockets, by C. N. Hickman. Feb. 28, 1942. A-38M, 39M. OSRD 433. C

- 2431 A new rocket design in which the turning moment due to an unsymmetrical jet is greatly reduced, by C. N. Hickman. Nov. 21, 1942.
- 2432 A new system for obtaining interior ballistics data for rockets: P, {Pdt, t curves, by S. Golden. Jan. 18, 1944.
- 2433 Nitroglycerine in restricting coatings, by J. J. Donovan and N. Marans. June 27, 1945. C
- 2434 A "non-jumping" powder tester, by C. N. Hickman. Dec. 30, 1941.
- 2435 Non-separate type driver rockets for 4.2" recoilless mortar, by C. N. Hickman. Aug. 8, 9 and 11, 1945. Title varies.
- 2436 A note on the elevations, lead angles and times of flight for certain 4½ inch rocket projectiles when fired from plane to plane with reference to evasive action by the target, by J. Barkley Rosser. Mar. 12, 1943. C
- 2437 Notes and tests on the design and performance of jet propelled devices, by C. N. Hickman. Sept. 15 and Nov. 18, 1941. Report nos. A 4M-A 27M. OSRD 28, 29. C
- 2438 Notes on A. E. Maynor rocket, by C. N. Hickman. Jan. 11, 1941. C
- 2439 Notes on production model drawings for jet accelerated 12 inch AP bomb, by C. N. Hickman. Apr. 7, 1943. C

- 2441 Notes on status of production of solvent extruded sticks of double base powder, by R. E. Gibson. Nov. 26, 1941. C
- 2442 Notes on trip to England and France, by C. N. Hickman.
 Nov. 4, 1944. C
- 2443 Obliquity of jets to prevent spin of recoilless guns, by C. N. Hickman. Dec. 15, 1943. C
- 2444 1" x 8" static test motor:
 Partial burning experiments;
 weekly progress reports by
 Sidney Golden and L. Morey.
 Apr. 19-May 1, 1944.
- 2446 A partial-burning powder tester, by C. N. Hickman.
 June 26, 1942. A-43M. OSRD-665.
- 2447 Performance of $4\frac{1}{2}$ inch light weight projector, by James D. DeSanto. Apr. 23, 1943. C
- 2448 Photographic data upon flight tests of Nebel rocket, by M. J. Walker, C. A. Boyd and D. M. Brasted. Sept. 4, 1943.
- 2449 Photographic review of projects under investigation at Allegany Ballistics Laboratory, by R. E. Gibson. Aug. 1, Nov. 1, 1944 and Mar. 1, 1945. ABL Photographic Review nos. 1-3.
- 2450 Pictorial description of 4.2" chemical mortar E37. [1944]
- 2451 Plane to plane rockets with velocities exceeding 1000-ft/sec, by R. E. Gibson. Feb. 14, 1943.
- 2452 Powder powered cable launcher for JB-2, by C. N. Hickman. Feb. 24, 1945.

THE PROPERTY OF THE PROPERTY O

- 2453 Preliminary description of the E37 4.2 in. chemical mortar, by R. E. Gibson. Aug. 1, 1945. ABL-SR 8. OSRD-5394. C
- 2454 Preliminary epitome of development work to increase the range of the 4.2" chemical mortar M2 by ballistic improvements adapted to immediate field application, by Arthur Russell Taylor Denues. July 2, 1945.
- 2455 Preliminary notice of the first meeting of the Sub-group on Physical Properties of Powder and Related Problems of the Rocket Propellant Panel, by R. E. Gibson. June 7, 1944.
- 2456 Preliminary plans for recoilless depth charge projector, by C. N. Hickman. June 4, 1942. C
- 2457 Preliminary report on flight tests of 4.5 inch rockets, by D. W. Osborne and C. A. Boyd. May 5, 1943.
- 2458 Preliminary report on 4½ inch
 Budd rockets fired at Fort
 Fisher, by D. W. Osborne and
 M. R. Goff. Oct. 14, 1942.
- 2460 Preliminary results on accelerated aging of powders, by L. G. Bonner and R. S. Craig. July 27, 1945. W-191.
- 2461 Preliminary tests of DINA powder in the rocket grenade, by S. Golden. Jan. 4, 1944.
- 2462 Preliminary work on the application of the optical lever principle to following projection tip-off and yaw motions during the early burning of rockets, by Milton R. Goff, Howard H. Abram, Charles S. Blackson and Edward D. Lewis. Jan. 1, 1945.

- 2463 The preparation and burning characteristics of restricted grains of G-47 powder, by A.
 J. Madden and M. A. Fineman.
 Jan. 9, 1945.
- 2464 Present status of studies of central venturi rocket, by C. F. Bjork. Dec. 23, 1943. C
- 2465 Present status on the burning characteristics of Radford British, Bruceton cordite and British cordite powders, by Leo Maas, jr. and C. F. Bjork. May 17, 1943. C
- 2466 Pressure differences between the closed and open ends of propellant channels, by Sidney Golden. Mar. 9, 1943.
- 2467 Pressure limiting shear ring for rockets, by C. N. Hick-man. Oct. 31, 1941. C
- 2469 Pressure relationships within small rockets, by Sidney Golden. Aug. 7 and Nov. 25, 1942. Title varies. C
- 2470 Pressure-temperature relationships of 3/4 in. x 5/16-in. powder (lot 84) fired in the 4½ in. Budd chamber having a 1.83 in. throat, by C. F. Bjork. July 3, 1943. C
- 2471 Pressure-temperature relationships of 3/4 in. x 5/16-in. powder (ROW 84) fired in the T-6 chamber, by N. T. Grisamore and G. C. Bowen. Dec. 13, 1943.
- 2473 Progress in the development of a smokeless powder assisted take off unit, by L. G. Bonner, A. J. Madden, M. Fineman and W. A. Hendricks. Feb. 21, 1945. W-191. C

- 2474 Progress of studies of igniters in the rocket grenade, by R. S. Craig and L. D. Sachs. Nov. 20, 1944. C
- 2475 Progress of the jet propelled parachute flares, by W. E. Jeremiah. July 30 and Sept. 12, 1942.
- 2476 Progress on the $4\frac{1}{2}$ inch rocket, by D. W. Osborne. Feb. 15, 1943.
- 2477 Progress report on BBP, by Larry Streff, A. S. Wenborne and R. Lumry. Feb. 23, 1945.
- 2478 Progress report on CP218B, by R. A. Ruehrwein. Aug. 26, 1944. C
- 2480 Proof tests of the T-12 rocket grenade, by Donald M. Brasted and Thomas L. Gallo. Jan. 29, 1944.
- 2481 [Propellants] Progress report nos. 1-37, by W. H. Avery and H. Higbie. Jan. 30-Nov. 2, 1945.
- 2482 Proposed methods of analysis for rocket properlant powder for naval specification, by R. E. Gibson. June 15, 1944.
- 2483 Provisional report on the first 110 rounds of Project 3265 at Aberdeen Proving Ground, by J. Barkley Rosser. Mar. 3, 1944.
- 2484 Radiation correction for experimental burning rates, by S. S. Perner. Feb. 1, 1945.
- 2485 Radiation effects in restricted burning, by S. Solomon Penner and M. A. Fineman. Oct. 27, 1944.

- 2487 Range control of 4.2 chemical mortar shell by means of variable length firing pins, by C. N. Hickman. May 7, 1943.
- 2489 Reaction-type driver formulae, by C. N. Hickman. Mar. 2, 1945. Errata, Mar. 8, 1945. C
- 2490 Reaction-type shell driver for recoilless guns, by C. N. Hickman. Feb. 24, 1945. C
- : .91 Recoilless gun for follow through projectile, by C. N. Hickman. June 26, 1944. C
- 2492 [Recoilless weapons] Progress report nos. 1-15, 17-38, by C. N. Hickman, G. H. Hoppin, R. B. Kershner and A. R. T. Denues. Feb. 5-Oct. 24, 1945.
- 2493 Recommended procedure for the chromatographic-spectrophotometric determination of diethyl-phthalate in double base powder, by R. E. Gibson. May 15, 1944.
- 2495 Reduction of spotting data, by J. Barkley Rosser. Feb. 3, 1944. II, by J. A. Brittain, J. Barkley Rosser and H. Siller. Feb. 16, 1944.
- 2496 Reduction of theodolite readings, by J. Barkley Rosser.
 Jan. 22, 1944. C
- 2498 Remarks on the applications and performance of rockets, by C. N. Hickman. Oct. 28, 1942. A-57M. OSRD 965. C
- 2499 Report on a visit to the Naval Research Laboratory in connection with determining Young's modulus of powder, by M. F. Bondy. Sept. 15, 1944.

- 2500 Requirements for the 4½ inch projectile, by R. E. Gibson. June 20, 1942.
- 2501 Resonance in the burning of perforated grains of G-6e powder supported on trap rods, by R. L. Evans. Nov. 5, 1945. P-11.
- 2502 Restricted burning; weekly progress report by A. J. Madden. Sept. 11, 1944. C
- 2503 Restriction tests of grains for OSPFT, by A. Stefcik.
 Dec. 1945. W-162.
- 2504 Restrictive coatings, by Amos Turk, Arthur J. Madden and F. P. Kelly. III, Annealing changes in solvent-bonded plastic sheets. Apr. 20, 1945. IV. Butyl and Perbunan rubber compositions. May 15, 1945. V. Properties of cellulose acetate compositions. June 5, 1945. P-41. VI. Properties of polyvinyl alcohol. June 5, 1945. P-41. VII. Wrapping procedures and new formulations with cellulose acetate. June 18, 1945. P-41. VIII. Preparation of specimens for nitroglycerin analysis. July 5, 1945. P-41. IX. Bond strengths. Aug. 13, 1945. P-41. X. Restriction by hot molding; status report. Sept. 6, 1945. P-41.
- 2505 Review of mortar, 81 mm, T-55 at Fort Benning, by C. N. Hickman. May 9, 1945. C
- 2506 Rocket applications and performance, by C. N. Hickman.
 Aug. 23 and Sept. 22, 1942.
 Title varies. C

- 2507 Rocket applications, rocket design, propellani charge development, propellant research; progress reports 1-63 by R. E. Gibson. Mar. 30, 1944-Aug. 15, 1945. OSRD nos. 3727-3735, 3788, 3826, 3831, 3849, 3860, 3879, 3901, 3931, 3965, 3986, 4021, 4041, 4061, 4088, 4130, 4137, 4164, 4201, 4227, 4248, 4274, 4295, 4312, 4338, 4355, 4384, 4425, 4443, 4471, 4495, 4524, 4577, 4611, 4640, 4665, 4687, 4719, 4803, 4828, 4892, 4908, 4939, 4972, 5009, 5037, 5061, 5100, 5130, 5170, 5193, 5218, 5255, 5292, 5316. Title varies.
- 2508 Rocket driver for 4.2" shell (attached), by C. N. Hickman. June 16, 1945.
- 2509 Rocket driver for 81mm and 4.2" shells, by C. N. Hickman. Dec. 13, 1944.
- 2511 Rocket fundamentals, an introduction to the theory and practice of military rocket engineering. Dec. 26, 1944.
 ABL-SR 4. OSRD 3992. R
- 2512 Rocket grenade flight test 774-F; preliminary report by D. M. Brasted. July 16, 1943. C
- 2513 The rocket motor for mine clearing snake, M-1; development and current status. by C. A. Boyd and R. H. Bond. Dec. 23, 1944. ABL-WPR supplement 7. OSRD 4569. C
- 2514 Rocket Propellant Panel of the Joint Committee on New Weapons; minutes of first meeting of Sub-group on Physical Propellants and Related Problems, by R. E. Gibson. July 15, 1944.
- 2515 Rocket propulsion efficiency, by E. Lakatos. Aug. 29, 1941. C

2516 Rocket shell driver for use 2528 Shear nozzle insert for 12 inch AP bomb, by Leo Maas, with mortars fired at low angles of elevation, by C. N. Hickman. [194-] C jr. July 22, 1943. 2529 Short driver rocket, by C. N. Hickman. Dec. 31, 1944. 2517 Rocket target tests, by A. J. Dempster. Sept. 25, 1941. 2530 Short flight test of jet propelled 100 pound demolition 2520 Rotating launcher for 4½ inch bomb, by Leo Maas, jr. Dec. projectiles, by M. J. Walker 1, 1942. and C. F. Bjork. Feb. 4, 2532 A simple system for obtaining pressure-time curves of rockets having short action 2521 Safety match type igniter for times, by S. Golden. Dec. light-weight driver rocket, 27, 1943. by C. N. Hickman. Jan 25, Jan. 30 and Feb. 17, 1945. Title varies. 2533 Small grain powder charges for recoilless guns, by C. N. Hickman. July 25, 1945. C 2522 Scale model of JB-2 launcher, by R. B. Kershner, J. J. Donovan, C. N. Hickman and V. D. Russillo. Feb. 1 and Mar. 19, 1945. Title varies. C 2534 Solvent and solventless types of double-base powder for rockets, by R. E. Gibson and W. N. Lacey. Jan. 9, 1943. 2523 "Scotch" cellulose tape as a deterrent for stick powder, by A. Africano and C. F. 2535 Some effects of composition, Bjork. May 17, 1943. powder temperature and radiation on the rate of burning of double-base powders, by William H. Avery. Jan. 11, 1943. A-65M. OSRD 1156. 2524 Selected bibliography of bombs and rockets, by J. Barkley Rosser. Nov. 9, 1942. 2536 Some jet blast measurements of $3\frac{1}{4}$ inch rockets, by C. N. Hickman. Aug. 18, 1942. C SERD project, by W. H. Avery. Sept. 4, 1945. W-191. C 2525 2537 Spectroscopic project; prog-2526 7/8" x $\frac{1}{4}$ " Russian powders Nos. 4072, 4012.2 and 4010, by Carold F. Bjork. Sept. 4, ress report by R. S. Craig and S. Solomon Penner. Dec. 16, 1944. 1942. 2539 Static and flight tests of 18 2527 7.2" incendiary bomb to be fired from 4.2" chemical morlots of 7/8 in. Canadian powtar, by C. N. Hickman. July 18, 1945.

der, by Alfred Africano.

June 17, 1943.

- 2540 Static comparison firings with C.I.T. 21-in. rocket motors, by C. A. Boyd. May 4, 1944. C
- 2542 Static tests of A-32 powder in the 4.5 inch rocket (throat diameter 1.83 in.), by C. A. Boyd and D. W. Osborne. Nov. 10, 1943. C
- 2543 Static tests of A-60 powder in the 4.5 inch rocket, by S. D. Brandwein and C. A. Boyd. Nov. 22 and Dec. 14, 1943.
- 2544 Static tests of A-61 powder in the 4.5 in. rocket, by S. D. Brandwein and C. A. Boyd. Oct. 14, 1943.
- 2545 Static tests of Budd 4.5 inch rockets having 1.75 inch nozzle diameters, by C. A. Boyd and D. W. Osborne. Apr. 28, 1943.
- 2546 Static tests of California
 Institute of Technology extruded powder charges, by Alfred Africano. Apr. 29,
 1942. C
- 2547 Static tests of JP 265 powder in the Budd 4.5 inch rocket, by C. A. Boyd. July 23, 1943. C
- 2548 Static tests of large web powder in the 4.5 inch rocket, by C. A. Boyd. May 26, 1943.
- 2549 Static tests of 7/8 JPT 10034 in the 4½ inch Budd rocket, by C. F. Bjork. Apr. 12, 1943. C
- 2550 Static tests of Sunflower pilot lot no. 1, a 7/8 in. propellant containing 1.3 percent K2SO4, by D. W. Osborne. Nov. 8, 1943. C

- 2551 Static tests of tapered traps in the Budd 4.5 inch rocket, by C. A. Boyd. May 27, 1943.
- 2552 Static tests of 12 inch jet propelled A.P. bomb, by C. N. Hickman and Leo Maas, jr. Aug. 22, 1942-Mar. 31, 1943. A-55M. OSRD 924. Title varies. C
- 2553 Static tests on billet rolled cordite 4173.1, 1.3 in. x 0.3 in., by C. F. Bjork. Apr. 26, 1943.
- 2554 Static tests with 4½ in. Budd motors, by Alfred Africano.
 Jan. 28, 1943. C
- 2555 Static tests with long stick powder A-30 (7/8 in. x ¼ in. x 15-3/8 in.), by Alfred Africano. Apr. 30, 1943. C
- 2556 Static thrust-time and pressure-time measurements at Indian Head on rocket propulsion; supplementary reports.
 Sept. 11, 1941-Feb. 17, 1942.
- 2557 Status of development of the $4\frac{1}{2}$ -inch Budd projectile; a-mended copy by R. E. Gibson. Jan. 25, 1943.
- 2558 Status of $4\frac{1}{2}$ inch H.E. rocket shell to be projected from airplanes, by L. A. Skinner and C. N. Hickman Apr. 21, 1942.
- 2559 Status of recoilless weapons division projects and estimates of time required for completion, by C. N. Hickman. Apr. 14, 1945.

- 2560 Status of static test being made with Radford experimental powders A-68 and A-69 in the 4.5 inch rocket, by S. D. Brandwein and C. A. Boyd. Jan. 4, 1944.
- 2561 Status of tests of K2SO4 powder (SUN pilot lot no. 1) in Revere and Budd 4½ inch rockets, by D. W. Osborne, C. A. Boyd and S. Brandwein Nov. 18, 1943.
- 2562 Status of 3½ inch rockets
 manufactured by the Westinghouse Company for use with identification flares, by A.
 Kossiakoff. Sept. 28, 1942.
- 2563 Status of 3¼-T-6 and artillery flares, by N. T. Grisamore and G. C. Bowen. Dec. 27, 1943. C
- 2564 The strain pressure gage, by C. N. Hickman. [194-] A-27M. C
- 2565 Studies in ignition, abstract of, by C. N. Hickman. July 25, 1945.
- 2566 Studies of powder gas radiation; weekly progress report by R. S. Craig and S. S. Penner. Oct. 16, 1944.
- 2568 Studies of the 4.2-in. chemical mortar; progress reports I-V by Arthur R. T. Denues. Sept. 17, 1942.
- 2569 Study of ABL heating plant, by J. A. Folse. Nov. 9, 1945.

- 2570 Study of Africano and Walker's "Effect of nitroglycerine and total volatile content on the burning characteristics of JPT powders, Aug. 25, 1942", by J. A. Folse. Apr. 18, 1944. C
- 2571 Study of Bourdon pressure gage, by J. A. Foise. Nov. 6, 1945.
- 2572 Study of copper ball pressure measurements, by J. A. Folse.
 Mar. 15, 1945. C
- 2573 Study of electronic gauge pressure measurements, by J. A. Folse. Nov. 1, 1945. R
- 2575 Study of measurements of instantaneous maximum chamber pressure of rocket H.E., A.T., M-6 (bazooka), by J. A. Folse. July 1943.
- 2576 Summary of British rocket developments, by P. T. Kirwan. Oct. 29, 1943. B-1. C
- 2577 Summary of engineering conference with Mr. W. W. Farr of the Budd Wheel Company, by C. N. Hickman. Mar. 15, 1945.
- 2578 Summary of ignition studies performed under Project P-51, by R. S. Craig and L. D. Sachs. Apr. 23, 1945. P-51.
- 2579 Super bazooka computations; multiple nozzle, by C. N. Hickman. Sept. 15, 1943. C
- 2580 The T-59 high velocity rocket grenade; status report by Sidney Golden, L. E. Morey and W. P. Spaulding. Nov. 25, 1944. WPR supplement 4. OSRD 4466.

2582 Tables of ranges and times of flight for certain values of angle of departure, muzzle velocity, and ballistic coefficient, by G. L. Gross and W. P. Spaulding. June 17, 1944. R

- 2584 Tactical use and performance of the 3½ inch identification flare (IF-3), by Alexander Kossiakoff and Nelson T. Grisamore. July 3, 1943. C
- 2585 Technical conference on plane to ground rocket tests, by M. R. Goff and D. W. Osborne. Apr. 7, 1944. Revision, June 14, 1944. ABL-SR-2. R
- 2586 The technical development of the Budd model of the $4\frac{1}{2}$ inch rocket projectile and the facilities available for its production, by R. E. Gibson. Mar. 31, 1943.
- 2587 Temperature and afterburning tests with 7.6% TNT powder HES 4207.1, by Alfred Africano. May 13, 1943. C
- 2588 Temperature limits of 12 inch AP bomb with nozzle insert, by Leo Maas, jr. July 7, 1943. C
- 2589 Tentative agenda for the first meeting of the Rocket Propellant Panel Sub-group on Chemical analysis and heats of explosion of propellants, by R. E. Gibson. Aug. 8, 1944. Addendums I-III, Aug. 16-23, 1944.
- 2590 Test of $4\frac{1}{2}$ inch Budd motor, by Charles A. Boyd. Nov. 6, 1942.
- 2591 Test of non-slotted fins on high velocity Budd 4½ inch rockets, by D. W. Osborne and C. A. Boyd. May 6, 1943. C

- 2592 Test of Revere 4½ in. M8 rockets with strengthened trap bead, by D. W. Osborne. Sept. 18 and Oct. 5, 1943. Title varies. C
- 2593 Test of the Mallina projectors, models 2, 3 and 5, by James D. DeSanto. May 13, 21 and 27, 1943. Title varies.
- 2594 Tests of A31 powder in the Budd 4.5 inch rocket, by M. J. Walker and C. A. Boyd. July 22, 1943.
- 2595 Tests of Budd 4.5 inch rockets with long burster tubes and 1.75 inch throats, by M. J. Walker, C. A. Boyd and D. W. Osborne. June 4, 1943.
- 2596 Tests of Budd standard motors, by M. J. Walker. Sept. 18, 1942.
- 2597 Tests of cemented ball powder charges, by Alfred Africano and M. Walker. Mar. 25 and Sept. 24, 1942. A-98. OSRD-920. C
- 2598 Tests of 4.2 in. chemical mortar, by Alfred Africano and Sidney Golden. June 17 and July 31, 1942.
- 2600 Tests of 5.2 x 1 in. California Institute of Technology extruded charges and of the 5 x 1 in. Hercules compressed washer "C" columns, by Alfred Africano. Nov. 10, 1942. C
- Tests of non-slotted fins on high velocity Budd 4½ inch rockets, by D. W. Osborne,
 C. A. Boyd and M. J. Walker.
 May 13, 1943.

2602 Tests of restricted grains in the Kleinschmidt turbine; weekly progress report by A. J. Madden and M. A. Fineman. Oct. 16, 1944.

- 2604 Tests of 7/8 HES 4104.3 (contains 7.00 percent dinitrotoluene), by C. F. Bjork. Dec. 1, 1942. C
- 2605 Tests of 7/8 inch stick powder, J.P.T. lot 1, by Alfred Africano. Apr. 13, 1942. C
- 2606 Tests of 7/8 in. x ½ in. powders HES 4071.1 (2 percent dibutylphthalate) and HES 4042.1C (4 percent dibutylphthate), by Carold F. Bjork. Nov. 15, 1942. C
- 2607 Tests on "B" charges, by C. N. Hickman. Jan. 24, 1942.

- 2608 Tests on folding fins for bombs, by C. N. Hickman. July 1, 1942.
- 2609 Tests on $4\frac{1}{2}$ in. alloy steel motors at high temperatures. High temperature tests on Midland steel motors having spot welded bands, by C. F. Bjork. July 22, 1943.
- 2610 Tests on Hercules solventless sheet powder welded by using dibutylphthalate and pressure, by C. N. Hickman. July 24, 1941.
- 2611 Tests on jet propulsion assisted take-off for naval aircraft, by C. N. Hickman. Mar. 24, 1942.
- 2612 Tests on 1 in. x 17 in. chemical grenade, by James D. De-Santo. Jan. 14, 1943. C

- 2613 Tests on powders containing 1½% potassium nitrate and varying total volatiles content, by Carold F. Bjork.
 Jan. 5, 1943.
- 2614 Tests on 7/8" N.T. powder, by C. N. Hickman and Alfred Africano. Feb. 14 and Apr. 1, 1942. Title varies. C
- 2615 Tests on 7/8 in. x ¼ in. screw extruded powder, by C. F. Bjork. Sept. 30, 1942.
- 2616 Tests on 7/8 in. x 1/4 in. special 4081.1 (0.15 percent Paminophenol) and 4082.1 (0.05 percent P-aminophenol), by Carold F. Bjork. Nov. 10, 1942.
- 2617 [Tests on solvent and solventless double base powder]
 Summary tables by C. N. Hickman. Jan. 22, 1942. C
- 2618 Tests on 3/8 in. x 1/8 in. powder for the rocket grenade, by Sidney Golden and H. E. Leap. Dec. 31, 1942. C
- 2619 Tests on 3/4 and 7/8 inch, grades A and B extruded Ballistite, by C. N. Hickman. Jan. 3, 1942.
- 2620 Tests with copper ball pressure gages omitting use of grease and neoprere obturating discs, by Alfred Africano. Apr. 28, 1943. C
- 2621 Thermal ignition and arming elements for use with rockets, by C. N. Hickman. Oct. 5 and Nov. 12, 1942. A-58M. OSRD 1022.

CONFIDENTIAL

- 2623 The 3½ in. launcher for use by paratroops, by M. J. Walker. Jan. 29, 1943. C
- 2624 Throat diameter, burning area and pressure relations in rockets, by C. N. Hickman.

 [194-] C
- 2626 2.36" smooth bore recoilless gun, by C. N. Hickman. July 5, 1944. C
- 2627 Uniform nomenclature for internal ballistics reports, by W. H. Avery. [194-] C
- 2628 Upper temperature limit for Revere 4.5 inch rockets, by D. W. Osborne and C. A. Boyd. May 20, 1943.
- 2629 Urgent need of a projectile having a velocity of 600-ft/sec, by C. N. Hickman. Sept. 14, 1943.
- Use of small balloons (less than 10 ft. in diameter) with bombs attached as protection of urban areas against aircraft. [194-]
- 2633 Velocity of rocket where weight of propellant is a large percentage of the total weight, by C. N. Hickman.
 July 9, 1941. C
- 2634 Visit to Budd Wheel Company, by C. N. Hickman. Jan. 4, 1945.
- 2635 Weapons development, by C. N. Hickman. May 25, 1944. C
- 2636 Western Cartridge compression molded powders, by M. N. Do-nin. June 18, 1945. II. Additional compositions. July 31, 1945. P-10.1. C

- Work at the George Washington University, by J. B. Rosser, R. J. Thompson, F. T. Mc-Clure, E. F. Davis, M. R. Goff, J. Rapport, J. Beek, jr. and Zella Proffer Saylor. July 10 and Sept. 24, 1943.
- HERCULES POWDER COMPANY
 Wilmington, Del. OEMsr-337
 Projects CWS-22, NO-33, NO34, NO-120, OD-26. See also
 Hercules Powder Company,
 OEMsr-416; and George Washington University, OEMsr-273.
- 2638 Coating smokeless powder with flameproof lacquer, by C. W. Gault. July 24 and Dec. 21, 1942.
- 2640 Effect of aging at elevated temperature on solventless smokeless powder samples, by Max G. Wirick. Dec. 21, 1942.
- 2641 N.D.R.C. smokeless powder supplementary development
 work, by Karl E. Balliet, Arthur P Fries, jr., William L.
 George, Edward Mitchell, J.
 B. Todd, J. P. Troy and Harry
 A. Winnerling, jr. Apr. 29,
 Oct. 19, Nov. 16 and Dec. 21,
 1942. C
- 2642 Physical testing of experimental solventless smokeless powder, by Max G. Wirick.
 Nov. 16, 1942. C
- HERCULES POWDER COMPANY
 Wilmington, Del. OKMsr-416
 Projects CWS-22, NO-33, NO34, NO-120, OD-26. See also
 Hercules Powder Company,
 OEMsr-337; and George Washington University, OEMsr-273.
- Development of jet propulsion powders, by C. W. Gault. July 1, 1943. OSRD 1846. R

- JET PROPULSION RESEARCH LABORATORY
 See George Washington University, OEMsr-273.
- UNIVERSITY OF MINNESOTA, Minneapolis, Minn. OEMsr-716
 Projects CWS-22, NO-33, NO-77R, NO-99, OD-14, OD-26, OD-27, OD-33. See also California Institute of Technology, OEMsr-418; George Washington University, OEMsr-273; and Hercules Powder Company, OEMsr-337 and OEMsr-416.
- 2644 Studies on propellants; final report. Oct. 31, 1945. 4 vols. UM/1-UM/43. OSRD-6374. R
- 2645 The burning of a colloidal propellant JP-76, by Bryce L. Crawford, jr. [Nov. 2, 1943] UM/13. C
- 2646 Burning rate data for various powders, by [B. L. Crawford, jr.] Oct. 3, 1944. UM/19.
- 2647 Burning rates and heats of explosion of six selected powders, by B. L. Crawford, jr., C. M. Huggett, J. J. Mc-Brady and Marie S. Hanson. Nov. 22, 1944. UM/23. C
- 2648 Burning rates for various powders, by C. M. Huggett, R. G. Parr, Marie S. Hanson and Phyllis Burchill. Apr. 18, 1945. UM/31.
- 2649 Burning rates of composite propellants, by Marie S. Hanson. Apr. 6, 1945. UM/30.
- 2650 Combustion products from powder burning at various temperatures, by John J. McBrady and Bryce L. Crawford, jr. Feb. 7, 1944. UM/15. C

- 2653 Double-base powders with catalyzed nitrocellulose, by B. L. Crawford, jr., Clayton Huggett and J. J. McBrady. Aug. 17, 1944. UM/18. C
- 2654 The effect of radiation on burning rates as measured in the electrical vessel, by B. L. Crawford, jr. and R. G. Parr. Feb. 1, 1945. UM/27.
- The effects of ultrasonic waves on propellants, by I. I. Rusoff. June 15, 1945. UM/33.
- 2656 Fundamental studies on the burning of composite propellants, by B. L. Crawford, jr., C. M. Huggett, J. J. Mc-Brady and Marie S. Hanson. July 20, 1945. UM/35. C
- 2657 The ignition by radiation and fissuring of double-base powders, by Bryce L. Crawford, jr., Clayton Huggett, Herbert S. Isbin and John J. McBrady. Apr. 11, 1943. A-171. OSRD-1370. C
- 2658 Ignition of propellants.
 I. Data on gas flames, by B.
 L. Crawford, jr., C. M. Huggett and R. G. Parr. Dec.
 22, 1944. UM/24. C
- 2659 Ignition times of double-base powders, by B. L. Crawford, jr. and R. G. Parr. Oct. 17, 1944. UM/20. C
- 2660 Observations on the burning of double-base powders, by Bryce L. Crawford, jr., Clayton Huggett and John J. Mc-Brady. Apr. 21, 1944. A-268. OSRD 3544. R

ᢓᢞ᠘ᡀᢤᢓᢥᢓᢥᢓᢥᡚᢤᠿᢤᠿᢤ᠘ᡀ᠘ᡀ᠘ᡀᢤᢓᢥᢤᢤᡛᢘᢡᡚᡭᢜᢤᢓᡎᡭᡚᡚᢐᠽᡊ*ᡡ*ᡡᡳᡊᡡᡊᢋ

- 2661 On the theoretical treatment of the burning mechanism, by B. L. Crawford, jr. and R. G. Parr. Feb. 17, 1945. UM-29. II. July 11, 1945. UM-36. III. July 19, 1945. UM-38.
- 2662 Powders containing paraformaldehyde, by C. M. Huggett. June 26, 1945. UM/34. C
- 2663 The present status of internal ballistics of rockets, by Bryce L. Crawford, jr. Nov. 1943. UM/RPP-1. C
- 2664 Products of reaction at various pressures, by B. L. Crawford, jr., J. J. McBrady and Marie S. Hanson. Jan. 9, 1945. UM/26. C
- 2665 A review of the available literature on the mechanism of combustion of double-base powders, by Bryce L. Crawford, jr. and Clayton Huggett. Jan. 28, 1943. A-130. OSRD 1188.
- 2666 Slow-burning powders, by B.
 L. Crawford, jr., C. M. Huggett, R. G. Parr, Marie S.
 Hanson, Phyllis Burchill, J.
 J. McBrady and I. I. Rusoff.
 Nov. 21, 1944. UM-22. II.
 Feb. 13, 1945. UM-28. C
- 2667 The temperature of the black powder flame, by B. L. Crawford, jr. and R. J. Glodhill. Jan. 5, 1945. UM/25. C
- 2668 Variation of the "dark zone" with pressure, by B. L. Crawford, jr., C. M. Huggett, R. G. Parr and J. J. McBrady. Oct. 26, 1944 and Aug. 15, 1945. UM/21, 37.
- 2669 Variations in burning rate with the direction of burning of colloidal powder grains, by Clayton Huggett and Bryce L. Crawford, jr. Dec. 20, 1943. UM/14. C

- NATIONAL BUREAU OF STANDARDS
 Washington, D. C.
 Projects CWS-22, NO-33, NO-99, OD-14, OD-26.
- 2673 Microscopic examination of extruded smokeless powders, by Charles Proffer Saylor.
 Dec. 19, 1942. A-127. OSRD-1136. C
- 2674 Microscopic structure and the development of flaws in extruded grains of NT smokeless powder, by Charles Proffer Saylor. Nov. 24, 1942. A-117. OSRD 1070.
- WESTERN ELECTRIC COMPANY, INC., New York, N. Y. OEMsr-256
 Projects CWS-22, CWS-30, NO-33, NO-34.1, NO-35.1, NO-36.5, NO-99, NO-118, NO-120, NO-247, NO-248, NO-249, NO-252, NO-253, OD-14, OD-26, CD-66, OD-155, OD-163, OD-166. See also Budd Induction Heating, Inc., OEMsr-671; Budd Wheel Company, Inc., OEMsr-968; California Institute of Technology, OEMsr-418; and George Washington University, OEMsr-273.
- 2679 The design of a 4.2-in. recoilless mortar mount; final report by J. M. Dietz. Jan. 3, 1946. OSRD 6164. R
- 2681 The development of an electro-magnetic fuze; final report by D. D. Miller. [1945]
- 2685 The firing of rockets by induction methods; final report by J. M. Melick. Jan. 3, 1946. OSRD 6166. R
- 2687 Mechanical arming propeller for 12-in. jet-accelerated AP bomb; final report by R. F. Mallina. Dec. 12, 1945.
 OSRD 6155. R

- 2689 Ripple firing mechanism for launching rockets; final report by D. D. Miller and T. H. Guettich. Feb. 9, 1946.
 OSRD 6158. R
- 2690 Rocket developments; summary report [of 16 final OSRD reports] by S. R. Avella. Feb. 15, 1946. OSRD 6170. C
- 2691 Rocket launchers for use on aircraft; final report by J. M. Dietz, C. A. Hasslucher and J. H. Mogler. Jan. 3, 1946. OSRD 6162.
- 2694 Basic flow properties of powders of various compositions, by Robert Burns. Jan. 22, 1943. A-134. OSRD 1212.
- Development of O.F.H.C. copper pressure balls for use in small arms, rocket launchers, and mortars. Aug. 28, 1944.
- 2697 Instructions for use of the ribbon-frame camera, by M. J. Walker. Feb. 16, 1944. A-251. OSRD 3280. R
- 2698 Jungle launchers, by R. F. Mallina. Jan. 1, 1944. A-81M. OSRD 3083.
- 2701 The ribbon-frame camera, by Frank Reck. July 9, 1943.
 A-196. OSED 1605.
- 2702 Rocket firing mechanism for 56 rocket launcher, by D. D. Miller. Feb. 5, 1945.
- 2703 "Study of firing control circuit for mine clearing device proposed by the Engineer
 Board of the Corps of Engineers." [July 1945] C

- 2704 Vertical rocket launcher for airplanes, by R. F. Mallina.
 Jan. 1, 1944. A-80M. OSRD-3082. C
- UNIVERSITY OF WISCONSIN, Madison, Wis. OEMsr-762 Projects OD-14, OD-26
- 2705 Studies of the mechanism of burning of double-base rocket propellants; final report by Farrington Daniels, R. E. Gluyas, N. F. Hall, S. S. Penner and R. E. Wilfong [Jan. 1945] A-485. OSRD-6559. R
- 2706 Absorption coefficients of A-77 powders, by S. S. Penner. Nov. 14, 1944.
- 2707 Absorption coefficients 77 e and f, by Farrington Daniels.
 June 24, 1944. C
- 2708 The absorption of radiation between 0.5μ and 5.5μ by double base powder with special reference to the A-77 series, by S. S. Penner and Farrington Daniels. July 5, 1944.
- 2709 Absorption spectra of the A-77 powders; preliminary report by Farrington Daniels. June 3, 1944.
- 2710 Additional work on the prevention of fissuring by sweeping out air with carbon dioxide, by Farrington Daniels and Robert E. Wilfong. July 15, 1943.
- 2711 Calculation of mass emissivities from restricted burning data, by S. S. Penner. Nov. 30, 1944.

ᢘᡎᢑᢖᡙᢖᡡᢋᠵᡡᢋ᠒ᡃᢐᡆᢋᢗᠵᡳᠩ᠊ᢕᠵᡭᡟ᠔ᢧᢢᢣᡳᢆ᠘ᢣ᠘ᡎᡚᡧᡧ᠒ᡀᡮ᠔ᡮᡭᢢᢩᡭᡭᢤᡛᡛᡚᢢᢆᢝᢟᠸᢤᢥᢤᢆ᠘ᢤ᠘ᢤᢤᢤᢤ᠘ᢥ᠘ᢥᢥ᠘ᢥᢤᢤᢤᢤᢤ

- 2712 The elimination of fissures in powder by displacing the air in the presses with carbon dioxide, by Farrington Daniels and Robert E. Wilfong. [June 21, 1943] and July 5, 1943. Title varies.
- 2713 Emission spectrum of salted powder and influence of radiation on burning rates, by Farrington Daniels. Jan. 29, 1944.
- 2714 Hypothesis for burning mechanism with special reference to double base powders in jet propulsion motors, by Farrington Daniels. July 24, 1943.
- 2715 Hypothesis for the mechanism of burning powder, by Far-rington Daniels. Sept. 25, 1943. C
- 2716 Infra-red emission and absorption spectra of double base powder, by Forrest S. Mortimer, Farrington Daniels and C. Keith McLane. June 24 and Sept. 18, 1943. C
- 2717 [Letters from Forrest S. Mortimer to Prof. Brice L. Crawford] Feb. 4, 1943. R
- 2718 The mechanism of powder burning; summary by Farrington Daniels, Robert E. Wilfong, Forrest S. Mortimer, C. Keith McLane, Norman L. Rosenberg, Carl W. Schuler and Jacob Sedlet. Dec. 18, 1943. C
- 2720 Recommendation of manganese dioxide as an ingredient in propellants, and summary report, by Farrington Daniels.

 July 22, 1944.
- 2721 A small aneroid calorimeter for determining heats of explosion; preliminary report by Norris F. Hall and Farrington Daniels. Aug. 25, 1944.

- 2722 [Studies of the mechanism of burning of double-base rocket propellants] Progress reports by Farrington Daniels.

 Jan. 1-Oct. 1, 1944.
- 2724 Theories of burning of double base powder, by Farrington Daniels. Feb. 28, 1944. C
- 2725 The x-ray detection of imperfections in double base powder; preliminary report by Farrington Daniels. Oct. 24, 1942.

DIVISION AND MISCELLANEOUS

- 2727 Annotated biblicgraphy of NDRC technical reports and memorandums of Division 3. Sept. 20, 1944 and May 1, 1945. A-101M, 107M. OSRD-4152C, 4830C. C
- 2735 A brief historical account of the development of the fins for the 4½" army rocket, by C. N. Hickman. May 30, 1944. With this is bound: Design of the tail end of the 4½" rocket, by C. F. Spahn. May 8, 1944.
- 2736 Catalog of 16 mm films; film library of Division 3 NDRC, edited by F. W. Cummings and E. B. Bradford. [Apr. 23, 1945]
- 2737 Derivations of formulas used in computing effective gas velocity and rocket velocity from measured impulse, by Jesse W. M. DuMond. [1944] Letter no. A-lL. C
- 2738 11".75 rocket ammunition; description and instructions for use (Preliminary). July 13, 1944. Ordnance pamphlet no. 1227.
- 2739 4.2-inch recoilless chemical mortar E34R1. Dec. 21, 1944. TB CW 24.

- 2740 Functions and facilities of contractors; report by Section H. July 15, 1944.
- 2742 Memorandum summarizing tests on electric condenser type fuse; intermediate report. Apr. 2, 1943. NY-1. C
- 2743 News letter; items of interest on current rocket developments, edited by P. T. Kirwan. Vol. 3, no. 12. June 25, 1945. OSRD 5272. R
- 2744 News letters; items of interest on current rocket developments, edited by P. T. Kirwan. Vol. 1. Weekly news letters, nos. 8-42. Vol. 2. Weekly news letters, nos. 1-30; semi-monthly news letters, nos. 31-40. Vol. 3. Semi-monthly news letters, nos. 1-11, 13-14. May 3, 1943-July 25, 1945. OSRD-nos. 4120, 4163, 4242a, 4271, 4322, 4370, 4437, 4491, 4582, 4641, 4686, 4749, 4802, 4858, 4912, 4958, 5035, 5112, 5182, 5327, 5442. Title varies.

- 2745 Photographing rockets at right angles to their line of flight, by C. N. Hickman. [1942] and May 23, 1942. Letter no. A-2L. C
- 2748 Rocket launchers, Mark 17 and Mark 17, Model 1. Description and instructions for use. Aug. 30, 1944. Ordnance pamphlet no. 1133. R
- 2749 7.2" rocket launchers Mark
 20, Mark 22, and ammunition.
 Nov. 30, 1943. Ordnance pamphlet no. 1002. First revision.
- 2750 Special fuzes for rockets, projector charges and miscellaneous munitions. June 13, 1944. Ordnance pamphlet no. 1017. First revision. R
- 2753 Summary of rocket applications being developed by Division A of the National Defense Research Committee, by Alexander Kossiakoff. July 20, 1942.

Item numbers which include a letter, i.e. 1740a, indicate reports which were received too late to be included in the original numbering.

CONTRACTOR INDEX

CONTRACTOR	CONTRACT NUMBER	ITEM NUMBERS
ABL (Allegany Ballistics Laboratory) Sec George Washington University		
Bell Telephone Laboratories Sec Western Electric Company, Inc.		
Budd Induction Heating, Inc.	OEMsr-671	1202
Budd Wheel Company, Inc.	OEMsr-968	1203-1238
California Institute of Technology	OEMsr-418	1239-2094
	OEMsr-702	2095-2108
CIT		
see California Institute of Technology		
Duke University	OEMsr-733	2111-2114
George Washington University	OEMsr-273	2119-2637
Hercules Powder Company	OEMsr-337	2638-2642
	CEMsr-416	2643
	OEMsr-520	*
Jet Propulsion Research Laboratory see George Washington University		
Minnesota, University of	OEMsr-716	2644-2669
National Bureau of Standards		2673, 2674
Western Electric Company, Inc.	OEMsr-256	2679-2704
Wisconsin, University of	OEMsr-762	2705-2725

CONTRACT NUMBER INDEX

CONTRACT NUMBER	CONTRACTOR	ITEN NUMBERS
OEMsr-250		
<u>sce</u> OEMsr-418		
OEMsr-256	Western Electric Company, Inc.	2679-2704
OEMsr-273	George Washington University	2119-2637
OEMsr-337	Hercules Powder Company	2638-2642
OEMsr-416	Hercules Powder Company	2643
OEMsr-418	California Institute of Technology	1239-2094
OEMsr-520	Hercules Powder Company	*
OEMsr-671	Budd Induction Heating, Inc.	1202
OEMsr-702	California Institute of Technology	2095-2108
OEMsr-716	University of Minnesota	2644-2669
OEMsr-733	Duke University	2111-2114
OEMsr-762	University of Wisconsin	2705-2725
OEMsr-908	Budd Wheel Company, Inc.	1203-1238
	,, ,, ,	1200-1230

*No reports located

OSRD NUMBER INDEX

OSRD NUMBER	ITEM NUMBER	OSRD NUMBER	ITEM NUMBER	osrd number	ITEM NUMBER
28	2437 2437	2113	1855 1262	2181	2006
29	2437	0334	1262	2182	1855
30	2428	2114 2115 2116 2117 2118	1798 1837	2183	1262
315	1711	2116	1837	2184	1798
404	1823 2429	2117	1837 2006 1376 1687 1647 1855 1262 1798 1837 2006 1894	2185	1837
433	2429	2118	1376	2186	2006
563	1279		1687	2187	1894
665	2446	2119	1647	2188	1396
673	2346 2389	2120	1855	2189	1529
691	2389	2121	1262	2190	1462
701	2267	2122	1798	2190a	1880
769	2267 2375 1882	2123	1837	2192	1855
798	1882	2124	2006	2193	1262
803	1277	2125 2126	1894	2194	1798
805	1788	2126			1837
815	1320	2127	1855	2196 2197	2006
842	1603	2128	1262	2197	1380
866	1338	2129 2130	1798	2198	1498
872	1277 1788 1320 1603 1338 1987	2130	1837 2006 1894	2199	1855
888	2334	2131	2006	2200	1262
895	1640	2132	1894	2201	1798
896	1979	2133	1289	2202	1837
911	1987	2134	1497	2203	2006
920	2597	2135	1348 1855	2204	1649
924	2552	2136	1855	2205	1607
951 965	1620	2137	1262 1798	2206	1838
966	2498	2138 2139	1798	2207 2208	1955
992	1641 2390	2139 2140	1837 2006	2208	1262 1798
1022	2390 2621	2140	2006	2210	1837
107	2674	2141 2142	1855	2211	2006
1082	1972	2142	1262	2212	1894
1100	2284	2143	1798 1837 2006	2212	1855
1103	2103	2144 2145 2146	2006	2214	1262
1136	2103	2146	1240	2214	1798
1142	2673 2231	2147	1348 1855 1262 1798 1837	2216	1837
1151	2107	2148	1262	2217	2006
1152	2107 2100 2535	2149	1798	2218	1855
1156	2535	2150	1837	2219	1262
1171	1521	2151	2006 1609	2220	1798
1183	1521 1561 2665 1765 2	2152	1609	2221	1837
1188	2665	2153	1380 1855	2222	2006
1191	1765	2154	1855	2223	2036
1212	2	2155	1262	2224	1251
1226	2	2156	1798	2225	2013
1242	2 20, o	2157	1837	2 226	1380
1265	2105	2158	2006	2227	1260
1266	1495	2159	1894	2228	1855
1305	1554	2160	2005	2229	1262
1370	2657	2161	2054	2230	1798
1461	1555 2701	2162	1855	2231	1837
1605	2701	2163	1262	2232	2006
1623	2246	2'64	1798 1837	2233	1894
1632	1464	2 (65	1837	2234	1649
1658	2322	2.66	2006	2235	1324
1846	2643	2167	1408	2236	1656
1886	2316	2168	1855	2237	1855
1993	2297	2169	1262	2238	1262
2069	2400	2170 2171	1798	2239	1798
2101	1856	2171	1837	2240	1837
2102	1798 1837	2172 2173	2006	2241	2006
2103 2104	2006	2173 2174	2091	2242	2012
2104	2008	2175	1870	2243 2244	1380
2105	1348	2176	1380 1520	2244 2245	1855 1262
2107	1456	2177	1855	2245 2246	1798
2108	1449	2178	1262	2247	1837
2110	1648	2179	1798	2248	2006
	,		(190		2000

CONFIDENTIAL

OSRD NUMBER INDEX

OSRD NUMBER	ITEM NUMBER	OSRD NUMBER	ITEM NUMBER	OSRD NUMBER	ITEM NUMBER
224ช	1955	2318	1837	2387	1837
2250	1262	2319	2006	2388	2006
2251	1798	2320	1385	2389	1380
2252	1837	2321	1855	2390	1855
2253	2006	2322	1262	2391	1262
2254	1308	2323	1798	2392	1798
2255	2088	2324	1837	2393	1837
225 6	1380	2325	2006	2394	2006
2257	1855	2326	1496	2395	1547
2258	1262	2327	1380	2396 2397	1855 1262
2259	1798	2328	1855	2398	1798
2260 2261	1837	2329 2330	1262	2399	1837
2262	2006 1894	2330 2331	1798 1837	2400	2006
2263	1343	2332	2006	2401	1855
2264	1590	2333	1601	2402	1262
2265	1855	2334	1855	2403	1798
2266	1262	2335	1262	2404	1837
2267	1798	2336	1798	2405	2006
2268	1837	2337	1837	2406	1380
2269	2006	2338	2006	2407	1410
2270	1316	2339	2056	2408	1763
2271	1567	2340	1855	2409	1661
2272	1568	2341	1262	2410	1855
2273	1963	2342	1798	2411	1262
2274	1963	2343	1837	2412	1798
2275	1859	2344	2006	2413	1837
2276	1855	2345	1838	2414	2006
2277	1262	2346	2007	2415	1248
2278	1798	2347	1601	2416	1855
2279	1837	2348	1631	2417 2418	1262 1798
2280	2006	2349	1686	2419	1837
2291 2282	2063	2350 2351	1387	2420	2006
2283	2087	2352	1855 1262	2421	1650
2284	1380	2352	1798	2422	1840
2285	1523 1855	2354	1837	2423	1855
2286	1262	2355	2006	2424	1262
2287	1798	2356	1894	2425	1798
2288	1837	2357	1597	2426	1837
2289	2006	2358	1380	2427	2006
2290	2015	2359	1855	2428	1784
2291	1415	2360	1262	2429	1380
2292	1855	2361	1798	2431	1659
2293	1262	2362	1837	2432	1380
2294	1798	2363	2006	2433	1596
2295	1837	2364	1668	2434	1855
2296	2006	2365	1814	2435	1262
2297	1894	2366	1884	2436 2437	1798
2298	1459	2367	1855	2438	1837 2009
2299	1855	2368	1262	2439	2009
2300	1262	2369 2370	1798 1837	2440	1250
2301	1798	2371	2006	2441	1855
2302 2303	1837 2006	2372	1759	2442	1262
2304	1380	2373	1380	2443	1798
2305	2024	2374	1501	2444	1837
2306	1855	2375	1855	2445	2009
2307	1362	2376	1262	2446	2031
2308	1798	2377	1798	2447	1389
2309	1837	2378	1837	2448	1841
2310	2006	2379	2006	2449	1595
2311	1652	2380	1486	2450	1380
2312	2012	381	1938	2451	1855
2313	1416	2382	1601	2452	1262
2314	2014	2383	1651	2453	1798
2315	1855	2384	1855	2454	1837
2316	1262	2385	1262	2455	2009
2317	1798	2386	1798	2456	2031

163 CONFIDENTIAL

OSRD NUMBER INDEX

OSRD NUMBER	ITEM NUMBER	OSRD NUMBER	ITEM NUMBER	osrl Mber	ITEM NUMBER
2457	1360	2531	1481	3326	1798
2458	1698	2532	1566	3327	1837
2459	1380	2533	1850	3328	2006
2460 2461	1855	2534	1373	3341 3361	1856
2462	1262 1798	2535 2536	1448 1811	3380	1708 1856
2463	1837	2537	1418	3381	1798
2464	2009	2538	1839	3382	1837
2465	2031	2539	1444	3383	2006
2466	1380	2540	2011	3391	1856
2467 2468	1432	2541	1901	3392 3393	1798
2469	1973 1855	2542 2543	1399 1637	3393 3394	2006 1837
2470	1262	2545 2544	1240	3429	2218
2471	1798	2545	1245	3430	1635
2472	1837	2546	1244	3431	1286
2473	2009	2547	1241	3432	1823
2474 2475	2031 2037	2548	1246	3438 3439	1856 1944
2475 2476	1595	2549 2550	1242 1239	3440	2027
2477	1855	2551	1247	3457	1262
2478	1262	2552	1243	3458	1594
2479	1798	2553	1419	3468	1798
2480	1837	3050	1751	3469	1837
2481	2009	3073	1877	3470 3471	2006 1894
2482 2483	2031 1863	3082 3083	2704 2698	3472	1798
2484	1537	3091	1856	3473	1837
2485	1380	3092	1798	3474	2006
2486	1855	3093	1837	3492	1455
2487	1262	3094	2006	3493	1798
2488	1798	3095	1894	3494 3495	1837 2006
2489 2490	1837 2009	3096 3145	1289 1856	3495 3496	2006 1894
2491	2031	3146	1798	3497	1289
2492	1836	3147	1837	3500	1856
2493	1855	3167	1616	3502	1435
2494	1262	3188	1856	3503	1667
2495	1798	3189	1798	3504	1618 1856
2496 2497	1837 2009	3190 3191	1837 2006	3517 3518	1798
2498	2031	3192	1289	3519	1837
2499	1598	3203	1887	3520	2006
2501	1423	3221	1856	3527	1856
2502	1380	3222	1856	3528	1798
2503 2505	1380 1855	3223 3224	1798 1837	3529 3530	1837 2006
2506	1262	3225	2006	3531	1894
2507	1798	3226	1289	3544	2660
2508	2009	3234	1898	3563	1251
2509	2031	3250	1798	3570	1856
2510 2511	1855 1262	3251 3252	1837 2006	3571 3572	1798 1837
2512	1798	3253	1894	3573	2006
2513	2009	3270	1463	3592	1404
2514	2031	3271	1370	3609	1856
2515	1305	3275	1289	3610	1798
2516	1679	3276	1894	3611 3612	1837 2006
2517 2518	1669 1342	3277 3278	2006 1837	3615	1409
2519	1660	3279	1728	3634	1485
2520	1855	3280	2697	3635	1865
2521	1262	3289	1856	3^37	1856
2522	1798	3290	1330	3638	1798
2523 2524	2009 2031	3301	1862 1405	3639 3640	1837 2006
2524 2525	1849	3392 3594	1666	3644	1730
2500	1847	3305	1798	3645	2000
2527	1994	3306	1837	3646	1436
2528	1548	3307	2006	3647	1894
252ú	1643	3308	1894	3648	2006
2530	1255	3309	1856	3649	1798

OSRD NUMBER INDEX

OSRD NUMBER	ITEM NUMBER	OSRD NUMBER		OSRD NUMBER	ITEM NUMBER
3650	1856	4384 4425 4437 4443 44466 4471 4491 4495 4568 4569 4577 4582 4611 4641 4641 4665 4687 4694 4719 4719 4749 4802 4803 4828 4830c 4858 4892	2507	5795	2189
3683a	1856	4425	2507	5796	2165
3684	1798	4437	2744	5798	2188
3685	1837	4443	2507	5799	2190
3686	2006	4466	2507 2744 2507 2580 2507 2744 2507 2507 2513 2507 2744 2507 2744 2507	5795 5796 5798 5799 5800 5801 5802 5805 5806	2183
3687	1894	4471	2507	5801	2191
3690	1893	4491	2744	5802	2194
3705	1386	4495	2507	5805	2175
3707	1856	4524	2507	5806	2181
3708	1798	4568	2297	5808	2156
3709	1837	4569	2513	5812	2120
3710	2006	4577	2507	5814	2161
3719	1685	4582	2744	5816	2132
3720	1524	4611	2507	5818	2174
3727	2507	464 N	2507	5820	2195
3728	2507	4641	2744	5821	2122
3729	2507	4665	2507	5822	2192
3730	2507	4686	2744 2507	5824 5827 5829 5830	2146
3731	2507	4687	2507	5827	2123
3732	2507	4694	2410	5829	2127
3733	2507	4719	2507	5830	2160
3734	2507	4749	2744	5831	2149
3735	2507	4802	2507 2744 2744 2507	5832 5833	2152
3736	1348	4803	2507	5833	2134
3737	1798	4828	2507	5834	2187
3738	1837	4830c	2507 2727	5837	2204
3739	2006	4858	2744 2507 2507	5841	2133
3740	1856	4892	2507	5844	2145
3764	1262	4908	2507	5845	2177
3765	1798	4912	2744 2507 2297 2744	5851	2155
3766	1837	4939	2507	5852	2173
3767	2006	4942	2297	5855 5879	2200
3788	2507	4958	2744	5879	
3790 3826	2085	4972	2507		2261
3831	2507	4828 4830c 4858 4892 4908 4912 4939 4942 4958 4972 5009 5035 5037 5061 5100 5112 5130 5170 5182	2507 2507 2744 2507 2507 2507 2744 2507	5880 5881 5882 5883 5887 5889	2138
3849	2507 2507	5035	2744	5881 5882 5883 5887 5889 5890 5891 5893 5897	2179
3860	2507	5037	2507	5882	2129
3878	1992	5100	2507	5003 5007	2186
3879	2507	5112	2307	5880	2206a 2147
3880	2373	5130	2144	5890	2182
3887	1637	5170	2507	5891	2130
3901	2507	5182	2507 2744 2507 2507 2507 2743 2507 2507	5893	2164
3931	2507	3193	2507	5897	2208
3965	2507	5218	2507	5932	2201
3986	2507	5255	2507	6133	1221
3992	2511	5272	2743	6136	1203
4021	2507	5292	2507	6137	1222
4041	2507	5316	2507	6138	1212
4061	2507	5327	2744	6139	1211
4088	2507	5394	2453	6140	1208
4120	2744	5442	2744	6141	1210
4130	2507	5548	2494	6142	1213
4137	2507	5589	2142	6144	1206
4152c	2727	5624	2119	6145	1204
4163	2744	5694	2207	6146	1219
4164	2507	5761	2166	6148	1207
4201	2507	5776	2143	6149	1218
4227	2507	5779 5700	2206	6150	1205
4242a 4248	2744	5780 5787	2154	6151	1223
4248 4271	2507	5781 5784	2176	6153	1220
4274	2744 2507	5784 5785	2139	6155	2687
4275	2507 1516	5785 5786	2141	6158	2689
4295	2307	5788	2137	6162 6164	2691
4312	2507 2507	5789	2135	6166	2679
4322	2744	5790	2150 2136	6170	2685
4338	2507	5791	2184	6374	2690 2644
4350	2033	5792	2104 2205	6559	2044 2705
4355	2507	5793	2131		2100
4370	2744	5794	2202		

165 CONFIDENTIAL

REPORT NUMBER INDEX

REPORT NUMBER	ITEM NUMBER	REPORT NUMBER	ITEM NUMBER	REPORT NUMBER	ITEM NUMBER
	0.00	A-251	2697	IBC-31	1366
A-1L	2737	A-268	2660	IBC-32	1935
A-2L	2745 2388	A-485	2705	IBC-33	1570
A-4 A 4M-A 27M	2437	W-100		IBC-34	1575
A-27M	2564	B-1	2576	IBC-34.2	1570
A 28M-A 30M	2428	B-2.3	2170	IBC-35	1575
A-31M	1711	B-2.5	2129	IBC-36	1810
A-38M	2429	B-2.6	2186	IBC-37	1571 1909
A-39M	2429	B-3.1	2206a	IBC-38 IBC-39	1254
A~40M	1823	B-4	2182	IBC-39 IBC-40	1909
A-43M	2446	B-5	2130	IBC-41	1576
A-46M	2267	B-5.1	2164 2208	IBC-42	1550
A-50	1279	B-6	2200	IBC-43	1578
A-51M	1788 1987	CZC-1	1547	IBC-46	1770
A-52M A-54M	1987	020 2	2021	IBC-46.2	1904
A-55M	2552	DDC-1	1831	IBC-47	1368
A-56M	1620			IBC-48	1772
A-57M	2498	F-1	2358	IBC-49	1332 1729
A-58M	2621			IBC-50 IBC-51	1367
A-65M	2535	IAC-1	1818	IBC-52	1906
A-69	2389	IAC-2	1622	IBC-52	1312
A-70	2346	IAC-3	1717a	IBC-54	1877
A-71M	1554	IAC-4 IAC-5	1428 1883	IBC-56.2	2068
A-72M	2246	IAC-6	1639	IBC-56.3	2068
A-73M	1464 2400	IAC-7	1905	IBC-57	1312
A-7514 A-7614	2400	1AC-8	1642	IBC-58	1906
A-77	1277	IAC-9	1761	IBC-59	1907
A-78	2375	IAC-11	1980	IBC-60	2046 1908
A-79	1882	IAC-12	1801	IBC-61	1461
A-80M	2704	IAC-13	1731	IBC-62 IBC-64	1919
A-81M	2698	IAC-14	1732	IEC-66	1915
A-83	1320	IAC-15	1895	IBC-67	1922
A-85	1603	IAC-16 IAC-17	1896 1895	1BC-68	1294
A-86	1338 2218	IAC-17	1671	IBC-70	1870
A-88M A-93	2334	IAC-19	1361	IBC-71	2018
A-94	1979			IBC-72	1542
A-96	1640	1BC-1	1295	IBC-73	1809 1725
A-98	2597	IBC-2	1391	IBC-74 IBC-75	1421
A-101M	2727	IBC-3	1287	160-73	1421
A-106	1641	IBC-4	1454	ICC-1	1417
A-107M	2727	IBC-5 IBC-6	1926 1717	ICC-2	1765
A-113	2390	IBC-9	1290	ICC-3	1447
A-117	2674 1972	IBC-10	1395		
A-118 A-123	2284	IEC-11	1871	IDC-1	1564
A-123 A-124	2103	IBC-12	1875	700 0	1565
	2673	IBC-13	1483	IDC-2	1745a 1780
A-127 A-128	2107	IBC-14	1982	IDC-3	1780 1948a
A-130	2665	IBC-15	2081a	IDC-7	1333
A-132	2100	IBC-17	1981 1982	IDC-9	1484
A-133	2284	IBC-19 IBC-20	1310	IDC-10	1881
A-134	2694	1BC-20 1BC-21	2005	IDC-11	1505
A~135	1561	IBC-22	1921	IDC-12	1664
A-136	2231	IBC-22.2	1572	IDC-13	1638a
A-137	1521 1765	IBC-22.3	1835	IDC-14	2072a
A-138 A-141	2076	IBC-23	1611	IDC-15	1895a
A-151	2105	IBC-24	1698a	IDC-16	1411 1413
A-155	1495	IBC-26	1574	IDC-18	1412
A-171	2657	IBC-26.2	1835	IDC-18.1	1412
A-183	1555	IBC-27	1420 1302	IDC-18.1 IDC-19	1298
A-196	2701	IBC-28 IBC-29	1573	IDC-20	1641
A-203	2322	IBC-29.2	1835	IDC-21	1638a
A-220	2316 2297	IBC-30	1771	IDC-22	1545
A-225	2401				

REPORT NUMBER INDEX

REPORT NUMBER	ITEM NUMBER	REPORT NUMBER	ITIM NUMBER	REPORT NUMBER	ITEM NUMBER
IDC-26	1979a	IHC-20	1263	IOC-28.2	1316
IDC-27	1385a	IHC-21	2047	IOC-28.3	1872
IDC-28	1978			100-28.4	1316
IDC-29	1689	IIC-1	1335		2056
IDC-32	1674	I 1C-5	1586a	IOC-28.5	2037
IDC-33	1630	IIC-6	1285a	IOC-29	1868
IDC-34	1426	IIC-7	1631a	IOC-31	1500a
IDC-35	1943	IIC-8	1983	***	1501
IDC-36 IDC-37	1773	IIC-9	1873	10C-32 10C-33	1498 1303
IDC-38	1746 1233a	iIC-10 IIC-11	1777a	10C-33 10C-34	1260
IDC-39	1629	IIC-11 IIC-14	1984 1986	IOC-35	2065
IDC-40	1703	IIC-15	1695a	IOC-36	1981a
IDC-41	1482	IIC-16	1625	IOC-37	1385
IDC-42	1947	IIC 16.2-16.4	1625	IOC-38	1973
IDC-43	1624	IIC-17	1879	IOC-39	1496
IDC-44	1443	I IC-18	1696	IOC-40	2089
T00 1		IIC-20	2092	IOC-40.2	2089
IEC-1	1824	IIC-21	1713	IOC-41	1432
IEC-1.2 IEC-2	1824	720 1	1000	I OC-43 I OC-44	1804
IEC-2	1735 1795	IKC-1	1878	100-44	2034
IEC-4	1742	ILC-1	1946		
IEC-5	1923	ILC-2	1608	IPC-1	2059
IEC-6	2060	ILC-3	1734	IPC-2	1504a
IEC-7	1749	ILC-4	1662	IPC-3	1747a
IEC-9	1905a	ILC-5	1964	IPC-4	1747b
1EC-11	1358			IPC-5	2033a
IEC-12	1407	I≌C-1	1619	IPC-6	1747
IEC-13	1657	IMC-2	1457a	****	1750
IEC-14	1249	IMC-3	1535	IPC-10	1489
IEC-16	1937			IPC-11 IPC-12	1511 1632
IFC-1	1345	INC-1	1860	IPC-13	1032 1259a
IFC-2	1757	INC-2	1851	IPC-14	2086
	2.0.	INC-3	1538	IPC-15	1587a
IGC-1.1	1910	INC-4	1460	IPC-16	1260a
IGC-1.2	1588	INC-5	1519	IPC-18	1959
IGC-1.3	1828	INC-6	1285	IPC-19	1785
IGC-1.4	1828			IPC-20	1786
IGC-3	1748	IOC-1	2049	IPC-21	1440
IGC-4 IGC-5	1843	10C-2	1583a	IPC-22	1514
IGC-6	1433 1966	10C-3 10C-4	2044 2053	IPC-23 IPC-24	1394
IGC-7	1945	100-5	1876	IPC-24 IPC-25	1981b 1256
IGC-8	1996	10C-6	2041	IPC-26	1390
IGC-10	1271	IOC6.1	2041	IPC-27	2071
IGC-11	1531a	IOC-7	2045	IPC-27.1	2071
		IOC-9	2043	IPC-28	2069
INC 2.1	1584	IOC-10	1693	IPC-29	1691a
IPC-1.2	1585	IOC-11	1318	IPC-30	2070
4HC-1.3	1665	IOC-12	1736	IPC-31	1397
IHC-1.4 IHC-2	1988	IOC 13.1-13.7 IOC-14	1777 1733	IPC 32-32.2	1291
IHC-2 IHC-3	1635 1802	10C-14 10C-15	2025	IPC-33 IPC-34	2040
IHC-4	1697	100-16	1776	IPC-34 IPC-35	1602 1704
IHC-6	1362	10C-17	2050	IPC-36	1259
IRC-7	1721	IOC-18	1826	IPC-37	2052
IHC-8	1719	IOC-19	1692	IPC-38	1288
IHC-9	1398	IOC-20	2087	IPC-39	1465
IHC-10	.701	IOC-21	1692	IPC-39.2	1266
IHC-11	1467	IOC-22	2039	IPC-40	1319
IHC-12	1384	IOC-23	2042	IPC-41	1317
IHC-13	1858	IOC-24	2088	IPC-42	1808
IHC-14	1817	10C-25	2038	IPC-43	1536
IHC-15 IHC-16	1790a 1737	10C-26 10C-26.2	2036 2036	IPC-44 IPC-45	2058
IHC-17	1714	IOC-27	2035	IPC-45 IPC-46	1284 1269
IHC-18	1892	10C-28	1316	IPC-47	1775
					2

167 CONFIDENTIAL

REPORT NUMBER INDEX

REPORT NUMBER	ITEM NUMBER	REPORT NUMBER	ITEM NUMBER	REPORT NUMBER	ITEM NUMBER
IPC-48	1993	JBC-11	1338	JDC-39	1779
IPC-50	1897	JBC-12	1739	JDC-40	1555
1PC-51	2052a	JBC-13	1718	JDC-41	1427
IPC-52	1468	JBC-14	1350	JDC-42	1555
IPC-53	1494	JBC-15	1633	JDC-43	1334
IPC-54	1807	JBC-16	1653	JDC-44	1429
IPC-55	1591	JBC-17	1349	JDC-45	1797
IPC-57	1534	JBC-18	1832	JDC-46	1425
IPC-58	1341	JBC-19	1267	JDC-40	1943
IPC-59	1992	JBC-19.2	1688	JDC-49	1673
IPC-60	1974	JBC-20	1264	JDC-50	1504 1887
IPC-61	1546	JBC-22	1331	JDC-51	1944
IPC-62	1768	JBC-23	2032	JDC-52 JDC-53	2027
IPC-63	1508	JBC-24	1862	JDC-54	1898
IPC-64	2002	JBC-25	1313 1456	JDC-55	1524
IPC-65	2033	JBC-26 JBC-27	1609	JDC-56	1455
IPC-66	2051 1387	JBC-28	1469	JDC-58	1386
IPC-67	1985	0 <i>b</i> C-20	2005	JDC-59	1485
IPC-68 IPC-69	1740a	JBC-29	1415	JDC-60	2085
IPC-09	1322	JBC-30	2024	JDC~6 \	1497
IPC-71	1375	JBC-31	1763	JDC-62	1449
IPC-73	1377	JBC-32	1679	JDC-64	2091
IPC-74	1863			JDC-65	1607
IPC-75	1787	JCC-1	1452	JDC-66	1499 1668
IPC-76	1510	JCC-3	1765	JDC-67 JDC-68	1814
IPC-79	1431	JCC-5	1676	JDC-69	1698
IPC-80	1381	JCC-6	1702 1500	JDC-70	1759
IPC-81	1758	JCC-7 JCC-8	1450	JDC-71	1631
700 7	1011	JCC-9	1503	JDC-73	1486
IQC-1	1311 1371	JCC-10	1751	JDC-74	1669
1QC-2 1QC-3	1604	JCC-11	2000	JDC-75	1901
IQC-4	1970	JCC-12	1457	JDC-76	1660
140-1	2010			JDC-77	1255
ISC-4	1806	JDC-1	1565	JDC-78	1566
		JDC-2	1885	JDC-79	1448 1373
ITC-1	2094	JDC-3.2	1558	JDC-80 JDC-81	1374
ITC-2	1822	JDC-4	1998 1459	JDC-82 †	1418
ITC-3	1515	JDC-6 JDC-8	1965	JDC-83	1419
ITC-4	1301	JDC-9	1948	JDC-84	1678
ITC-5	1492	JDC-10	1337	JDC-85	1672
IZC-1	1950	JDC-11	1882	JDC-86	1634
120-1	1952	JDC-12	1913	JDC-87	1820
IZC 2-2.2	1951	JDC-13	1320	JDC-88	1487
IZC-3	1546a	JDC-14	1781	JDC-89	2067 1476
		JDC-15	1640	JDC-90 JDC-91	1299
J-1	2200	JDC-16	1644 1979	JDC-92	1605
		JDC-17 JDC-18	1321	JDC-93	1442
JAC-2	1663	JDC-19	1641	JIX-94	1670
JAC-3	1874 1400	JDC-20	1620	JDC-95	1764
JAC-4	1400	JDC-21	1364		
JBC-3	1848	JDC-23	2093	JEC-1	1792
J3C-4	1848	JDC-24	1561	JEC-2	1792
JBC-5	1278	JDC-25	1484	JEC-3	1280
JBC-6	1340	JDC-26	1551	JEC-4 JEC-5	1793 2026
JBC-7	1276	JDC-38	1495	JEC-6	1682
JBC-8	2062	JDC-29	1553	JEC-6.2	1682
JBC-9	2064	JDC-30	1888 1825	JEC-6.3	1680
JBC-10	2061	JDC-31 JDC-34	1557	JEC-7	1681
JBC-10.2	2061 1654	JDC-34 JDC-35	1556	JEC-8	1354
JBC-16.3 JBC-10.4	2010	JDC-36	1891	JEC-9	1356
JBC-10.4 JBC-10.5	2010	· JDC-37	1446	JEC-9.2	1355
JBC-10.6	2061	JDC-38	1562	JEC-9.3	1658

CONFIDENTIAL

REPORT NUMBER INDEX

REPORT NUMBER	ITEM NUMBER	REPORT NUMBER	ITEM NUMBER	REPORT NUMBER	ITEM NUMBER
JEC-10	. 1414	JNC-9.2	1593	JTC-1	1523
JEC-10.2	1293	JNC-9.3	1594		
JEC-11	1357	JNC-10	1616	K-3.1	1352
JEC-li.z	1406		1961	K-3.3	1297
JEC-11.3	1409	JNC-13	1618		
JEC-13	: 404	JNC-13.2	1618	LBC-1	1528
JEC-13.2	1404	JNC-14	1529		10/0
JEC-14	1347	JNC-15	1995	LMC 1.1-1.4 LMC 1.5-1.26	1348 1380
JEC-15 JEC-16	1405	JNC-16	1884	LAC 1.5-1.26	1300
JEC-16 JEC-17	1685	JNC-22 JNC-23	1520 1343	LP-200	1753
JEC-18	1408 1838	JNC 24-26	1601	LP-213	1300
JEC-19	1686	JNC-27	1595		
JEC-20	2063	JNC-28	1595	MBE-18x	1599
JEC-21	1416	JNC-29	1597		
JEC-22	1410	JNC-30	1784	MTC-1	1458
JEC-23	1840	JNC-32	1596	MTC-2	1645
JEC-24	1838	JNC-33	1847	KTC-3	2094
JEC-25	1360	JNC-34	1598	HTC-4	1997
JEC-26	1841			MTC-5	1491
		J0C-1	2048	MTC-6	1507
JFC-1	1755	J0C-2	2008	MTC-7	1492
JFC-2	1880	, JOC-3	1938	NDC 1.40-1.43	1830
JFC-3	1342	JOC-4	1444	NDC-15	1830
JGC-1	1745	JPC-1 JPC-2	1606	NEC-1	1577
JGC-2 JGC-3	1530	JPC-2.2	1389 1389	NEC-1.1	1842
JGC-4	1532 1744	JPC-3	1488	NEC-1.2	1842
JGC-5	1438	JPC 4-6	1478	NEC 1.3-1.7	1577
JGC-6	1612	JPC-7	1512		2011
JGC-7	1474	JPC-8	1272	NMC 1.7-1.26	1854
JGC-8	1537	JPC-8.2	1272	NMC-1.35	1371a
JGC-9	1423	JPC-9	1543	NMC-1.36	1478a
JGC-10	1889	JFC-10	1478		1846
		JPC-11	1478	NMC-1.37	1975a
JHC-1	1971	JPC-13	1700	NMC-1.38	1959a
JHC-2	1353	JPC-14	1816	NMC-1.39	1903ъ
JHC-3	1635	JPC-15	1370	NMC-1.40	2075a
JHC-4	1794	JPC-16 JPC-17	1463	NMC-1.50 NMC-1.56	1846
JHC-5 JHC-6	2007 1659	JPC-18	1708 1730	NMC-1.57	1843a 1853
JHC-7	1850	JPC-19	1893	NPC-1.58	1277a
JHC-8	1445	JPC-20	1396	NMC-1.59	1853
0110 0	X-1-10		1991	NMC-1.63	1903a
JIC-1	1336	JPC-21	2054	NMC-1.66-1.86	1854
JIC-2	1836	JPC-22	1324	NMC-1.74	1477
		JPC-23	1462		1587
JKC-1	1399	JPC-24	1548		
		JPC-27	1481	NOC-3.1	1720
JMC-1	1790	JPC-29	1643	NOC-3.2	1867
ЈИС-2	1666	JPC-30	1994	NOC-3.3	1864
JMC-2.2	1667	JPC-31	1811	NOC-4.1	1379
TNO 3	1001	100.1	1040	NOC-4.2 NOC-4.3	1743 1258
JNC-1 JNC-2	1861 1860	JQC-1	1849	NOC-5.1	1939
JNC-3	1569	JSC-1	1710	NOC-5.2	1942
JNC-4	1579	JSC-2	1691	NOC-5.3	1695
0110-1	2078	JSC-3	169C	NOC-5.4	1694
JNC-4.2	2017	JSC-4	1709	NOC-5.5	1942
	2079	JSC-5	1648	NOC-5.6	1956
JNC-4.3	2077	JSC-6	1647	NOC-5.7	1958
JNC-4.4	1834	JSC-7	1649	NOC-5.8	1942
JNC-5	2080	JSC-8	1656	NOC-5.9	1941
JNC-6	2066	JSC-9	1652	NOC-5.10	1940
JNC-7	1833	JSC-10	1650	NOC-5.11	1940
JNC-9	1600		1651	NOC-6.1	1617

169 CONFIDENTIAL



THATHAMAR THE TO THE PROPERTY TO THE TENDER OF THE TENDER OF THE TENDER OF THE TREET T

REPORT NUMBER INDEX

REPORT NUMBER	ITEM NUMBER	REPORT NUMBER	ITEM NUMBER	REPORT NUMBER	ITEM NUMBER
NOC-6.2	1296	OBC-53	1314	OPC-18	1490
NOC-7.1	1393			OPC-21 ·	1479
NOC-7.2	1392	ODC-2	1711	OPC-21.2	1479
NOC-11.1	1799	ODC-5	1369	OPC-21.3	1479
NOC-15.1	1506	ODC-7	1823	OPC-22	1510
NOC-17.1	1589	OPC-9	1796	OPC-23	1615
NOC-20.1	1712	ODC-10	1552	OPC-24	1437
NOC-24.1	2003			OPC-24.2	1437
NOC-32.1	1430	OEA-1	1902	OPC-28	1502
NOC-32.2	1583			OPC-29	1715
NOC-32.3	1323	OEC-13	1655	OPC-30 OPC-32	1439 1899
NOC-35.1	1627	OEC-13.2	1803	OPC-33	1726
NOC-35.2	1774	OFC-6	1526	OPC-34	1388
NOC-38.1	2072	OrC-0	1320	010-01	
NOC-42.1	1626	0GC-10	1911	ORC-1.42	1955
NOC-44.1	1525 1723	000-10	1912	ORC-1.52	1344
NOC-45.1	1328	OGC-15	1744	ORC-1.53	1976
NOC-46.1 NOC-47.1	1699	0GC-24	1866	ORC-2.00	1646
NOC-47.2	1760	700			
NOC-48.1	2074	OHC-4	06	OZC-1.2	1581
NOC-48.2	2073	OHC-4.2	. 107	OZC-1:3	1580
NOC-50.1	1949	OHC-4.3	1707	OZC 10.16-10.18	1934
NOC-51.1	1270	OHC-8	1705	ozc-23	1960
NOC-53.1	1740	OHC-9	1800		
NOC-53.2	1819			P-1	2123
NOC-53.3	1738	OIC-1	1927	P-1.1	2149
NOC-53.4	1829	OIC-3	1766	P-1.2	2134
NOC-53.5	2084	0IC-7	2029	P-1.3	2132 2146
NOC-53.7	1527	0IC-13	1292	P-1.4	2146 2152
NOC-56.1	2090	OMC-13	1684	P-2.1 P-3.1	2127
NOC-57.1	1999	OMC-13	1382	P-3.2	2160
NOC-58.1	1441	OMC-27	1844	P-4	2187
NOC-59.1	1332a	OMC-27.2	1844	P-5	2204
NOC-60.1 NOC-61.1	1936 1722	OMC-27.3	1844	P-6	2133
NOC-01.1	1122	3		P-7	2145
NY-1	2742	ONC-1	1953	P-8	177
111-1	2110			P-9	2155
OBC-3	1845	OPC-3	1638	P-10	2173
OBC-4	1925		2004		2421
OBC-5	1930	OPC-3.1	1268	P-10.1	2119
OBC-6	1933		1327		2212
OBC-8	1916		1363		2305 2420
OBC-9	1929		1466		2636
OBC-10	1932		1517 1518	P-11	2531
OBC-12	1924		1724	P-12	2370
OBC-13	1920		2016	P-30.1	2162
OBC-14.2 OBC 14.3-14.5	2075 2076	OPC-5	1600	P-41	2504
OBC-15	1788	OPC-6	1372	P-51	2578
OBC-16	1917	OPC-13	1493	P-53.1	2300
OBC-16.1	1918	OPC-15	1282	P-71	2318
OBC-18	1309		1283	P-80	2301
OBC-19	1261		1544	P-100	2312
OBC-21.1	1307		1683	P-105	2230
OBC-27.1	1727		1805		
OBC-32.1	1453	000 15 1	1900	PMC-1.1	1853
OBC-33	1903	OPC-15.1	1300a	PMC 1.2-1.5	1952
OBC-37.1	1815		1359 1549	PMC-1.6	1853
OBC-41.1	1586		1711a	PMC-1.7	1962
000 43 0	2001		1967	PMC 1.8-1.14	1853
OBC-41.2 OBC-41.4	1812		1968	PMC-1.15	1623
OBC-41.4 OBC-43.1	1762 1827		1969	PMC-1.16	1846
OBC-49.1	1422		1975	PMC 1.17-1.22	1853
-45.I	1451		1990	PMC-1.23	1281
OBC-52	1769	OPC-15.2	1434	PMC-1.24	1281
-	· -				



REPORT NUMBER	ITEM NUMBER	REPORT NUMBER	ITEM NUMBER	REPORT NUMBER	ITEM NUMBER
PMC 1.25-2.11	1853	UBC-29.2	2012	UNC-4	1567
PMC 1.56-1.61	1852	UBC-30	2015	UNC-5	1568
PMC 2.3-2.11	1540	UBC-32	2014	UNC-6	1963
PMC-2.10	1539	UBC-34	1248	UNC-7	1963
PMC-2.12	1289	UBC-35	2011	UNC-8	1859
PMC 2.12-2.35	1798	0DC-30	2011		
PMC 2.12-2.33 PMC 2.12-2.29	1837	UEC-2	1613	UPC-1	1813
	1856	UEC-2.2	1472	UPC-2	1435
PMC 2.12-2.22 PMC-2.12	1894	UEC-5	1250	UPC-3	1436
PRC-2.12	2006	050-0	1200	UPC-4	1614
PMC-2.14	1289	UFC-1	1754	UZC-2	2021
PMC 2.14-2.78	2006	010-1	1101		2022
PMC-2.14-2.76	1289	UIC-2	1346	UZC-3	2020
PMC 2.16-2.18	1894	VIC-3	1330	UZC-5	2019
PMC-2.17	1289	010-0	1610	UZC-7	2019
PMC-2.22	1894		1010	UZC-8	2013
PMC-2.22	1262	UM 1-43	2644	W-1	2166
PMC-2.23	1289	UM-13	2645	₩-3.3	2143
PMC 2.24-2.33	1856	UM-14	2669	₩-3.4	2142
	1894	UM-15	2650	W-6	2206
PMC-2.24 PMC-2.25	1894	UM-18	2653	W-6.1	2179
		UM-19	2646	W-6.2	2154
PMC-2.30 PMC 2.31-2.86	1894 1837	UM-20	2659	W-7	2202
		UM-21	2668	W-8	2176
PMC-2.31	1894	UM-22	2666	W-8.1	2139
PMC-2.34	1262	UM-23	2647	₩-8.2	2141
PMC-2.35	1656	UM-24	2658	W-8.3	2137
PMC 2.36-2.89	1262	UM-25	2667	W-8.4	2135
	1798	UM-26	2664	W-9	2150
DV0 0 05	1855	UM-27	2654	π-9 ₩-9.1	2205
PMC-2.37	1894	UM-28	2666	W-9.2	2207
PMC-2.38	1289	UM-28 UM-29	2661	W-9.4	2136
	1894	UM-30	2649	₩-10	2184
PMC-2.42	1894		2648	W-11	2183
PMC-2.46	1894	UM-31	2655	W-13.1	2189
PMC-2.49	1894	UN-33	2662	W-13.2	2165
PMC-2.52	1894	UM-34	2656	W-13.3	2190
PMC-2.56	1894	UM-35			2188
PMC-2.60	1894	UM-36	2661 2668	₩-13.4 ₩-13.5	2191
PMC-2.68	1894	UM-37		₩-13.5 ₩-14	2191
PMC 2.79-2.89	2009	UM-38	2661	W-16.2	2194 2175
	2031	UMC-1	1728	W-16.3	2173
RBC-1	1286	UMC-4	1637	m-10.3	2181
RBC-1	1200	UMC-4.2	1637	W-17	2156
RDC-2	1824a	UMC-4.2	1637	W-18.1	2120
NDC- 2	10244	UMC-7	1252	W-18.3	2161
RP 21.1-21.3	2102	UMC-7.2	1252	₩-20	2174
RP 21.1-21.5	2102	UMC-3.3	1305	₩-21	2131
SRG-C-528	1783		1303	W-21.1	2195
5NG-C-526	1100	UMC-8.4 UMC-10.0	1541	₩-21.1	2122
TAC-1	1402		1541	₩ -2 3	2192
140-1	1402	UMC-10.1 UMC-10.3	1541	W-60.4	2356
TPC-1	1325		1305	₩-80.4	2228
TPC-2	1821	UMC-11.2x	1305	₩-162	2503
170-2	1021	UMC-11.3x	1305	W-162.10	2268
UAC-1	1716	UMC 11.4-11.14		W-163	2274
	1716	UMC 12.2-12.13	1992	W-191	2293
UAC-1.2	1716	UMC-42	1251	H-191	2293 2298
UAC-1.3	1716	UMC-42.2	1251		2386
UAC-2	1110	III non 1	0000		2386 2460
una :	1351	UM-RPP 1	2663		2460 2473
UBC-1		uno 1	1376		2473 2525
UBC-18	1865	UNC-1	1687	W 530	
UBC-27	2013	UNC-2	1687	₩-510	2384
UBC-28	1661		1590	770 3	0000
UBC-29	2012	UNC-3	1990	ZBC-1	2062

CONFIDENTIAL

AUTHOR INDEX

```
Bond, R. H., 2189, 2191, 2513
Bondy, M. F., 2161, 2410, 2499
Bonner, Lyman Gaylord, 2111, 2112, 2114, 2132, 2173, 2187, 2293, 2298, 2386, 2460, 2473
Bortman, W. J., 1226, 1236
Botkin, D. F., 1300, 1669
Bowen, G. C., 2150, 2207, 2224, 2471, 2563
Bowen, Ira Sprague, 1297, 1345
1352, 1488, 1489, 1609, 1755, 1757, 1821, 2002, 2032, 2033
Bowen, J. T., 1627, 1774
Boyd, Charles A., 2165, 2188-2191, 2225, 2229, 2279, 2336, 2345, 2347, 2352, 2362, 2364, 2407, 2417, 2418, 2448, 2457, 2513, 2540, 2542-2545, 2547, 2558, 2551, 2560, 2561, 2590, 2591, 2594, 2595, 2601, 2628
Bradford, Bliot B., 1200, 2736
   Abram, Howard H., 2462
  Adams, R. V., jr., 1609, 1902, 2054
2054
Africano, Alfred, 2192, 2231, 2235, 2262, 2291, 2294, 2332, 2334, 2354, 2523, 2539, 2546, 2554, 2555, 2587, 2587, 2587, 2600, 2605, 2614, 2620
Ager, R. W., 1733, 1826, 2074
Alexander, N. E., 2200, 2306, 2368
Altshuler, S. 1300
 2368
Altshuler, S., 1300
Anderson, C. D., 1987, 2076
Anthony, 1287
Arnett, Raymond L., 2139, 2155
2213, 2289
Arnquist, W. N., 1276, 1277,
1287, 1397, 1454, 1588,
1665, 1780, 1828, 1910-
1912, 1914, 1987, 1988,
2059, 2076
Avella, S. R., 2690
Avery, William H., 2123, 2146,
2175, 2182, 2187, 2234,
2253, 2296, 2297, 2312,
2373, 2481, 2525, 2535,
2627
Ayers, A. D., 1943
                                                                                                                                                                                                                                                                                 2601, 2628

Bradford, Eliot B., 1200, 2736
Bradley, R. C., 1737
Brandwein, Sol D., 2165, 2183, 2225, 2418, 2543, 2544, 2560, 2561
Brasted, Donald M., 2143, 2183 2388, 2448, 2480, 2512
Brewer, G. D., 2195
Briggs, E. C., 1523
Brink, D. E., 1713, 1873
Brittain, J. A., 2495
Brown, F. W., 2369
Burchill, Phyllis, 2648, 2666
Burns, J. W., 2218, 2223
Burns, Robert, 2694
       Ayers, A. D., 1943
    Babcock, H. W., 1343, 1344,
1646, 1847, 2076
Baker, H. Dean, 2341
Baker, Saul, 1296, 1617, 1722
2003
       Balliet, Karl E., 2641
Bane, Harry N., 1328, 1441,
1712, 1723, 1999, 2090
Barre, Loren, 1712
Barrett, Donald P., 1755
        Barrett, R., 1517
Bascom, J. D., 1855
Batterson, R. Neal, 1789, 1954
                                                                                                                                                                                                                                                                                             Carlisle, Francis, 2072
Carr, J. H., 1936
Chivens, Clyde, 1342
Christie, William H., 1332a,
1441, 1506
Clark, Donald S., 1373, 1530,
1891, 1948
Colling, A. S., 2138, 2273,
2274
Cook, E. A., 2206a
Cooley, Robert A., 1824a
Corcoran, W. H., 1243, 1455,
1485, 1831
Corey, Robert B., 2093, 2096-
     1957
Beek, John, jr., 2127, 2139, 2164, 2182, 2375, 2637
Bernstein, A., 2251, 2333
Billmeyer, A. K., 1589
Biot, M. A., 1478, 1538, 1700
1816
       1816
Bjork, Carold F., 2161, 2220, 2231, 2235, 2250, 2272, 2307, 2351, 2410, 2464, 2465, 2470, 2520, 2523, 2526, 2549, 2553, 2604, 2606, 2609, 2613, 2615, 2616
                                                                                                                                                                                                                                                                                        1485, 1831
Corey, Robert B., 2093, 2096-2103, 2105, 2106, 2108
Cornelison, E. D., 2073
Cox, C. S., 1422
Craig, Roy S., 2152, 2204, 2234, 2271, 2378, 2386, 2404, 2460, 2474, 2537, 2566, 2578
Crandeli, F. F., 1755
Crawford, Bryce L., jr., 2645-2647, 2650, 2653, 2654, 2656-2661, 2663-2669
       2616
Blackson, Charles S., 2462
Blatt, M. O., 1669
Blitzer, Leon, 1266, 1269,
1307, 1363, 1388, 1434,
1465, 1483, 1488, 1490-
1492, 1502, 1511, 1512,
1517, 1518, 1548, 1600,
1602, 1606, 1708, 1853,
1893, 1959a
                                            2616
```

AUTHOR INDEX

Ellis, E. L., 1478a, 1532, 1748, 1846, 1853, 1883 Elvey, C. T., 1662, 1716, 1734 1843a, 1947 Engstrom, George W., 2130, 2139, 2141 Epstein, L. Ivan, 1282, 1388, 1431, 1462, 1494, 1508, 1534, 1715, 1900, 1967, 1968, 1991 Escue, R. B., 2100, 2102 Evans, Robert L., 2156, 2260, 2501 Culp, F., 2184 Cummings, F. W., 2736 Curtis, Tom, 1270, 1392, 1393, Curtiss, C. F., 2150, 2174, 2380 Damsgard, L. C., 2016 Daniels, Farrington, 2705, 2707-2710, 2712-2716, 2718, 2720-2722, 2724 2718, 2720-2722, 2724
2725
Davis, E. F., 2637
Davis, Leverett, jr., 1256,
1261, 1268, 1276, 1277,
1282, 1283, 1301, 1324,
1327, 1341, 1366, 1372,
1381, 1389, 1394, 1396,
1400, 1402, 1437, 1439,
1440, 1458, 1466, 1468,
1479, 1488, 1492, 1507,
1515, 1520, 1534, 1548,
1591, 1638, 1643, 1645,
1687, 1704, 1708, 1711a Escu-Evans, Rou 2501 Farr, William W., 1203-1208, 1210-1213, 1218-1223, 1225 Fassero, J. S., 1758
Fineman, M. A., 2233, 2234,
2238, 2330, 2386, 2463,
2473, 2485, 2602 Foladare, Joseph, 1371a, 1903, 1934 1687, 1704, 1708, 1711a, 1725, 1726, 1730, 1808, 1822, Follin, James W., jr., 1481, 1510, 1586, 1643, 1711a, 1724, 1787, 1811, 1812, 1827, 1853, 1893, 1897, 1899, 1900, 1969, 1970, 1992, 1993, 1994, 1997, 2016, 2058, 2076, 2094 Dayton, W. B., 1683, 1684 1990 Folse, J. A., 2374, 2569-2573, 2575 2575
Fowler, William A., 1262, 1463
1584, 1585, 1717a, 1778,
1785, 1786, 1846, 1848,
1853-1856, 1884, 1911,
1914, 1924, 1926, 2010, deButts, Edward H., jr., 2206a Dekker, Albert O., 2102, 2103
Dempster, Arthur Jeffrey, 2517
Denues, Arthur Russell Taylor, 2150, 2184, 2205, 2311, 2454, 2492, 2568
De Santo, James D., 1794, 2447 2593, 2612
Dietz, J. M., 2679, 2691
Domenicali, C. A., 1847
Donin, Milton N., 2123, 2212, 2230, 2234, 2260, 2300, 2305, 2420, 2421, 2636
Donovan, Joseph J., 2133, 2134 2187, 2234, 2241, 2252, 2286, 2320, 2361, 2376, 2384, 2433, 2522
Droulard, N. R., 1203-1208, 2236 2075 2075
Fowlie, W., 1262
Fracker, H. E., 1245
Frampton, O. D., 1262, 1546, 1847, 1955, 1976
Fredericks, F., 1603, 1742
French, J. M., 1506
Fries, Arthur P., jr., 2641
Fritz, Harry, 2133, 2134, 2234
Fuller, J. L., 1347 Gallo, Thomas L., 2480
Gardner, Trevor, 1257, 1837
Gates, J. I., 1255
Gault, C. W., 2638, 2643
Gentry, M. B., 1262
George, William L., 2641
Gibson, R. E., 1200, 2176,
2201, 2240, 2261, 2281,
2313, 2379, 2401, 2415,
2416, 2441, 2449, 2451,
2453, 2455, 2482, 2493,
2500, 2507, 2514, 2534,
2557, 2586, 2589
Gilbert, J. A., 1371, 1604,
1761 Droulard, N. R., 1203-1208, 1210-1213, 1218-1230, 1232, 1233, 1237 Duemler, C. E., 1947 DuMond, Jesse W. M., 1569, 1577, 1735, 1824, 2026, 2393, 2428, 2737 Duvall, M., 2229 Edelman, P. E., 1262 Edelman, P. E., 1262 Edson, James B., 1290, 1345, 1349, 1616, 1846, 1860, 1861, 1929, 2066 Elliot, Quentin, 1243, 1426, 1669, 1977 Elliott, M. A., 2369 1761 Glodhill, R. J., 2667 Gluyas, Richard E., 2705 Goehmann, M., 1234 Goff, Milton R., 2229, 2232, 2245, 2458, 2462, 2585, 2637

ᡎᢧᢐᢐᢣᢖᢐᡡᡆᢐᡡᡊᢐᢋᡊᠵᡳᡳᢗᡮᢘᢣᡳᢟᠸᢟᢐᡚᡳᠧᡎᠽᠰᢣᡎᠽᡐᡱᢙᢐᡎ᠘ᢣᢐᢏᠿᡧᡧᡮᡚᢗᡮᡚᢗᡮᡳᡓᠻᢠᢋᢟᢌᡳᡮ᠂ᡮᢤᡧᡀᡐᡬᡑᢤᢟᠸᢟᠸᢟᢥᢥᢥᢥ

AUTHOR INDEX

```
Golden, Sidney, 2154, 2173,
2194, 2206, 2237, 2306,
2380, 2397, 2398, 2403,
2432, 2444, 2461, 2466,
2469, 2532, 2580, 2598,
                                                                                                                                                                                                                                                                                                                             Hirschfelder, Joseph Oakland,
                                                                                                                                                                                                                                                                                                                           2340
Hobbs, Marcus E., 2113, 2114
Hoppin, G. H., 2492
Houghton, M. C., 1388
Hudson, D. E., 1392, 1430,
1938
2618
Goldman, Morton, 2139, 2186
Gonyea, Lloyd F., 2133, 2134,
2175, 2234, 2242, 2269
Gorschalki, René, 1418, 1419
Gould, A. S., 1405, 1477, 1587
1855
                                         2618
                                                                                                                                                                                                                                                                                                                     Hudson, D. E., 1392, 1430, 1938
Huggett, Clayton M., 2647, 2648, 2653, 2656-2658, 2660, 2662, 2665, 2666, 2668, 2669
Hunt, Roy E., 2123, 2146, 2175, 2234, 2268, 2296, 2297, 2317
Huntley, W. P., 1259a, 1260, 1260a, 1285a, 1288, 1291, 1316-1319, 1583a, 1586a, 1547a, 1625, 1631a-1633, 1635, 1691a, 1692, 1693, 1695a, 1736, 1775-1777, 1875, 1876, 1981a, 1983, 1984, 2025, 2035, 2036, 2040, 2041, 2043-2045, 2049, 2050, 2052, 2052a, 2053, 2068-2071, 2081a, 2087, 2088, 2092
 1855
Green, Alex E. S., 1953
Green, Charlotte, 2102, 2105
Green, L., 1753
Greene, H. M., 1725
Grisamore, Nelson T., 2194,
2471, 2563, 2584
Gross, George L., 2209, 2582
Guettich, T. H., 2689
Gunderson, N. G., 2129
Gunderson, N. R., 1532, 1873
 Gunderson, N. R., 1532, 1873

Hall, Norris F., 2705, 2721

Hanson, Marie S., 2647-2649, 2656, 2664, 2666

Harrington, Walter J., 2165, 2170, 2188, 2190

Harris, A. E., 1262

Haskell, Norman A., 1285, 1303 1529, 1995

Hasslacher, C. A., 2691

Hatcher, J. B., 1245

Hausenstein, Albert, 2367

Hausenstein, Albert, 2367

Hauseler, R. W., 1936

Hayes, Wallace, 2004

Hendricks, W. A., 2386, 2473

Hickman, C. N., 1231, 2166, 2174, 2202, 2208, 2216, 2221, 2222, 2227, 2244, 2249, 2255, 2257, 2259, 2266, 2278, 2288, 2299, 2303, 2304, 2310, 2323, 2327, 2332, 2335, 2336, 2342, 2343, 2346, 2349, 2350, 2357, 2359, 2366, 2372, 2387-2389, 2392-2395, 2399, 2406, 2412, 2419, 2422, 2423, 2425-2427, 2429, 2431, 2434, 2435, 2437-2439, 2442, 2443, 2446, 2452, 2466, 2467, 2487, 2489-2492, 2498, 2505, 2506, 2508, 2509, 2516, 2521, 2522, 2557, 2559, 2564, 2565, 2577, 2579, 2607, 2608, 2610, 2611, 2614, 2617, 2610, 2621
                                                                                                                                                                                                                                                                                                                               Isbin, Herbert S., 2657
                                                                                                                                                                                                                                                                                                                             Jackson, R. C., 1758
Jacquith, R., 1262
James, Robert Lee, 2181
Jeremiah, W. E., 2331, 2390,
2475
                                                                                                                                                                                                                                                                                                                               Johnson, E. S., 2317
                                                                                                                                                                                                                                                                                                                           Kane, W. E., 1262
Kavanau, J. L., 1262
Keast, L., 1262
Kelly, Beatrice, 2400
Kelly, F. P., 2504
Kendall, G. A., 1262, 1815
Kennedy, R. J., 1397
Kershner, R. B., 2150, 2174
2184, 2241, 2380, 2385, 2400, 2424, 2492, 2522
Kincaid, James F., 2164, 2192
King, R. B., 1245, 1338, 1340, 1873, 1932
Kingsley, Paul L., 2324
Kirkpatrick, D., 2030
Kirwan, P. T., 2358, 2576, 2743, 2744
Kossiakoff, Alexander, 2137, 2159, 2141, 2176, 2226, 2248, 2256, 2265, 2283, 2385, 2562, 2584, 2753
Kron, Gabriel E., 1543, 1946, 1959a
Kunz, D. A., 1694, 1695, 1939-
           2536, 2552, 2558, 2559, 2564, 2565, 2677, 2579, 2607, 2608, 2610, 2611, 2614, 2617, 2619, 2621, 2624, 2626, 2629, 2633-2635, 2735, 2745

Higbie, Howard E., 2145, 2177, 2246, 2284, 2301, 2315-2317, 2319, 2481
                                                                                                                                                                                                                                                                                                                                   Kunz, D. A., 1694, 1695, 1939-
1942, 1956, 1958
                                                                                                                                                                                                                                                                                                                                   Lacey, W. D., 1729
```

AUTHOR INDEX

Lacey, William N., 1369, 1459, 1558, 1638a, 1666, 1667, 1711, 1830, 1881, 1885, 1948, 1948a, 1965, 1998, Mallina, R. F., 2687, 2698, 2704 2704
Marans, N., 2214, 2234, 2433
Martin, Lowell, 1710
Mason, Max, 1316, 1385, 1387, 1496, 1498, 1501, 1777a, 1804, 1863, 1872, 1894, 1959, 1973, 2006, 2031, 2034, 2037, 2051, 2056, 2089
Marson, J. H., 1546a 2534
Lakatos, Emory, 2381, 2515
Lathrop, C. M., 2200
Lauritsen, Charles C., 1286, 1370, 1823
Lauritsen, Thomas L., 1276-1279, 1287, 1314, 1335, 1336, 1368, 1438, 1564, 1565, 1603, 1612, 1718, 1839, 1920, 1927, 2061, 2062, 2076
Leap, H. E., 2618
Lebow, M., 1855
Leenov, D., 2188, 2190
Lemons, J. F., 2179
LeRosen, A. L., 2093, 2100, 2102 Maxson, J. H., 1546a Mayall, N. U., 1732, 1889, 1915 1915
Meinel, A. B., 1359, 1855
Melick, J. M., 2685
Melzian, A. L., 1262
Meneghelli, H. A., 1358, 1407, 1408, 1855
Miller, D. D., 2179, 2681, 2689, 2702
Miller, G. W., 1881
Mills, Chester D., jr., 1400
Mitchell, Edward, 2641
Mogler, J. H., 2691
Morey, L. E., 2206, 2444, 2580
Mortimer, Forrest S., 2716-2718
Mosteller, G. G., 1800, 1855
Mosteller, G. M., 1790a Lemons, J. F., 2179
LeRosen, A. L., 2093, 2100, 2102
Levedahl, B. H., 1300, 1669
Levin, J., 2184
Levy, Henri A., 2093, 2102, 2105, 2107
Lewis, Edward D., 2462
Lindwall, F. C., 1353, 1385, 1432, 1474, 1603, 1655, 1659, 1742, 1795, 1803, 1853, 1923, 1987, 2006-2009, 2061, 2076
Lloyd, Paul E., 1246, 1312, 1367, 1742, 1838, 1905a
Locanthi, Bart N., 1271
Locanthi, Dorothy D., 1996
Longwell, P. A., 163da, 1965
Lumry, Rufus W., 2119, 2135, 2142, 2477 Nash, W. F., jr., 1964 Neil, R. H., 1855 Nellis, A. A., 2138, 2273 Neubauer, Fritz, 2254 Newton, Robert R., 2131, 2186, Noland, R. L., 1625, 1635, 2038, 2039, 2042, 2046 Noyes, R. M., 2102 Maas, Leo, jr., 2219, 2308, 2328, 2396, 2408, 2405, 2528, 2530, 2552, 2588
McBrady, John J., 2647, 2650, 2653, 2656, 2657, 2660, 2664, 2666, 2668
McClelland, J. N., 1422, 1809, 1855 Osborne, Darrell W., 2225, 2229, 2232, 2247, 2279, 2336, 2337, 2362, 2363, 2365, 2457, 2458, 2476, 2542, 2545, 2550, 2561, 2585, 2591, 2592, 2595, 2601, 2628 1855
McClure, F. T., 2137, 2149, 2179, 2208, 2234, 2325, 2356, 2400, 2637
McConnell, J. W., 1254, 1855
MacDonald, G. C., 2413
McLane, C. Keith, 2716, 2718
McLean, William B., 1526
McMorris, John, 1276, 1277, 1333, 1337, 1452, 1505, 1664, 1739, 1744-1745a, 1771, 1780, 1818, 1878, 1879, 1933, 2076
Madden, Arthur J., 2156, 2187, 2234, 2238, 2330, 2386, 2463, 2473, 2502, 2504, 2602 1855 Padgett, G. F., 2145, 2285, 2314, 2318, 2319, 2321, 2322 2314, 2318, 2319, 2321, 2322

Parr, R. G., 2648, 2654, 2658, 2659, 2661, 2666, 2668

Paul, M. A., 2179

Pauling, Linus C., 1499, 2093, 2095, 2102

Paulson, T. R., 2136

Penner, S. Solomon, 2122, 2156 2160, 2162, 2234, 2270, 2271, 2275, 2276, 2360, 2370, 2377, 2402, 2413, 2484, 2485, 2537, 2566, 2705, 2706, 2706, 2711

Pi, T. H., 1322, 1375, 1431 2602 Mahony, L. H., 1262, 1422 Malina, Frank J., 1834a

AUTHOR INDEX

```
Sage, Bruce H., 1200, 1299,
1320, 1321, 1333a, 1334,
1361, 1364, 1369, 1374,
1385a, 1386, 1399, 1423,
1425, 1427, 1429, 1442-
1450, 1457, 1459, 1476,
1482, 1484, 1486, 1487,
1495, 1497, 1499, 1500,
1503, 1504, 1521, 1524,
1531L, 1537, 1551, 1553-
1558, 1501, 1562, 1566,
1605, 1607, 1620, 1629,
1630, 1634, 1638a, 1640,
1641, 1644, 1660, 1663,
1668, 1670-1674, 1676,
1678, 1689, 1698, 1698a,
1702, 1703, 1711, 1746,
1751, 1759, 1764, 1765,
1773, 1779, 1781, 1797,
1798, 1801, 1806, 1814,
1820, 1825, 1830, 1853,
1881, 1885, 1887, 1888,
1898, 1901, 1913, 1928,
1944, 1948, 1948a, 1965,
1966, 1979, 1979a, 1998,
2000, 2067, 2091
Saylor, Charles Proffer, 2673,
2674
Saylor, W. H., 1939
Saylor, Zella Proffer, 2637
Schmidt, J. M., 1519, 1520,
1964
Schroeder, W. A., 2100
Schuler, Carl W., 2718
Sears, R. E., 1855
Sedlet, Jacob, 2718
Shapiro, Nathan, 2353
Sherman, Seymour, 2129, 2275,
Piper, R. I., 1500a
Pond, M. C., 1895, 1896
Pope, W. B., 1203-1208, 1210-
1213, 1218-1223, 1225
   Quinn, Grace Shover, 2217
 Rappolt, John P., 2127, 2637
Rasmussen, V. K., 1245, 1262,
1287, 1336, 1603, 1766,
1873, 1981
1873, 1981
Reck, Frank, 2701
Reinhard, Dorothy, 2301
Renard, J. C., 1600
Richards, L. A., 1409, 1438, 1477, 1603, 1612, 1843, 1855, 1871, 1982, 2010, 2061
   2061
Ridgeway, R. D., 1312
Roach, F. E., 1259, 1371a,
1390, 1520, 1622, 1717,
1744, 1843a, 1846, 1853,
1883, 1916-1918, 1964
Robinson, Charles F., 1431,
1855, 1873
Robinson, K. H., 2085
Rosenberg, Norman L., 2718
Rosser, John Barkley, 2192,
2208, 2217, 2243, 2325,
2385, 2400, 2401, 2436,
2483, 2495, 2496, 2524,
                                                  2061
       2483, 2495, 2496, 2524, 2637

Royal, W. F., 2010

Rubin, Sylvan, 1295, 1340, 1391, 1422, 1428, 1438, 1452, 1544, 1609, 1612, 1805, 1808, 1877, 1922, 1925, 1935, 1959a

Ruehrwein, R. A., 2265, 2339, 2385, 2478

Rule, Bruce H., 1259a, 1260,
                                                                                                                                                                                                                                                                                                                                                                     Sedlet, Jacob, 2718
Shapiro, Nathan, 2353
Sherman, Seymour, 2129, 2275, 2276
Shulman, S., 2192
Siller, Harry, 2495
Sinclair, L. S., 1669
Skeeters, R. N., 1525, 1583
Skinner, L. A., 2267, 2346, 2558
Sleeper, W. H., jr., 1338, 1853
Slichter, L. B., 1239, 1316
      Ruehrwein, R. A., 2265, 2339, 2385, 2478

Rule, Bruce H., 1259a, 1260, 1260a, 1285a, 1288, 1291, 1316-1319, 1504a, 1583a, 1586a, 1587a, 1625, 1631a-1633, 1635, 1691a, 1692, 1693, 1695a, 1736, 1737, 1740a, 1747, 1747a, 1747b, 1750, 1775-1777, 1853, 1875, 1876, 1894, 1971, 1972, 1981a, 1983, 1984, 2006, 2025, 2029, 2033a, 2035, 2036, 2040, 2041, 2043-2045, 2047-2050, 2052, 2052a, 2053, 2068-2071, 2081a, 2086-2088, 2092

Rusoff, I. I., 2655, 2666

Russillo, V. D., 2174, 2424, 2522
                                                                                                                                                                                                                                                                                                                                                                                       Sleeper, W. H., Jr., 1338, 1853
Slichter, L. B., 1239, 1316, 1385, 1387, 1496, 1498, 1501, 1529, 1714, 1718, 1804, 1853, 1863, 1872, 1894, 1937, 1973, 2006, 2031, 2034, 2037, 2051, 2056, 2089
Smith, Barbara, 2301
Smythe, William R., 1276, 1277 1279, 1280, 1325, 1788, 1792, 1880, 2005, 2006
Snackenberg, J., 2391
Snyder, C. W., 200, 1277a, 1395, 1421, 1422, 1451, 1453, 1578, 1611, 1846, 1919, 1981
Soldate, A. M., 2102, 2103
Somes, H. E., 1202
                 Sabin, P., 2027
Sachs, L. D., 2146, 2204, 2234
2297, 2474, 2578
Safonov, George M., 1262, 1382
1549, 1815
```



Spahn, C. F., 2735
Spassky, G. A., 1625
Spaulding, Wallace P., 2154, 2173, 2206, 2398, 2580, 2582
Staver, R. B., 2225
Stefcik, A., 2175, 2503
Stern, F. B., 1238
Stokes, H., 2003
Stokes, R. R., 1362, 1379, 1384, 1398, 1467, 1697, 1701, 1719, 1721, 1743, 1817, 1858, 2065
Stoner, P. W., 1466, 1479, 1596, 1811, 1812, 1827, 1899
Streff, Larry N., 2119, 2135, 2142, 2477
Stromberg, Gustaf, 1460, 1529
Stumpf, H. C., 2130
Swanson, C. D., 1855, 1947
Taylor, P. H., 1300a, 1855, 1975
Terrell, O. D., 1258, 1323, 1720, 1864, 1867
Thiele, F. W., 1254, 1262
Thomas, J. Earl, 1312, 1332, 1367, 1849, 1874
Thompson, Nancy Marmer, 2208
Thompson, R. J., 2131, 2149, 2195, 2637
Todd, J. B., 2641
Trilling, L., 1362
Troy, J. P., 2641
Tsien, Hsue-shen, 1261, 1468
Turk, Amos, 2187, 2386, 2504
Tuttle, E. E., 1257
Untiedt, F. H., 2405

Walker, M. J., 2120, 2137, 2228, 2229, 2279, 2291,

Vodonik, J., 2239

Younger, Udene E., 1527, 1626, 1738, 1740, 1819, 1829, 1949, 2084



SUBJECT INDEX

7/8-in. Canadian powders flight tests, 2539 static tests, 2539 7/8-in. NT-PXS powders loading tests, 2262 7/8-in. rocket powders, 2550, 2605 JPT powders, 2605 static firing tests, 2550 1-in. antisubmarine bombs bubble eliminating device, 1775 1-in. model projectiles, 1737, 1776 torpedoes, 1776
water entry tests, 1776
water tank testing facilities, 1737
1-1/8-in. rocket motors
internal ballistics, 1664
1.25-in. rocket motors
igniter, 1450
2-in. rockets, 1259, 1394 torpedoes, 1776 1.25-in. rocket motors igniter, 1450
2-in. rockets, 1259, 1394, 1483, 1622, 1845, 1916 antiaircraft, 1259, 1394, 1483, 1845
armor-piercing, 1622, 1916
2.25-in. aircraft rockets, 1567, 1568, 1590, 1595, 1615, 1647, 1859, 1870, 1963, 2012, 2014, 2024, forward firing, 1595 gravity drops, 1615 sight settings, 1567, 1568, 1590, 1859, 1963 sighting tables, 1870 subcaliber, 1647, 2024 trajectory, 2012, 2014 trajectory drop tables, 1870 2.25-in. rockets, 1450, 1485, 1837, 1855, 1856, 1894, 2000, 2540 igniters, 1450, 2000 spin-stabilized, 1837, 1855, 1856, 1894, 1856, 1894 static comparison firings, 1856, 1894 static comparison firings, 2540 tubular propellant grains, 1485 2.36-in. recoilless guns smooth bore, 2626 2.36-in. rocket grenades, 2142 2204 ignition, 2204 powder charge, 2142 2.5-in. rocket grenades external hallistics, 1550 2.5-in. rockets, 1570, 1689, 1747, 1750, 1796, 2052, 2052a 2052a antisubmarine, 1570, 2052 propellants, 1689, 1796 rocket targets, 1747, 1750 subcalther, 1570, 1750, 2052 2052a 2-5/8-in. rockets velocity, 2295 3-in. rockets antiaircraft, 1845, 1917, 1918 UP British rockets, 1845 3A aircraft rockets

3A12 aircraft rockets, 1465, 1772 dispersion, 1465 standardization, 1772 3MR3 rocket motors nozzle erosion, 1732 3MR12 rocket motors static firing tests, 1915 3.25-in. identification flares, 2562, 2584, 2635 performance, 2584 tactical use, 2584 3.25-in. rocket motors, 1376, 1425, 1426, 1443, 1447, 1448, 1455, 1614, 1687, 1691, 1768, 1820, 1905, 1964, 1992, 2001, 2226 blow-up tests, 2226 British, 1768 cruciform charge, 1425 3MR12 rocket motors cruciform charge, 1425 effective temperature, 1376, 1687, 1992 gravity drop tables, 1614 hexaform propellant grain, 1448 igniter, 1447 internal ballistic con-stants, 2001 manufacturing methods, 1691 Mark 5; 1426 Mark 7; 1691, 1992 Mark 13; 1447, 1455, 1820 propellant grain design, 1426 sighting data, 1768 spin-stabilized, 1447, 2001 standardization, 1905 temperature gradient, 1964 triform propellant grain, 1448 3.25-in. rockets, 1447, 1578, 1584, 2244, 2329, 2332, 2339, 2478, 2536, 2562, 2563, 2584, 2623, 2635 design recommendations, 2244 field tests, 1578 firing mechanisms, 2329 flight tests, 2339 internal ballistics, 2332 jet blast measurements, 2536 paratroop launcher, 2623 powder tests, 2478 spin-stabilized, 1447 spin-stabilized, 1447 T-6; 2471, 2563 UP, 1584 use with identification flares. 2562, 2584, 2635 3.5-in. aircraft rockets, 1269 1313, 1435, 1436, 1456, 1567, 1568, 1590, 1593-1595, 1648, 1772, 1859, 1906, 1963, 2002, 2013, 2032, 2051, 2054 development, 1313, 1456 forward-firing, 1269, 1593-1595 inspection procedure, 1648 inspection procedure, 1648 non-ricochet properties, 2002 sight setting, 1435, 1436, 1567, 1568, 1590, 1859, 1963 standardization, 1772, 1906 trajectory, 2013 underwater performance, 2032

2051, 2054 3.5-in. rockets, 1399, 1614, 1691 delay ejector units, 1399 gravity drop tables, 1614 manufacturing methods, 1691 Wark 1; 1691 "window", 1399 "window", 1399
3.5-in. spin-stabilized rockets, 1763, 1837, 1853,
1855, 1856, 1894, 1990,
1991, 2001
characteristics, 2001
components, 2001
deflection, 1991
field firing tests, 1990
orientation, 1991
3.25-in. motor, 2001 3.25-in. motor, 2001 yaw, 1991 1204 4.2-in. chemical mortars, 2-in. chemical mortars, 120 1206, 2136, 2150, 2205, 2207, 2261, 2310, 2311, 2327, 2450, 2453, 2454, 2487, 2527, 2568, 2598 ballistics, 2205 design, 1204, 2136, 2261 E37; 2450, 2453 fin tail attachment, 2327 for firing bombs. 2527 fin tail attachment, 2327 for firing bombs, 2527 high charges, 2598 M2; 1206, 2150, 2454 methods of obtaining rota-tion, 2207 pressure, 2311 range control, 1206, 2150, 2310, 2487 travel-time, 2311, 2598 variable length firing pins, 2487 4.2-in. mortars, 2419, 2634, 2635 extension of range, 2635 extension of range, 2003 modification of shell, 2419 4.2-in. recoilless chemical mortars, 1213, 1238, 218 2224, 2343, 2344, 2679, 2720 2184 2739 blast tests, 2224 design, 1213, 2184, 2343, 2679 ignition system, 2184
illustrations, 2344
manufacture, 1213
method of firing, 2184
Service board tests, 2184
stresscoat analysis, 1238
4.2-in. recoilless mortars, 2249, 2690, 2635, 2679, 2690
comparison with conventional mortar, 2249
driver rocket, 2435
interior ballistics, 2380
jet-accelerated, 2635
mount design, 2679, 2690
4.2-in. rockets, 2227, 2342, 2508, 2599
boattail pressure plates, 2227 2227 rocket drivers, 2342, 2508, 2509 4.5-in. barrage rocket launch-ers, 1354, 1356, 1357, 1404, 1406, 1409, 1658, 1685, 1793

forward firing, 1602 3A9 rocket projectiles field tests, 1578



CIT type 8; 1357
instruction manual, 1404,
1406, 1409, 1685
rail, 1354, 1356, 1658, 1685,
.5-in. barrage rockets, 1265,
1267, 1272, 1371, 1412,
1493, 1511, 1532, 1603,
1688, 1710, 1794, 1810,
1909, 2061
CIT type 3; 1658
comparison with 81-mm. mortar. 1367 CIT type 8; 1357 tar, 1367 comparison with 105-mm howitzer shell, 1371 design, 1603 dispersion, 1272 fragmentation, 1371 manuals, 1267, 1688, 1794, 2061 manufacture, 1533, 1710 manufacture, 1533, 1710
motor loading, 1412
performance data, 1265
standardization, 1810, 1909
trajectory, 1453, 1511
4.5-in. rocket motors, 1224,
1227-1234, 2232, 2289, 2609 alloy steel, 2609 low strength, 1224 multi-jet rail motor, 1227 Revere, 2289 step motors, 1228-1234 step motors, 1228-1234
4.5-in. rockets, 1207, 1236,
1754, 2183, 2213, 2218,
2225, 2229, 2244, 2245,
2247, 2279, 2313, 2325,
2336, 2346-2348, 2352,
2368, 2418, 2436, 2447,
2457, 2476, 2500, 2520,
2542-2544, 2548, 2558,
2560, 2575, 2635, 2690,
2735 2735 see also Budd rockets; Revere rockets sircraft, 2346, 2558, 2635 artillery, 2635 bayonet igniter, 2218 characteristics 2247 components, 2690 control valves, 2635 control valves, 2033 controlled temperature tests, 2352 design, 1236, 2244, 2735 dispersion, 2245, 2347 flight tests, 2336, 2457 high explosive, 2346, 2558, 2575 ignition delay, 2368 launchers, 2447, 2520, 2690 malalignment, 2245 mixed charge experiments, 2418 photographic measurements, 1754 plane-to-ground, 2635 plane-to-ship, 2635 powder tests, 2352, 2476, 2560 range data, 2436 rocket flares, 2635 rotating, 1207 specifications, 2500 spin-stabilized, 2183 static tests of powders,

2542-2544, 2548 web propellant, 2313 5.0-in. aircraft rockets, 1435 1436, 1567, 1568, 1590, 1594, 1595, 1715, 1809, 1859, 1907, 1963, 2013 forward firing, 1594, 1595, 1711a 1715 range, 1809 sight setting, 1425, 1436, 1567, 1568, 1590, 1859, 1963 standardization, 1907 trajectory, 2013 5.0-in. high-velocity aircraft .0-in. high-velocity aircraf rockets, 1294, 1415, 1491 1549, 1610, 1649, 1656, 1725, 1769, 1815, 1919, 2014, 2018 assembly instructions, 1294 dispersion, 1490, 1725 firing instructions, 1294 fuzes, 1610 inspection procedure, 1649 1920 inspection procedure, instruction manual, 1415 measurement of mechanical measurement of mechanical alignment, 1656 range, 1725 safety precautions, 1294 sighting data, 1769 spinner rockets, 1549, 1815 trajectory, 2014, 2018 5.0-in. rocket motors, 1376, 1449, 1895 computation of effective temperatures, 1376 1368 specifications for standard as wholy, 1895, 1896
24-lb. Pruciform charge, 1449 1449
5.0-in. spin-stabilized rockets, 1282, 1549, 1650, 1686, 1715, 1763, 1815, 1837, 1855, 1856, 1894, 1991, 2001, 2063 characteristics, 2001 components, 2001 deflectior, 1991 exterior ballistics, 1549 forward firing from aircraft, 1715 high-capacity rockets, 1282 high-capacity rockets, 1282, 2001 high-velocity rockets, 1549, 1815, 1991, 2001 inspection procedure, 1650 launcher, 1686, 2063 orientation, 1991 2036 rearward firing, 1549, 1815 yaw, 1991 5-in./38 caliber projectiles underwater performance, 2041 20338 5.0/1-in. high-capacity spinner rockets equilibrium yaw, 1967 stability factor, 1967 5.0/2-in. high-capacity spinner rockets, 1812, 1968 equilibrium yaw, 1968 range tables, 1812 stability factor, 1968

ballistic data, 1300a firing tables, 1586 high-capacity, 1586, 1651, inspection procedures, 1651 minimum clearance angle, 1711a 5.0/10-in. general purpose spin-stabilized rockets, 1375, 1715 aircraft rockets, 1715 drag and deceleration coefficients, 1375 forward firing, 1715 5.0/14-in. general purpose spin-stabilized rockets forward firing from air-craft, 1715 6-in. fast-sinking depth charges underwater performance, 2035 6-in. rockets, 1585, 1874, aircraft rocket, 1920 antisubmarine, 1585 mule, 1920 rocket motors, 1874 static firing tests, 1874 6-in. scatter bombs tests of design shapes, 1875 7-in. chemical warfare rockets comparison with 7.2-in., design and performance, 1368 7-in. underwater bombs performance characteristics, 1747a 7V7 vertical antisubmarine rockets standardization of motor, 1903a 7Vll vertical antisubmarine rockets, 1572, 1921, 2069 field standardization, 1572 underwater tests, 2069 water entry, 2069 7V12 rockets field standardization, 1573 7V13 vertical antisubmarine rockets, 1574, 2070 field standardization, 1574 underwater tests, 2070 water entry tests, 2070 7.2-in. fast-sinking depth charges tests with Mark 140 fuze, underwater performance, 2036 7.2-in. incendiary bombs fired from mortar, 2527 7.2-in. Mousetrap underwater characteristics, 7.2-in. rockets, 1237, 1368, 1405, 1571, 1235, 1862, 1908, 2017, 2046, 2244, 2634, 2749 antisubmarine, 1571 chemical warfare, 1368 demolition, 1862, 1908 design, recommendations, 2244 launchers, 1405, 2749 retro rockets, 1835 step motors, 1237, 2634



5.0/5-in. spinner rockets, 1300a, 1586, 1651, 1711a

されているというというできます。

SUBJECT INDEX

underwater performance tests, 2046 vertical aircraft rockets, 1835, 2017 8-in. rocket motors propellant, 1442 8-in. underwater bombs performance characteristics, 1747b 10-in. rockets, 1225, 2244 design recommendations, 2244 step motors, 1225 11.75-in. sircraft rockets, 1416, 1466, 1596-1598, 1679, 1922, 2015, 2033 forward firing, 1596, 1598 instruction manual, 1416 instruction manual, 1416
sighting tables, 1597
trajectory, 1466, 2015
underwater performance, 2033
use against caves, 1679
11.75-in. rocket motors,
1376, 1421, 1422, 1451,
1652, 2738
computation of effective
temperatures, 1376 temperatures, 1376
design, 1421, 1422, 1451
inspection procedure, 1652
instruction manual, 2738
12-in. armor-piercing bombs,
2528, 2588 2528, 2588
shear nozzle insert, 2528
temperature limits, 2588
12-in. jet-propelled armorpiercing bombs, 1223, 2283, 2308, 2408, 2439, 2552, 2687, 2690
design, 1223
fuze tests, 2283
mechanical arming propeller, 2687, 2690 2687, 2690 static firing tests, 2552 temperature limits, 2308 14-in. jet-propelled armorpiercing Lemos, 2349, 2359, 2389 drop tests, 2349 ground tests, 2359 jet acceleration tests, 2389 37-mm. guns tracer-controlled fire, 1861 tracer-controlled fixe, 1861 tio-mm recoilless mortars design, 1218, 2194 tio-mm mortars, 1205, 1367, 2505, 2509, 2634 comparison with 4.5-in. barrage rocket, 1367 recoilless, 1205, 2505 rocket driver, 2509 tio-mm rocket drivers, 2509 tio-mm rocket drivers, 139 tinstruction manual, 1739 tio-mm howitzers 105-mm howitzers comparison with 4.5-in. bar-rage rockets, 1371 fragmentation, 1371 115-mm aircraft rockets, 213; 2137, 2139, 2141, 2176, 2248

115-mm rockets, 1211, 2228 armor penetration, 2228 booster launcher, 2228 design, 1211 laboratory tests, 1211 manufacture, 1211 "A" charges, 2332 A-30 rocket powders static firing tests, 2555 A-31 rocket powders static tests, 2594 A-32 rocket powders static firing tests, 2542 A-34 rocket powders flight tests, 2337 A-35 rocket powders flight tests, 2337
A-60 rocket powders
static firing tests, 2543
A-61 rocket powders, 2418,
2544 mixed with SOW 14319 powder, 2418 static firing tests, 2544 A-68 rocket powders static firing tests, 2560 A-69 rocket powders static firing tests, 2560 A-77 rocket powders
absorption characteristics,
2706, 2708, 2709 AAR

see Antiaircraft rockets
ABL (Allegany Ballistics Laboratory), 2258, 2263,
2409, 2449, 2569
facilities, 2263
heating plant, 2569
index of weekly progress reports, 2258
photographic review of projects, 2449
summary of research, 2409
ABN-7A magnetic fuzes
firing on underwater targets, 1586a
high velocity water impact, high velocity water impact, 1586a Acceleration cameras, 1342 Accelerometers, 1526, 1720, 1864, 1867, 1989 crystal, 1989 electrolytic, 1526 step, 1720, 1864, 1867 Acctone diffusion coefficient, 2275 diffusion coefficient, 227'
effect on double-base powders, 1673, 2101, 2275
Acoustic ranges
Morris Dam, 1971, 1972
Aerial bombs
vertical, 1259a
AIR fuzes, 1260a, 1346, 1981
Mark 137; 1346
retro hombing, 1260a retro bombing, 1260a tests on fast-burning barrage rocket, 1981 vertical bombing, 1260a Airborne flame throwers, 1203, 2635, 2690 design, 1203 firing circuits, 2690

Aircraft, 1382, 1516, 1870, 2396, 2473, 2611 angle of attack tables, 1870 assisted take-off unit, 2473 2611 fighter planes, 1516 fireproofing fabrics, 2396 pitch measurements, 1382 pitch measurements, 1302 Aircraft bombs Japanese, 2230, 2384 Aircraft depth charges Mark 17; 2045 Aircraft flame throwers, 2635 Aircraft float lights Mark 5; 1470 Mark 5; 1470
Aircraft metric photography
rocket ballistics, 1241,
1577, 1902
Aircraft rocket launchers,
1242, 1435, 1657, 1994,
2423, 2690, 2691, 2704
2-shot vertical launcher, 2691 5-shot launcher, 2691 6-shot launcher, 2691 effective angle of attack, 1994 gravity drop tables, 1435 installation, 1657 Mark 4; 1435 Mark 5; 1435, 1657 multiple cartridge launcher, 2423 2423
true angle of attack, 1994
vertical, 2691, 2704
Aircraft rocket sights, 1242,
1343, 1344, 1567, 1568,
1590, 1646, 1847, 1859,
1870, 1976, 2030
CIT type 2; 1343
CIT type 3; 1344, 1646, 1976 2030 CIT type 4; 1847 sight settings, 1567, 1568, 1590, 1859 sighting tables, 1870 sighting tables, 1870
Aircraft rocket tests, 1242,
1263, 1308, 1437, 1468,
1523, 1548, 1609, 1618,
1784, 1800, 1847, 1850,
1955, 2011, 2243, 2290
angle of attack, 1308, 1437
drag characteristics, 1468
effect of blast on airplane effect of blast on airplane, 1523, 2290 exterior ballistics, 1548 firing tests, 1784, 1850, 2243 ilight tests, 1242 handling aboard carriers, 1618 sight settings, 1308, 1847, 1955 test facilities, 1800 training aids, 1263 trajectories, 2011 underwater behavior, 1609, 2071 Aircraft rockets, 1242, 1262, 1343, 1344, 1462, 1465, 1508, 1548, 1575, 1590, 1593, 1594, 1667, 1665, 1687, 1715, 1769, 1772, 1790, 1835, 1893, 1920, 1976, 1988, 2017, 2024,

2139

characteristics, 2176, 2248 design, 2137, 2176 motor, 2141 propellant charge, 2135,

SUBJECT INDEX

2071, 2120, 2131, 2195, 2290, 2346, 2558, 2575, 2635 2635
3-in., 1593
3A12; 1465, 1772
3.25-in., 1687
4.5-in., 2558, 2635
5.0/10-in., 1715
7.2-in., 1835, 2017 CIT rockets, 1343, 1344, 1976 CURATE, 2195 field standardization, 1575, 1835 fin-stabilized, 1462, 1508, 1548 general-purpose, 1715 high-explosive, 2346, 2558, 2575 high-velocity, 1769, 2131 launchers, 1242, 2120 mule, 1665, 1920, 1988 non-rotating, 1893 retro rockets, 1575 subcaliber, 1575, 1647, 2024 1575 2071 trajectory, 2017 vertical, 1575, 1835, 2017 2071 Aircraft rockets, 2.25-in. şeç 2.25-in. aircraft rockets Aircraft rockets, 3.5-in. see 3.5-in. aircraft rockets Aircraft rockets, 5.0-in. see 5.0-in. aircraft rockets; 5.0-in. high-veloc-ity aircraft rockets Aircraft rockets, 11.75-in. see 11.75-in. aircraft rockets Aircraft rockets, 115-mm see 115-mm aircraft rockets Aircraft rockets, forward-firing see Forward-firing aircraft rockets Aircraft torpedoes, 1200, 1239 1387, 1432, 1699, 1790, 1804, 1864 see also Mark 13 torpedoes determination of depth of dive, 1432 geometrical characteristics of nose types, 1387 Mark 13-6; 1760, 1804 pitch sencitivity, 1699 underwater travel, 1200 Allegany Ballistics Laboratory, 2258, 2263, 2409, 2449, 2569 facilities, 2263 heating plant, 2569 index of weekly progress re-ports, 2258 photographic review of projects, 2449 summary of research, 2409 Amplifier calibrators design, 2690 production, 2690 Aneroid calorimeters, 2721 Antiaircraft gun crews sec also Rocket targets scoring methods, 1953 training, 1616, 1848, 1953 Antiaircraft ranges Antiaircraft ranges
Mojave, 2081
Antiaircraft rockets, 1259,
1366, 1394, 1483, 1845,
1852, 1917, 1918
2-in., 1259, 1394, 1483, 1845 3-in., 1845, 1917, 1918 1800 ft/sec, 1483 accuracy, 1483 air drag tests, 1259 comparative trajectories, 1366 deceleration coefficient, 1394 Antipersonnel mines, 2188, 2189 clearance charge, 2188 mine-clearing snakes, 2189 mine-clearing snakes, 2189
Antisubmarine bomb testc, 1276
1290, 1395, 1454, 1460,
1511, 1515, 1633, 1972
barrage attacks, 1460
deceleration, 1633
dispersion, 1395, 1515 dispersion, impact, 1633 model tests, 1454 performance, 1276 recovery of target practice ammunition, 1290 test facilities, 1972 trajectory, 1511
Antisubmarine bombs, 1276,
1277, 1277a, 1301, 1337,
1371a, 1775 see also Hedgehog (antisubmarine bomb); Mousetrap (antisubmarine bomb) construction, 1276 design, 1276, 1337 1-in., 1775 propellants, 1277 range tests, 1371a retro bombs, 1301 static firing tests, 1371a Antisubmarine bombs, subcalisee Subcaliber antisubmarine bombs Antisubmarine bombs, vertical see Vertical antisubmarine bombs Antisubmarine projector charges, 1288, 1291, 13 1319, 1411, 1446, 1504, 1570, 1633, 1676, 1876, 1959, 1978, 2040 1318 see also Antisubmarine bombs; Mousetrap (antisubmarine bomb) ammunition loading, 1411 drag coefficient, 1288 Mark 1; 1633, 1876, 1959 Mark 2; 1978

Mark 10; 1318 Mark 11; 2040 propellant grain, 1446 rocket motors, 1504, 1676 subcaliber ammunition, 1291, 1319, 1570 terminal velocity, 1288 Antisubmarine rockets, 1278-1281, 1287, 1460, 1571, 1585, 1853 6-in., 1585 7.2-in., 1571 barrage rockets, 1460 design, 1278 field standardization, 1571 projector, 1279, 1280 unrotating, 1585 Antisubmarine rockets, subcalsee Subcaliber antisubmarine rockets Antisubmarine rockets, vertical see Retro rockets
Antisubmarine warfare, 1289,
1529, 1541, 1995
effectiveness of surface
craft, 1529, 1995
Antitank grenades, 1295
AP (armor-piercing) bombs,
2166, 2283, 2349, 2350,
2359, 2389, 2528, 2588
12-in., 2528, 2588
14-in., 2349, 2359, 2389
arming tests, 2350
ignition tests, 2350 <u>see</u> Retro rockets ignition tests, 2350 APR see Armor-piercing rockets Armor-piercing bombs, jet-propelled see Jet-propelled armorpiercing bombs; 12-in. jet propelled armorjet propelled armorpiercing bombs
Armorpiercing rockets, 1622, 1916, 2228, 2371
2-in., 1622, 1916
115-mm, 2228
design, 2371
specifications, 1622
A.R.T.A. (aircraft rocket training aid), 1263
Artillery rockets, 1200, 1286, 1457, 2563, 2635 Artillery rockets, 1457, 2563, 2635 design, 1200 flares, 2563, 2635 4.5-in., 2635 ignition, 1200, 1457 interior ballistics, 1200 propellants, 1200 see Antisubmarine see Antisubmarine bombs ASPC see Antisubmarine projector charges ATG (antitank grenade), 1295

"B" charges

2607

burning characteristics,

effect on burning of solventless Ballistite, 1482

CONFIDENTIAL

SUBJECT INDEX

B-100 powders absorption coefficient, 2378
Baby Buzz rocket motors, 1453
BAKA (Japanese Suicide Aircraft Bomb), 2230, 2384 burning characteristics, 223Ö Ball powders, 1977, 2286, 2597 burning characteristics, 2597 testing of cruciform grains, 1977 Western Cartridge, 2286 Ballistics, interior recommended symbols, 2627 theory, 2201
Ballistics, rocket
see Rocket ballistics Ballistics, underwater, 1758, 2022, 2031 Worris Dam testing station, photographic studies, 1758 Balliquite, 1333, 1364, 1442, 1459, 1499, 1566, 1702, 1765, 1825, 1885, 1891, 1898, 1998, 2098, 2099 cemented joints of columns, 1333 comparison of Kenvil and Radford products, 1364 diffusion of air, 1459 diplenylamine content, 1499 exudation of nitroglycerin, 1566 hexaform propellant grain, 1442 igniters, 1702, 1765 JP 214; 2098 JP 269; 2099 physical properties, 1885, 1891 resistance of grains to internal pressure, 1825 spontaneous decomposition of spontaneous decomposition of grain, 1898 Ballistite, burning character-istics, 1320, 1321, 1484, 1497, 1555, 1629, 1640, 1698, 1748, 1780, 1948, 1965, 1998, 2098 effect of coloring agents, 1484 effect of opaque grains, 1497 effect of storage, 1640 heats of explosion, 1698 ignition during confined pressing operations, 1629 partial burning tests, 1745, 1780 rate of burning, 1321, 2098 temperature of spontaneous ignition, 1965 thermodynamic properties, Ballistite, extruded, 1320, 1497, 1555, 1557, 1558, 1561, 1562, 1564, 1588, 1640, 1644, 1711, 1913, 1944, 1966, 1979, 2027, 2019

dyed with nigrosine, 1557 effect of tricresylphosphate, 1644 firing tests, 1588 inspection procedures, 1966 large tubelar grains, 1561 microscopic examination, 1711 multiweb grains, 1562 quality testing, 1979 solvent-extruded, 2619 solventless, 1558, 1564, 1944 static diring tests, 1913 Ballistite vertical press, 1913 12-in. vertical press, 2027 Ballistite sol entless, 1429, 1482, 1486, 1558, 1564, 1888, 1944, 1948 design of dies, 1429 effect of aluminum on burning properties, 1482 extrusion, 1558, 1564, 1944 factors affecting quality, 1486 method of evaluating quali-ty, 1944 preporties, 1888 uniformity of burning characteristics, 1948 Balloons use with tombs, 2631 Bangalore torpedous propelied by rockets, 2191 Bar strain gages measurement of thrust in rockets, 2222 Baronal filling for depth charge, 2044 Barrage rocket launchers, 1293, 1302, 1414, 1653, 1654 assembly, 1293 installation, 1293, 1653, 1654 instruction manual, 1414 Barrage rocket launchers, 4.5-in. see 4.5-in. barrage rocket launchers Barrage rockets, 1285, 1309-1312, 1332, 1427, 1460, 1604, 1611, 1613, 1654, 1790, 1837, 1852-1850, 1894, 1924, 1981, 1982, antisubmarine, 1460 beach barrage, 1837, 1852-1856, 1894, 1924 dispersion tests, 1310, 1611 1982 1982
fast-burning, 1427, 1981
fragmentation, 1311, 1694
gas malalignment, 1611
hit probability, 1285, 1460
parachute drop tests, 1312
short range, 1332
training of crews, 1309,
1654, 2010
use in landing operations, 1613 Barrage rockets, 4.5-in <u>see</u> 4.5-in. barrage rockets Bayonet igniters

assembly, 2218
Bazookas, 2154, 2575
adaptation of high-velocity rocket grenade, 2154 N-6; 2575 BBP rocket powders tests in grenades, 2477 BBR (beach barrage rockets), 1837, 1852-1856, 1894, 1924 BBRM (Bumblebee rocket motor) flight tests, 2122 Beacons NAE Mark 1; 2089 Bernouilli effect rocket trajectory,] Billet rolled cordite 1466 static firing tests, 2553
Black powders, 1500, 15^3,
2223, 2235, 26u7
ourning rate, 2235
effect of relative humidity, 1500 flame temperature, 2667 igniters, 1503 manual, 2223 Bomb fuzes
radio, 2283
Bomb launchers, 1210, 1795,
1923, 1975a, 2026, 2174,
2424, 2425, 2452, 2522
antisubmarine, 1975a chemical warfare, 1923, 2026 multiple cartridge, 1210, 2174, 2424, 2425 powder-powered cable launcher, 2452
scale model, 2522
Bomb launchers, JB-2
see JB-2 bomb launchers Bomb tests, 1303, 1478, 1579, 1714, 1737, 2341, 2631, 2721 see also Vertical borbing dynamic stability, 1478 fly-screen barrage bombing, 2343 heats of explosion, 2721 patrol bombing, 1579 suspended from balloons, 2631 underwater test facilities, 1737 1737
water entry, 1303, 1714
Bombs, 1259a, 1301, 1478, 1680
1739, 1747a, 1747b, 18321834, 1875, 1933, 2075,
2083, 2174, 2192, 2241,
2283, 2308, 2349, 2371,
2376, 2384, 2399, 2408,
2425, 2450, 2452, 2525,
2530, 2608, 2687
7-in, 1747a 2530, 2608, 2 7-in., 1747a E-in., 1747b aircraft, 1259a, aircraft, 1259a, 2384 biblicgraphy, 2524 cable bombs, 2192, 2452 demolition bombs, 2192, 2530 electric burning rate bombs, 2376 folding fins, 2608 fuzes, 2283, 2408 ignition, 2408 incendiary-evaluation bombs,

2619

burning characteristics, 1320, 1497, 1555, 1640



2192 jet-propelled, 2308, 2408, 2530, 2687 retro bombs, 1301, 1680, 1832-1834 scatter bombs, 1875 V-1; 2241, 2399, 2425 vertical flare, 1739, 1933, 2075, 2083 Bombs, antisubmarine see Antisubmarine bombs; Hedgelog (antisubmarine bomb); Mousetrap (anti-submarine bomb) Bombs, armor-piercing see AP (armor-piercing) bombs; Jet-propelled armor-piercing bombs; 12-in. jet-propelled armorpiercing bombs Bombs, chemical warfare see Chemical warfare bombs Booster rocket launchers, 2120 2228 firing tests, 2228 Bourdon gages, 1271, 1748, 2571 effect on performance of static firing equipment, 1748 magnitude of error, 2571 see Barrage rockets British cordite see Cordite British powders burning characteristics, 2465 British rockets, 1599, 1768, 1845, 2576 3-in. UP, 1845 3.25-in. rocket motor, 1768 forward-firing aircraft rockets, 1599
summary, 2576
British type "C" projectiles,
1316, 1736, 1872, 2037, 2056 depth-time data, 1316 forward travel, 1872 2 scale model tests, sinking velocity, 1872 underwater trajectory, 1316, 2037, 2056
Budd rockets, 2229, 2232, 2272
2279, 2325, 2337, 2345, 2362-2365, 2407, 2458, 2470, 2545, 2551, 2554, 2557, 2561, 2586, 2590, 2591, 2594-2596, 2601
burning characteristics, 2322, 2554
dispersion. 2232, 2279, 2345
effect of spin, 2345
experiments with Formex
Plastic, 2596 underwater trajectory, 1316, Plastic, 2596 fins, 2591, 2596 firing tests, 2458, 2545, 2551 flight tests, 2229, 2337 gas escape, 2596 high pressure tests, 2362-2364

high-velocity, 2591, 2601 long burster tubes, 2595 1.75-in. throats, 2595 parting characteristics of motor, 2590 motor, 2590 powder tests, 2272, 2470, 2561, 2594 production facilities, 2586 technical development. 2586 temperature tests, 2325, temperature tests, 2365, 2407 "Bumblebee" rockets flight tests, 2122 Butyl rubber applications, 2504 properties, 2504 Buzz rocket motors Buzz rocket motors propellant charge characteristics, 1453 Cable bombs launching, 2192, 2452 Cage-mounted rocket propellants igniter, 1452 Calibrators amplifier, 2690 California Institute of Tech-nology, 1249, 1343, 1344, 1348, 1351, 1355-1357, 1580, 1602, 1637, 1646, 1847, 1892, 1952, 1954, 1976, 2020, 2030 filing and indexing system, Foothill Came? Plant Section, 2020 index to progress reports, 1637 news letters, 1348 rocket launchers, 1249, 1355-1357 1355-1357
rocket sights, 1343, 1344,
1646, 1847, 1976, 2030
rockets, 1351, 1602
Section V, 1954
style manual, 1952
torpedo faunching range, 1892 Calorimeters, aneroid, 2721
Cameras, 1297, 1342, 1345,
1352, 1382, 1439, 1715,
1722, 1740, 1880, 1902,
2690, 2697, 2701
acceleration camera, 1342 CIT camera, 1345 movie, 1382 neon tube, 1722 projectile acceleration measurement, 1345 projectile velocity measure-ment, 1345 ribbon frame, 2690, 2697, 2701 rotating mirror, 1297, 1352 torpedo, 1740, 1902 yaw cameras, 1439, 1715, 1880 Canadian research, 2038, 2374, 2539 hedgehog, 2038

Carbon black, 1334, 2644 effect on absorption power of powders, 2644 rocket propeliants, 1334 Carbon-cooled powders burning rates, 2236 Carbon strain gages heating effects, 1829 output voltages, 1829 output voltages, 1829
Catapult rocket launchers,
1937, 2174
use of smokeless powder, 2174 Cellulose acetate, 1450, 1814, 2504 inspection procedures, 2504 powder wrapping procedures, 2504 properties, 2504 rate of diffusion of nitroglycerin, 1814 restrictive coatings restrictive coatings, 2504 rocket igniters, 1450 Central venturi rockets, 2464 Chemical warfare bombs, 1261, 1338, 1511, 1837, 1845, 1852-1856, 1894, 1903b, 1923, 1932, 2026 air resistance, 1261 design, 1338 projectors, 1923, 2026 standardization of motor, 1903b trajectory, 1511 Chemical warfare grenades, 1340, 1391, 1491, 1505, 1606, 1645, 1845, 1052-1854, 1925, 1997, 2612 deflection, 1491, 1997 design, 1340, 1925 effect of temperature, free flight trajectories, 1606 performance, 1925 powder traps, 2612 trajectory calculations, 1645 yaw, 1491
Chemical warfare mortars
see 4.2-in. chemical mortars; 4.2-in. recoilless chemical mortars Chemical warfare rockets, 12 1368, 1426, 1461, 1770, 1904 7-in., 1368 7.2-in., 1368 accuracy, 1254 design and performance, 1368 dispersion, 1461 high temperature limit, 1461 propellant grain design, 1426 standardization, 1770, 1904 China Lake Pilot Plant, 1419, 2019 facilities, 1419 powders, 2093, 2095, 2100 2102 Chromatographic studies of double-base, 2095, 2100, 2102

Radford powders, 2093

propellant powders, 2374,

でなるなどとなっているとのできない。

SUBJECT INDEX

1903b

see California Institute of Technology Closed-breech rocket launchers ballistic data, 1359 Coatings, restrictive, 2433, 2504 Coil spring decelerometers, 1362 1362
Colloidal rocket propellants,
1200, 2645, 2669
burning characteristics,
2645, 2869
development, 1200
Composite rocket propellants,
1773, 2119, 2135, 2339,
2644, 2649, 2656
ballistics, 2119 burning characteristics, burning characteristics,
2644, 2649, 2656
CP218B, 1773, 2339
design, 2135
extruded, 2119
flight tests, 2339
high performance, 2135
rocket design, 2119
Compressed air launching
tubes, 1323
Compression molded powders
Western Cartridge, 2636 Western Cartridge, 2636 Condenser fuzes, electric, 2742 Copp ball decelerometers, Copper ball gages, 2351, 2572, 2620 2620
effect of grease, 2351
magnitude of error, 2572
Copper balls, 2255, 2690, 2695
annealing, 2255, 2690
calibrating, 2255, 2690
copper tarage balls, 2690
design, 2690
oxygen-free high-conductivity balls, 2695 oxygen-free high-conductive ty balls, 2695
Cordite, 1554, 1556, 2096, 2099, 2106, 2250, 2273, 2315, 2465, 2553, 2645 absorption coefficient, 2106 absorption coefficient, 2106
billet rolled, 2553
burning characteristics,
1554, 1556, 2099, 2465
composition, 2250
extrusion, 1554, 1556, 2315
gas generator, 2273
JP39; 2096, 2106
JP76; 2099, 2645
CP218B rocket propellants
ballistics, 1773, 2339,
2478 2478 2478
Crystal accelerometers
Westinghouse, 1989
CURATE (rocket)
Sec also VICAR (rocket)
design, 2195
performance, 2195
CWB (chemical warfare bombs),
1261, 1338, 1511, 1837,
1845, 1852-1856, 1894,
1903b, 1923, 1932, 2026
air resistance, 1261
design, 1338 design, 1338 projectors, 1923, 2026 standardization of motor,

trajectory, 1511 see Chemical warfare gresee Chemical warfare rockets DC/AC converters for gages, 2306 Decelerometers, 1362, 1384, 1398, 1467, 1474, 1635, 1701, 1719, 1721, 1817, 1858 calibration, 1474 construction, 1474 copper ball, 1384 copper ball, DeForest, 1398
dcuble diaphragm, 1467
drop table, 1474 impact, 1635
mercury, 1701
multi-unit indentor, 1719 multi-unit indentor, 1719
operation, 1474
recording step, 1817
rotary disk, 1858
scratch gage, 1398
spring, 1362, 1721
DeForest decelerometers, 1398
Demolition bombs, 2192, 2530
fligh' test, 2530
jet-propelled, 2530
rocket projection, 2192
Devolition rockets, 1837, 1853
1855, 1856, 1862, 1894,
1808 1853 1908 instruction manual, 1862 7.2-in., 1862, 1908 standardization, 1908 Depth and roll recorders, 1432 2007 2007
Depth charge pistols
Mark 6; 1583a
Depth charges, 1692, 20342036, 2039, 2044, 2045,
2048, 2049, 2456
aircraft, 2045
baronal filling, 2044
fast-sinking, 2035, 2036
Mark 6: 2046 Mark 6; 2049 Mark 9; 2044, 2049 Mark 12; 1692, 2035, 2039 Mark 15; 2034 projector, 2456 underwater tests, 2048, 2049 Detonating caps torpedoes, 1328 Detonating-cord cables rocket thrust unit, 2188 Diaphragm decelerometers, 1467 Dibutylphthalate use in welding, 2610 Diethylphthalate chromatographic-spectropho-tometric determination, 2493 method of determining in powders, 2493 DINA powders, 2314, 2461 extrusion, 2314 impact testing, 2314 tests in rocket grenade,

2461 Dinatrotoluene burning characteristics, 1554, 1556 extrusion, 1554, 1556 Diphenylamine in rocket propellants pellants
effect of processing operations, 1499
Division 3; 2727, 2736, 2740
annotated bibliography, 2727
catalog of 16-mm films, 2736
contractors, 2740 Double-base propellants, 120 1243, 1334, 1374, 1386, 1495, 1521, 1551, 1605, 1634, 1670, 1673, 1746, 1200. 1823, 1830, 1882 2093, 2095, 2100 1759, 1887, 2105-2107, 2127 2281, 2284, 229 2103, 2281, 2275, 2297, 2296 2305, 2316, 2317 2322, 2334, 2337 2321, , 2616 2375, 2414, 2493, 2616 2644, 2653, 2708, 2716 2725 A-34; 2337 A-35; 2337 absorption, 2708, 2716 ballistics, 1605 carbon black, 1334, 2644 characteristics, 1334, 1374, 1634, 1830 chromatographic studies, 2095, 2100, 2102 containing acetone, 2101, 2275 containing para-aminophenol, 2616 cordite JP 39; 2106 corrosive effect on metals, 1386 detection of imperfections, 2725 determination of absorption coefficient, 2106 determination of diethyl-phthalate, 2493 dispersion in acetone-water mixtures, 1673 effect of coloring agents, 1521 effect of radiation, 1882 electron microscopic exami-nation, 2305 fissuring, 2334, 2644 Hercules HES-4138.1; 2106 infra-red emission, 2716 manufacture, 1746, 1759, 2414 measurements of pH, 2105 nickel-catalyzed, 1670 nigrosine, 1334 nitrocellulose, 1495, 2653 physical projecties, 1887 processing, 1830 Radford ballistite, 2106 smokeless, 2107 specific impulse, 2127 spectrophotometric studies, 2095, 2103 stabilizers, 1551 use in jet-programed devices, 1823 . 31

SUBJECT INDEX

x-ray diffraction studies, 2093, 2095, 2102 Double-base propellants, burn puble-base propellants, burning characteristics, 1521 1553, 2101, 2123, 2146, 2149, 2234, 2296, 2297, 2353, 2535, 2616, 2644, 2657, 2659, 2669, 2665, 2705, 2714, 2722, 2724 burning rate measurements, 2234, 2660 effect of atmosphere, 2660 effect of composition, 2535 effect of composition, effect of coolents, 2644 effect of orientation, 2101 effect of pressure, 2123, 2146, 2295, 2297, 2535, 2660 effect of temperature, 2123, 2146, £296, 2297, 2535, 2660 erosive burning, 2149 flame spectra, 2660, 2644 ignition, 2657, 2659 jet propulsion motors, 271 reaction products, 2660 2714 reaction products, 2000 summary of literature, 2665 theory of burning, 2724 variations with direction of burning, 2660 Double-base propellants, extruded see Extruded double-base propellants Double-base propellants, solvent see Solvent double-base powders Double-base propellants, solventless see Solventless double-base powders Drop table decelerometers, 1474 DUKW rocket launchers, 1477, 1587 firing tests, 1587 San Diego tests, 1477 El6R1 flame throwers design, 2175 E34R1 chemical mortars see 4.2-in. recoilless chemical morters E37 chemical mortars, 2450, 2453 2453
description, 2453
photographs, 2450
Eaton Crayon Pilot Plant, 1255
1418, 1545, 2019
production facilities, 1545
research facilities, 1418 technical supervisors, 1255
Effective Rocket Temperature
Indicator, 1519
Electric burning rate bombs wire insulation, 2376
Electric condenser fuzes
tests, 2742
Electric squibs performance tests after storage, 1751 Electric torpedoes, 2007

Electrified nets, 1441 Electrolytic integrating accelerometers, 1526 Electromagnetic fuzes, 2179, 2304, 2681, 2690 design, 2304, 2681, 2690 point-initiating base-detonating, 2179 Electron microscopy double-base powders, 2305 Electronic DC/AC converters application to gages, 2306 Electronic pressure gages magnitude of error, 2573 ERTI (Effective Rocket Temperature Indicator), 1519 Ethyl centralite effect on rocket extrusion, 1551 effect on rocket propel-lants, 1521, 1551 Explosives safety regulations, 1546a, 1547 Extruded Ballistite <u>see</u> Ballistite, extruded
Extruded double-base propellants, 1243, 1551, 1607,
1624, 1638a, 1779, 2284,
2316, 2317, 2322
burning characteristics, 1638a dry extrusion, 1243, 2284, 2316, 2317 effect of additive agents, 1638a effect of ethyl centralite, 1551 extrusion pressure, 2322 requirements, 2322 solventloss extrusion, 1607, 1624, 1779 Extruded powders see Powders, extrusion

F-46 torpedo cameras
rocket ballistics, 1902
Fast-burning barrage rockets,
1427, 1981
tests with AIR fuze, 1981
Fast-sinking depth charges,
2035, 2036
6-in., 2035
7.2-in., 2036
Fiberglas
use in rocket motors, 2164
Fighter planes
effective angle of attack,
1516
Fin-stabilized rockets, 1240,
1370, 1388, 1462, 1463,
1508, 1548, 1661, 2186
aircraft, 1462, 1508, 1.8
ballistics, 1240, 1548, 1661
comparison with spin-stabilized, 1370
dispersion, 1462, 1463, 2186
forward-firing, 1462, 1508
trajectory curves, 1388
Firing ranges, static
components, 2200

"Fishtail" rocket launchers performance, 1749 Flame throwers, 1203, 1212, 1222, 2138, 2175, 2181, 2221, 2268, 2273, 2274, 2503, 2635, 2690 airborne, 1203, 2635, 2690 automatic control firing system, 2221 E16R1; 2175
gas generators, 2138, 2273
M2-A2; 2138, 2273, 2274
one-shot, 2175, 2268, 2503
powder-pressurized, 1212,
2175, 2181, 2273
rocket, 2635
tankborne, 1222, 2635, 2690
Flameproof lacquors, 2638
Flares, 1445, 1739, 1933, 2075, 2083, 2331, 2390, 2475, 2562, 2563, 2584, 2635
artillery, 2563, 2635
design, 2390
identification, 2562, 2584, 2635 E16R1; 2175 2075 2635 IF-3; 2584 jet-propelled, 2331, 2390, 2475 parachute flares, 2331, 2390 photoflares, 1445 vertical flare bombs, 1739, 1933, 2075, 2003 Flares, rocket see Rocket flares Float lights, 1470, 1852-1854, 1856 1837, aircraft, 1470 Mark 5; 1470 vertical, 1837, 1852-1854, 1856 Follow-through projectiles, 2154, 2491 recoilless gun, 2491 rocket grenades, 2154 Formex Plastic experiments in rockets, 2596 experiments in rockets, 259 Forward-firing aircraft rockets, 1252, 1269, 1307, 1322, 1331, 1462, 1479, 1502, 1508, 1592-1596, 1598, 1599, 1601, 1602, 1708, 1715, 1757, 1762, 1893, 1993 2.25-in., 1: 3-in., 1593 2.25-in., 1595
3-in., 1593
3A, 1602
3.5-in., 1269, 1593-1595
5.0-in., 1594, 1595, 1715
5.0/10-in., 1715
11.75-in., 1596, 1598
abstracts, 1252
bibliography, 1307
British, 1599
catalog, 1331
determination of performance, 1757
fin-stabilized, 1462, 1508
non-rotating, 1893 1595 1462, 1508 non-rotating, 1893 photography, 1757 sight settings, 1479, 1708 spin-stabilized, 1322, 1762

SUBJECT INDEX

trajectories, 1502, 1708, UP3; 1602 Forward-firing aircraft rockets, dispersion, 1266, 1462, 1465, 1508, 1600, 1893 ammunition dispersion, 1266 causes, 1893 effect of tipoff, 1508 inherent dispersion, 1600 inherent dispersion, 1600
malalignment, 1462
theory, 1465
Foxboro depth and roll recorders, 1432
Fuzes, 1247, 1285a, 1336; 1346
1586a, 1631a, 1713, 1790,
1837, 1852-1656, 1873,
1679, 1894, 1981, 1981b,
1983, 1984, 1986, 2092,
2179, 2283, 2304, 2681,
2690, 2742
AIR. 1260a, 1346, 1981 AIR, 1260a, 1346, 1981 bomb fuzes, 2283 electric condenser fuze, 2742 electromagnetic, 2179, 2304, 2681, 2690
HHR, 1346, 1587a
hydront tic praing and firing, 1346
HR, 1346, 1631a
Jiggle switch, 1981b JIKE WITCH, 1981b magnetic, 1586a Mark 31; 1285a, 1984 PIR, 1336, 1713 projectile water entr, projectile water entr, tests, 1247 SIR, 1346, 1873, 1983, 1986 time fuzes, 1879 XMTF, 2092 Fuzes, HIR see HIR fuzes Fuzes, rocket see Rocket fuzes G-2 powders, 2162, 2238, 2377, 2711 absorption coefficient, 2377 burning rates, 2238
mass emissivity, 2711
rate vs pressure curves, 2162 G-6e powders burning tests, 2501 G-11 powders rate vs pressure curves, 2162 G-22 (JPN) powders extrusion, 2251
G-47 powders, 2330, 2463
firing tests in Kleinschmidt
chamber, 2330
restricted grains, 2463 G-73 powders absorption coefficient, 2378 Gages, 1271, 1748, 2222, 2306, 2351, 2357, 2422, 2429, 2564, 2571-2573, 2620 Bourdon, 1271, 1748, 2571 copper ball, 2351, 2572, 2620 DC/AC converters, 2306 pressure, 2564, 2571-2573,

rocket thrust measurements, 2222, 2357, 2422, 2429 Gages, strain
see Strain gages
Galcit propollants
launching tests, 2007 Gas analysis dry absorbents, 1703
Gas generators, 2138, 2156,
2181, 2273, 2274
design, 2138
powder-operated, 2138, 2181, powder-operator, 2273, 2274 turbine, 2156 use with flame throwers, 2138, 2181, 2273 Gas velocity derivations of formulas, 2737 GASR (general-purpose aircraft spin-stabilized rockets), 1715 General Motors DUKW projectors firing tests, 1587 General-purpose spinner rockets 5.0/10-in., 1375, 1715 5.0/14-in., 1715 5.0/14-in., 17 aircraft, 1715 Generators see Gas generators German research, 1671, 1824a, 2099, 2358 guided missile launchers, 2358 jet-assisted take-off units, 2358 recket motors, 1671 rocket torpedo propellants, 2099 Tolid propellants for rock-ts, 1824a GM (Cameral Motors) DUKW pro-'ectors fix ug tests, 1587 Goldr no Field Testing Sta-turn, 2021 GPSR (general-purpose spinner rockets)
5.0/10-in., 1375, 1715
5.0/14-in., 1715
aircraft, 1715 Cravity drop tables, 1435, 1614 Grenades, 1295, 1853, 2372 antitank, 1295 rifle grenade, 2372 Grenades, chemical warfare see Chemical warfare grenades Grenades, rocket
see Rocket grenades; Superbazooka rockets Ground-fired rockets, 1510, 1855 spin-stabilized, 1510 wind effects, 1510 Guided missile launchers German solid fuel units, 2358 Gun crews, antiaircraft, 1616, 1848, 1953 , see also Rocket targets scoring methods, 1953 training, 1616, 1848

Guns, 1861, 2058, 2303, 2565 comparison of efficiency with rockets, 2303 mechanism of ignition, 2565 37-mm., 1861 universal sighting, 2058 Guns, recoilless see Recoilless guns Gyros, torpedo, 1379, 1743 Gyroscopic orientation recorders, 1617 H-3 rocket powders, 1231, 1234 H-5 powders composition, 2212, 2420 HCSR see High-capacity spinner rockets
Hedgehog (antisubmarine bomb), 1318, 1845, 2038, 2042, 2043, 2053 Mark 6; 2042, 2043 Mark 8; 2042 mustard plaster, 2038 underwater performance, 1318 2043, 2053 Hercules powders, 2106, 2108, 2372, 2587, 2604, 2606, 2613 absorption coefficient afterburning tests, 2587 burning characteristics, 2604 comparison with JPT powdors, 2606, 2613 containing potassium ni-trate, 2613 firing tests, 2372 HES 4104.3; 2604 HES 4135.1; 2108 HES 4138.1; 2106, 2108 HES 4139.1; 2108 molecular orientation, 2108 smokeless, 2108 solventless sheet powders, 2610 temperature tests, 2587 welding techniques, 2610 HHR fuzes, 1346, 1587a High-altitude rockets, 1926. 2208 construction, 2208 construction, 2205
High-capacity spinner rockets,
1282, 1586, 1651, 1711a,
1812, 1967, 1968, 2001
5.0-in., 1282, 2001
5.0/1-in., 1967
5.0/2-in., 1812, 1968
5.0/5-in., 1586, 1651, 1711a characteristics, 2001 components, 2001 trajectory, 1282 High-explosive aircraft rockets, 2154, 2346, 2558, 2575 applications, 2346 bazooka, 2154, 2575 construction, 2346 4.5-in., 2346, 2558, 2575 performance, 2346 High-performance rockets, 1208 1834a, 1883, 2135 design, 1208, 1834a, 1883 propellants, 2135



High-velocity rocket grenades see Superbazooka rockets High-velocity rockets, 1549, 1610, 1623, 1769, 1815, 1837, 1852-1856, 1894, 1991, 2001, 2131, 2195, 2366, 2426, 2451, 2591, 2601 aircraft, 1610, 1769, 2131, 2451 Budd 4.5-in. rocket, 2591, 2601 CURATE, 2195 fuzes, 1610 non-slotted fins, 2601 propelled by thin web pow-der, 2426 short burning time, 2366 sighting data, 1769 spinner rockets, 1549, 1815, 1991, 2001 VICAR, 2131 High-velocity rockets, 5.0-in.

see 5.0-in. high-velocity
aircraft rockets

HIR fuzes, 1335, 1346, 1696,
1766, 1927, 2029, 2036, 2039 characteristics, 1335 HIR-2; 1927 Mark III, 1766, 2029 Mark 135; 1346 Mark 140 (HIR 3), 1246, 1696 2036, 2039 Horn rocket fuzes water impact tests, 1625 Hoses, mine-clearing, 2165 Howitzers 105-mm., 1371
HVAR (high-velocity aircraft rockets), 1769, 2131
see also 5.0-in. high-velocity aircraft rockets ity aircraft rockets

HVRG (high-velocity rocket
grenade), 1221, 1235,
2154, 2206, 2580, 2635

adaptation to bazooka, 2154
T-59; 1221, 1235, 2206, 2580

HVSR (high-velocity spinner
rocket), 1549, 1815, 1991
2001 Hydrodynamics Station, Morris Dam, 2022 Hydrophone-sigual amplifiers torpedo water-entry signal, 1626 Hydropressure plugs use in water impact studies, 2065 Hydrostatic-arming fuzes, 1346 see also HIR fuzes Hydrostatic-firing fuzes, 1346

Identification flares
IF-3; 2584
3.25-in., 2562, 2584, 2635
IF-3 (identification flare)
performance, 2584
tactical use, 2584
Igniters, 1503, 1702, 1765,
2204, 2218, 2369, 2474,
2521
Ballistite, 1702, 1765
bayonet, 2218
black powder, 1503

igniter mixtures, 2: metal-oxidant, 1702 2369 rocket grenades, 2204, 2 safety-match type, 2521 2474 squir boosters, 1503 Igniters, rocket
see Rocket igniters
IHR fuzes, 1346, 1631a
water impact tests, 1631a Impact decelerometers, 1635 Impact-firing rocket fuzes, 1346, 1873, 1983, 1986 Incendiary bombs 7.2-in., 2527 Incendiary-evaluation bombs rocket projection, 2192 Incendiary rocket grenades standardization, 1771 Induction heating steel, 1202
Infantry officers
training, 2265
Integrating accelerometers, electrolytic, 1526 Interior ballistics, 2201, 2627 recommended symbols, 2627 theory, 2201 IRG (incendiary rocket grenade) standardization, 1771

Japanese research, 1299, 1300, 2230, 2384 BAKA (Suicide Aircraft Bomb), 2230, 2384
rocket propellants, 1299,
1300, 2230

JATO (jet-assisted take-off) units, 2293, 2298, 2358, 2386 German solid fuel units, 2358 nozzle design, 2293 performance, 2293, 2298 powder tests, 2380 JB-2 bomb launchers, 1210, 2174, 2424, 2452, 2522 multiple cartridge, 1210, 2174, 2424 2174, 2424
powder-powered, 2452
scale model, 2522
Jet-propelled armor-piercing
bombs, 2166, 2283, 2308,
2349, 2350, 2359, 2388,
2389, 2439
design, 2166
14-in., 2349, 2359, 2389
mechanical fuze, 2166
powder traps, 2166
production model drawings. production model drawings, 2439 temperature limits, 2166 Jet-propelled armor-piercing bombs, 12-in.

bombs, 2308, 2408, 2530, 2687 2687
chemical projectiles, 2387
design, 2437
equipment for static firing
tests, 1532
flares, 2331, 2475
flight tests, 2393
heat transfer to nozzles,
1620
ptermal hellistics, 1663 1620
internal ballistics, 1663
jet-assisted take-off units,
2293, 2298, 2358, 2386
kinetic energy, 2299
mortar shells, 2635
performance, 2437
powders, 1823, 2281, 2386,
2643 rocket flares, 2340 rocket liares, 2390
torpedoes, 2007
Jet propulsion tube powders,
2291, 2549, 2570, 2605,
2606, 2613, 2615
burning characteristics, 2291, 2570, 2615 comparison with HES powders, 2606, 2613 comparison with Radford powcomparison with Radford poders, 2615
containing potassium nitrate, 2613
7/8-in. stick powder, 2605
static firing tests, 2549
Jet torpedoes, 2007
Jiggle switch fuzes 2605 required impact velocity, 1981b JP-39 powders, 2096, 2106 absorption coefficient, 2106 absorption measurements, 2096 2096
JP-76 rocket propellants
burning characteristics,
2099, 2645
JP-214 Ballistite
burning rate, 2098
JP-265 rocket powders static firing tests, 2547 JP-269 Ballistite burning characteristics, 2099 JPH propellants, 1476, 1669 ballistic performance, 1476 drying characteristics, 1476 effect of water, 1476 physical characteristics, 1476 JPN propellants, 1476, 1487, 2251 ballistic performance, 1476 consolidation, 1487 drying characteristics, 1476 effect of water, 1476 extrusion, 1487, 2251 physical characteristics, 1476 JPT powders see Jet propulsion tube powders JRP-2 (Japanese propellant) burning characteristics, 2230 Jumping-jack powder testers, 2395

2408, 2437, 2475, 2635, 2643, 2687

see 12-in. jet-propelled armor-piercing bombs

Jet-propelled projectiles, 1532, 1620, 1663, 1823, 2007, 2281, 2293, 2298, 2299, 2308, 2331, 2358, 2386, 2387, 2390, 2393,

Jungle warfare

rocket launchers, 2698

Kellogg files

SUBJECT INDEX

filing and indexing system, 1581 Kenvil Ballistite comparison with Radford product, 1364 Lacquers, flameproof, 2638 Laminated charges burning rates, 2237 Launchers stresses, 1937 Launchers, bomb, 1210, 1680, 1795, 1923, 1975a, 2026, 2174, 2424, 2475, 2452, 2522 see also JB-2 bomb launchers antisubmarine, 1975a
chemical warfare, 1929, 2026
multiple cartridge, 1210,
2174, 2424, 2425
powder-powered cable launcher, 2452
retro-bombing, 1680
scale model, 2522
Launchers, depth charge, 2456
Launchers, guided missile, 2358 Launchers, paratroop, 2623 Launchers, rocket see Aircraft rocket launchers; Barrage rocket launchers; 4.5-in. bar-rage rocket launchers; Rocket launchers
Launchers, torpedo
see Torpedo launching Launching tubes, compressed air, 1323 Line charges Line charges
rocket projection, 2190
Liquid rocket propellants,
1834a, 2208, 2254
acid-type oxidizer, 1834a
construction, 2208
gasoline-liquid oxygen combination, 1834a
high-performance motor designs, 1834a signs, 1834a jet motor characteristics, 1834a long duration type, 1834a mono-propellants, 1834a nitroparaffins combined with oxidizers, 1834a propellant feed systems, 1834a

burning distance, 2403 projectors, 2403 M-1 mine-clearing snakes rocket motor, 2513 M2 chemical mortars extension of range, 1206, 2150, 2454 M2-A2 flame throwers gas generators, 2138, 2273, 2274

short duration type, 1834a Long-range mortars, 2635 Long-range rockets, 1381, 2208 2401

construction, 2208 design, 2401 Low-velocity projectiles M-6 rockets, 2575, 2578 igniters, 2578 instantaneous maximum chamber pressure, 2575 M6A3 rocket grenades ignition, 2404, 2578 M8 Revere rockets strengthened trap bead, 2592 Magnesium use in rockets, 2052, 2173 Magnetic fuzes ABN-7A, 1586a Mallina rocket projectors firing tests, 2593 Manganese dioxide Manganese dioxide
rocket propellants, 2720
Mark 1 ASPC projectiles, 1633,
1876, 1959
deceleration, 1633, 1876
impact, 1633, 1876
underwater performance, 1959 Mark 1 NAE beacons water entry tests, 2089 Mark 1 rockets (3.5-in.)
manufacturing methods, 1691 Mark 2 ASPC propellant grains quality testing, 1978 Mark 2 subcaliber retro rockets underwater performance tests, 1317
Wark III HIR rocket fuzes,
1766, 2029
Wark 3 rocket targets manufacturing and inspec-tion, 1690 Mark 3 rockets field standardization, 1570 Nark 4 aircraft rocket launchers gravity drop tables, 1435 Wark 4 vertical flare bombs instruction manual, 1739
Mark 5 aircraft float lights
drawings, 1470
Mark 5 rockets, 1426, 1435,
1657 launchers, 1435, 1657
motor, 1426
Mark 6 depth charge vistols
firing depth tests, 1583a
Mark 6 depth charges
underwater performance, 2049
Mark 6 "hedgehog" projectiles
underwater performance, 2042
2043 2043 Mark 6 propellant grains partial burning, 1947 Mark 7 propellant grains partial burning, 1947 Mark 7 rocket launchers instruction manual, 1409 Wark 7 rocket motors, 1691, 1992 effective temperature, 1992 manufacturing methods, 1691 Mark 8 hedgehog underwater performance, 2042 Mark 8 propellant grains partial burning, 1947

water entry tests, 169la Mark 10 ASPC underwater performance, 1318 Mark 11 ASPC underwater performance, 2040
Mark 12 depth charges, 1692,
2035, 2039
dispersion, 1692
methods of improvement, 1692 tests with Mark 140 fuze, 2039 trajectory, 1692 underwater performance, 2035 2039 underwater time-depth data. Wark XII-1 torpedo gyros cone centering device, 1379 Wark 13 propellant grains, 1455, 1820 Mark 13 rocket motors, 1447, 1455, 1820 igniter, 1447 propellant grains, 1455, 1820 Mark 13 torpedoes, 1258, 1270, 1296, 1444, 1777, 1801, 1868, 1936, 2003, 2007, 2025 attitude, 1296, 1936 damage studies, 2007 depth rudder position, 1936 flight characteristics, 1777 jet-propulsion unit, 1444 model tests, 2025 operation, 2007 pressure measurements, 1258 propellers, 1270 proposed rocket motor, 1801 roll, 1296 roll, 1290
shroud ring, 1868
water entry, 2003
Mark 13-2 torpedoes, 1385,
1496, 1498, 1826, 1956
control surfaces, 1826
design tests, 1956
dummy torpedo, 1385
underwater trajectory, 1496,
1498 1498 Mark 13-6 aircraft torpedoes, 1760, 1804 pitch sensitivity, 1760 protective cage for after-body, 1804 Wark 13-7 torpedoes distance-time curves, 2074 velocity-time curves, 2074 Wark 15 depth charges underwater performance, 2034 Mark 17 aircraft depth charges underwater performance, 2045 Wark 17 rocket launchers instruction manual, 2748 Instruction manual, 2748
Mark 20 A/S projectors
see Mousetrap (antisubmarine bomb)
Mark 20 rocket launchers, 2749
Mark 22 rocket launchers, 2749
Mark 24 mines, 1693, 1777a,
1981h 1981b fuze tests, 1777a, 1981b target impact tests, 1693 Kark 25 torpedoes, 1694, 1695, 1939, 1941, 1958, 2007 assembly, 1695

underwater tests, 1691a

underwater performance, 2044

Mark 9 depth charges

2049 Mark IX Mousetrap

SUBJECT INDEX

cast aluminum afterbodies, 1958 depth mechanisms, 1694 launching tests, 1939 propellers, 1941 structural tests, 1695, 1941 Wark 31 rocket fuzes, 1285a, 1984 arming tests, 1285a firing tests, 1285a tests of production samples, 1984 Mark 35 round launchers instruction manual, 1410 Mark 50 rocket launchers, 1840 Mark 51 rocket launchers, 1841 2063 instruction manual, 2063 Wark 135 HIR fuzes, 1346 Wark 137 AIR fuzes, 1346 Wark 139 SIR fuzes Mark 139 SIR fuzes
arming tests, 1986
gasket tests, 1986
impact tests, 1986
premature firing tests, 1986
premature firing tests, 1986
Mark 140 HIR fuzes, 1346, 1696
2036, 2039
arming depth, 1696
on Mark 12 depth charge on Mark 12 depth charge, 2039 7.2-in. depth charge, 2036 premature firing, 1696 sensitivity, 1696 Mark 146 fuzes (PIR) static firing tests, 1713 Mark 162 rocket base fuzes, 1836 Mark 166 rocket base fuzes. 1836 Match-type rocket drivers design, 2342 Maynor rockets, 2438 Mercury decelerometers, 1701 Metal-oxidant igniters, 1702 corrosion tests, 1385a, 1386 effect of smokeless powders, 1385a Metric photography rockets, 1241, 1577, 1902 Microscopy, electron, 2305 Midget step accelerometers, 1720, 1867 acceleration tests, 1867 calibration, 1720 Midland steel rocket motors Midland steel rocket motors high temperature tests, 2609 Mine-clearing devices, 2165, 2189, 2513, 2703 firing control circuit, 2703 rocket-dispensed hose, 2165 snakes, 2189, 2513 Mine targets impact tests, 1693 Wark 24; 1693 nes, 1777a, 1981b, 2188 Ma. Mines, 17. 2189 antipersonnel, 2188, 2189 Mark 24; 1777a, 7581b Mirror cameras, rotating, 1297 1352

adjustment, 1352

auxiliary equipment, 1297 design, 1352 theory, 1352 Mojave antiaircraft range vertical bombing tests, 2081 Monographs style guides, 1950, 1951 Morris Dam, 1971, 1972, 2022, 2047 acoustic range, 1971, 1972 Hydrodynamics Station, 2022 test facilities, 1971, 1972 Underwater Ballistics Station, 2022 tion, 2022
undervater photography facilities, 2047
Mortars, 2194, 2201, 2205,
2208, 2224, 2380, 2419,
2505, 2516, 2634, 2635
ballistics, 2205
development, 2201
4.2-in., 2419, 2634, 2635
jet-propelled, 2635
rocket shell driver, 2516
T-55; 2505 T-55; 2505 Mortars, chemical warfare see 4.2-in. chemical mortars; 4.2-in. recoilless chemical mortars Mortars, 81-mm see 81-mm mortars Mortars, recoilless

800 4.2-in. recoilless chemical mortars; 4.2-in. recoilless mortars; Recoil-less mortars Mousetrap (antisubmarine bomb), 1335, 1413, 1417, 1533, 1538, 1586a, 1632, 1718, 1788, 2033a, 2050, 2060, 2062, 2064, 2081a, 2086 see also Antisubmarine bombs; Hedgehog (antisubmarine bomb) marine bomb)
attack techniques, 2060
deceleration, 1632
effect of magnetic fuze,
1586a
HIR fuze, 1335
igniter, 1417
impact, 1632
installation, 1788
instruction manuals, 1711 instruction manuals, 1718, 2060, 2062, 2064 lead angles, 1538 manufacturing costs, 1533 Mark IX, 1691a motor loading, 1413 7.2-in., 2033a subcaliber, 1413, 2064 training program, 1788 underwater tests, 2050, 2086 vertical bombing, 2081a water entry, 2086 Movie cameras aircraft pitch measurements, 1382 Mule (aircraft rocket), 1665, 1920, 1988 range measurements, 1665 Muroc flight test station

Mustard plaster (Canadian hedgehog) underwater performance, 2038
Muzzle velocity (gun)
effect of addition of rocket, 1256 NAE beacon Mark 1 water entry tests, 2089 Naval Ordnance Test Station, 1802, 1850, 2019 facilities, 1802 Nebel rockets flight tests, 2448
photographic data, 2448
Neon tube camoras, 1722 Neon tube cameras, 1/22 Nets, electrified, 1441 Nickel-catalyzed powders effectiveness, 1670 Nigrosine, 1334, 1557, 2106 effect on Ballistite extrusion, 1557 rocket propellants, 1334, 2106 Nitrocellulose, 1495, 2644, 2653 catalyzed, 2644, 2653
effect on characteristics of
double-base powders, 1495
in rocket powders, 2644
Nitroglycerin, 1566, 1814,
2276, 2291, 2433, 2504, 2570 diffusion in wrapped powder grains, 2276 diffusion through cellulose acetate, 1814 effect on burning of pow-ders, 2291, 2570 exudation from Ballistite, 1566 restrictive coatings, 2433, 2504 Nitroparaffins use in liquid propellants, 1834a Nitrotoluene rocket propellants burning characteristics, 1552 extrusion, 1552 N.T. (new technique) powders, 2262, 2614, 2674 burning characteristics, 2614 containing potassium ni-trate, 2614 loading tests, 2262 smokeless, 2674

O.F.H.C. (oxygen-free highconductivity) copper
pressure balls
design, 2695
One-shot portable flame throwers, 2175, 2268, 2503
propellant grains, 2268,
2503
Optical inspection fixtures,
1656
Oscillators
100-cycle timing, 1738
OSPFT (one-shot portable flame
thrower), 2175, 2268,

computing manual, 1377

SUBJECT INDEX

2503 propellant grains, 2268, 2503 Oxygen-free high-conductivity copper pressure balls design, 2695 Packing box rocket launchers, 1302, 1742 Para-aminophenol effect on burning of powder, 2616 Parachute flares, 2331, 2390, 2475 firing tests, 2331 igniter for delay train, 2390 jet-propelled, 2331, 2475 rocket-propelled, 2390 Paraformaldehyde in powders, 2662 Paratroop launchers, 2623 Paratroop launchers, 2623
Patrol bombing
diagrams, 1579
Porbunan rubber
applications, 2504
properties, 2504
Personnel training, 1263, 1309
1654, 1953, 2010
aircraft rocket training aid, 3263 and, 1203
antiaircraft gun crews, 1953
barrage rocket crews, 1309,
1654, 2010
p-Phenylenediamine effect on ignition of powder grains, 2300 Photoflares torpedo launching studies, 1445 1445
Photography, 1241, 1577, 1889, 1902, 2047
metric, 1241, 1577, 1902
Schlieren photographs, 1889
underwater, 2047
PIR recket fuzes, 1336, 1713
characteristics, 1336 Mark 146; 1713 Plane-to-ground rockets, 2585, 2635 4.5-in., 2635 testing procedure, 2585 Plane-to-plane rockets high-velocity, 2451 high-velocity, 2431
Plane-to-ship rockets
4.5-in., 2635
Plastic case rocket igniters,
1676, 1765, 2000
design, 1765
performance, 1765
threaded-closure, 2000 Plastic subcaliber rocket nozz'es, 1761 POD (powr oscillating detector, projectiles undorwater trajectory, 1981a water impact, 1981a Point-initiating base-detonating fuzes, 2179
Polyvinyl alcohol
properties, 2504 Potassium cryolite burning rate, 2253 comparison with potassium

nitrate, 2253 Potassium nitrate, 1521, 225 2294, 2613, 2614 burning rate, 2253, 2613 comparison with potassium cryolite, 2253 1521, 2253, effect on burning of powder, 1521, 2294, 2613, 2614 Potassium sulphate rocket powders static firing tests, 2561 Powder see also Propellant Powder gas, 2271, 2566 determination of emissivity, 2271 radiation, 2566
Powder-operated gas generators, 2138, 2181, 2273, 2274 smokeless powder, 2138
Powder-pressurized flame
throwers, 1212, 2138,
2175, 2181, 2273
design, 2175 gas generator, 2138, 2181, 2273 Powder tests, 1678, 2133, 2242 er tests, 1678, 2133, 22 2269, 2270, 2301, 2333, 2361, 2369, 2370, 2374, 2395, 2417, 2446, 2460, 2471, 2499, 2537, 2644, 2647, 2690, 2707, 2717 absorption coefficients, 2707 absorption spectra, 2717 accelerated aging, 2460 accelerated aging, 2400
apparatus for determining
natural frequency, 2499
determination of mass emissivity, 2270, 2537
effect of carbon black, 2644
effect upon pressure in
rocket motors, 1678 effective gas velocity, 23' energy of explosion, 2133, 2269, 2361, 2647 fissure tests, 2333 heat measurements, 2242, 2647 ignition, 2644 infrared absorption, 2644 infrared emission, 2717 initial velocity, 2374 "jumping-jack" tester, 2395 mixed charge experiments, partial-burning tester, 2446 pressure-temperature relationship, 2471 range dispersion, 2374 rate of decomposition, 2644 sensitivity, 2369 strength, 2301 ultrasonic irradiation, 2301 x-ray diffraction analysis, 2690 2690
Powder traps
<u>see</u> Rocket powder traps
Powders, 1670, 1764, 2096,
2106, 2108, 2162, 2212,
2214, 2223, 2231, 22332236, 2240, 2242, 2251,
2253, 2262, 2286, 2287,

2291, 2294, 2301, 2314 2315, 2318, 2330, 2333, 2355, 2361, 2369, 2370 2372, 2374, 2378, 2420 2421, 2455, 2461, 2463, 2465, 2501, 2539, 2610, 2614, 2636, 2644, 2653, 2662, 2674, 2713 see also Ballistite; Cordite; Potassium nitrate B-100; 2378 British, 2465 Canadian, 2374, 2539 carbon-cooled, 2236 catalyzed nitrocellulose, 2644, 2653 compression molded, 2636 containing paraformaldehyde, 2662 2002 Containing potassium cryo-lite, 2253 DINA, 2314, 2461 G-6e, 2501 G-11; 2162 G-22; 2251 G-47; 2330, 2463 G-73; 2378 H-5; 2212, 2420 Hercules, 2106, 2108, 2372, 2610 2610 JP 39; 2096, 2106 nickel-catalyzed, 1670 N.T., 2262, 2614, 2674 physical properties, 2455 salted, 2713 7/8-in 2262 2539 salted, 2713
7/8-in., 2262, 2539
T2; 2318, 2421
Western Cartridge, 1764,
2286, 2355, 2636
Powders, black
See Black powders
Powders, burning characteristics, 1521, 2113, 2134,
2162, 2287, 2291, 2294,
2296, 2297, 2570, 2613,
2614, 2616, 2644, 26462648, 2650, 2666
burning area, 2287
burning rate measurements,
2162, 2644, 2646-2648 2162, 2644, 2646-2648 combustion products, 2650 effect of nitroglycerin, 2291, 2570 effect of para-aminophenol, 2616 effect of potassium nitrate, 1521, 2294, 2613, 2614 effect of pressure, 2296, 2297, 2644 effect of temperature, 2296, 2297 slow-burning, 2666 strand technique of determining burning rate, 2134 mining burning rate, 2134
Powders, double-base
See Double-base propellants
Powders, extrusion, 1630, 1631
1328, 2027, 2091, 2119,
2145, 2239, 2285, 23192321, 2615
composite propellants, 2119
dry extrusion, 2145, 2285
extrusion presses, 1630,
1631, 2027

SUBJECT INDEX

screw extruded, 2615 solventless extrusion, 2091, 2320, 2321 Powders, G-2 see G-2 powders Powders, HES
see HES powders Powders, jet propulsion tube see Jet propulsion tube powpowders, Radford
sec Radford powders
Powders, rocket
sec Ballistite; Black powders; Cordite; G-2 pow-ders; HES powders; Jet propulsion tube powders; Powders; Radford powders; Rocket powders; Russian powders; Solventless powpowders; Solventless powders
ders
Powders, Russian
<u>see</u> Russian powders
Powders, smokeless
<u>see</u> Ballistite: Cordite;
Smokeless powders
Powders, solventless
<u>see</u> Ballistite, solventless;
Solventless powders
Power oscillating detector projectiles projectives underwater trajectory, 1961a water impact, 1981a
Pressure gages, 2351, 25712573, 2620
see also Strain gages
Bourdon, 2571 copper ball, 2351, 2572, 2620 electronic, 2573
Pressure-recording apparatus, 1996, 2690 effect of oil line, 1996 effect of oil line, 1996
Pressure-time curves
computation, 1734
Project Camel, 1957
Projectile water entry, 1247,
1500a, 1501, 1700, 1714,
1740a, 1863, 1938
fuze tests, 1247
measurement of angular
changes, 1740a changes, 1740a mechanism of water entry, 1700 model tests, 1247, 1714 ricochet angle, 1501 roughness of sea, 1500a, **1501** shearing stress, 1863 structural damage, 1938 Projectiles, 1325, 1345, 1372, 1420, 1440, 1458, 1478, 1504a, 1542, 1697, 1737, 1785, 1786, 1813, 1903, 1973, 2068, 2495, 2582 see also UP (unrotating pro-jectile) acceleration measurements, 1345 calculation of gas malalign-ment, 1786 catalog, 1420, 1542 comparison of laboratory and

field tests, 1372

deceleration measurements. dynamic stability, 1478 effect of weight, 1813 flight-time tables, 2582 impact, 2495 POD, 1981a probable errors, 1325, 1785 range tables, 2582 reduction of spotting data, 2495 scale effects of models, 1973 standardization by field standardization by field tests, 1903
trajectory, 1440, 1458, 1785
underwater, 1504a
underwater test facilities, 1737
U.W.R., 2068
velocity, 1345, 1813
Projectors, bomb
see Bomb launchers; JB-2
bomb launchers
Projectors. rocket Projectors, rocket see Aircraft rocket launchers; Barrage rocket launchers; 4.5-in. bar-rage rocket launchers; Rocket launchers Propellant design, 2400 diffusion of nitroglycerin, 2276 2276
extrusion, 1333a
ignition, 2300
Mark 6; 1947
Mark 7; 1947
Mark 8; 1947
Mark 13; 1820
method of stabilizing, 1901
regressiveness of surface,
2400 2400
tubular, 1485
x-ray detection of extrusion holes, 2268
Propellant grains, rocket
see Rocket propellant grains
Propellants, 1200, 1298, 1476,
1487, 1669, 1790, 2007,
2067, 2155, 2173, 2182,
2201, 2251, 2373, 2644
available shapes, 1298
design, 2173 2400 design, 2173 determination of quality, 2067 development, 2201 Galcit propellant, 2007 JPH, 1476, 1669 JPN, 1476, 1487, 2251 JPN, 1476, 1487, 2231
physical properties, 2644
processing, 1790
radiation, 2373
solid, 1200, 2155, 2182
Propellants, burning characteristics, 1672, 2111,

2112, 2114, 2132, 2187, 2373, 2501-2503, 2644
determination from pressuretime relations, 2132
influence of radiation, 2373
linear burning rates, 2112, 2114, 2644
resonance in burning, 2501
restricted burning, 2187, 2502, 2503
stabilization of burning, 1672
Propellants, double-base see Double-base propellants
Propellants, rocket
see Ballistite; Composite rocket propellants; Double-base propellants; Propellers, torpedo, 1270, 1799, 1940, 1941
Publican candle powders burning rate, 2233

Quality control sampling by attributes, 1535
Radford powders, 1364, 2093.

Radford powders, 1364, 2093, 2106, 2560, 2594, 2615 A-31; 2594 A-68; 2560 A-69; 2560 Ballistite, 1364, 2106 burning characteristics, 2615 chromatographic studies, 2093 comparison with JPT powders, 2615 containing methylene blue, 2106 containing nigrosine dye, 2106 Radio bomb fuzes drop tests, 2283 Rail rocket launchers 4.5-in. barrage rocket, 1354 1356, 1658, 1685 single rail, 1354, 1685 RCM see 4.2-in. recoilless chemical mortars Recoilless dopth charge pro-jectors, 2456 Recoilless guns, 2443, 2490, 2491, 2533, 2626 follow-through projectiles, 2491 obliquity of jets, 2443 prevention of spin, 2443 reaction-type shell driver, 2490 small grain powder charges, 2533 2.36-in., 2626 Recdilless mortars, 1205, 1218 2194, 2249, 2380, 2505, 2635 2033 60-mm, 1218, 2194 81-mm, 1205, 2505 design, 1205 field tests, 2505

SUBJECT INDEX

long range, 2635 Recoilless mortars, see 4.2-in. recoilless mor-Recoilless weapons, 2489, 2492 2559 reaction-type driver, 2489 Recording step decelerometers, 1817 Restrictive coatings, 2433, 2504 bond strength, 2504 butyl rubber, 2504 cellulose acetate, 2504 hot molding, 2504 nitroglycerin, 2433, 250 2504 Ferbunan rubber, 2504 polyvinyl alcohol, 2504 solvent-bonded plastic sheets, 2504 sheets, 2504
Retro-bombing, 1260a, 1301, 1680, 1832-1834
AIR fuzes, 1260a
antisubmarine, 1301
ballistics, 1301
launchers, 1680
projectiles, 1832
Retro rockets, 1317, 1549, 1572, 1574, 1575, 1815, 1635, 1853, 1903a, 1921, 2052a, 2069, 2070
2.5-in., 2052a
5.0-in. high-velocity spinner rockets, 1549, 1815
7V7; 1903a ner rockets, 1549, 1815
7V7; 1903a
7V11; 1572, 1921, 2063
7V13; 1574, 2070
7.2-in., 1835
Mark 2; 1317
subcaliber, 1317, 1575, 1853
1854, 2052a
Revere rockets, 2213, 2225,
2289, 2561, 2592, 2628
behavior at high pressures,
2225
ignitors, 2213, 2289 igniters, 2213, 2289 и8; 2592 powder tests, 2561 upper temperature limit, 2628 Ribbon frame cameras, 2690, 2697, 2701 design, 2701 instructions for use, 2697 Rifle grenades rocket propulsion system, 2372 2372
Rocket applications, 1480,
1837, 1853, 1855, 1856,
1894, 2165, 2188, 2189,
2191, 2216, 2254, 2498,
2506, 2507, 2753
comparison with guns, 2498 dispensing mine-clearing hose, 2165 limitations for combat use, 1480 long-distance projectiles, 2254 long-distance transportation of mail, 2254 meteorological research,

projecting detonating cable, 2188 summary, 2506 towing bangalore torpedoes, 2191 towing mine-clearing snake, 2189 Rocket ballistics, 1200, 1241, 1389, 1434, 1518, 1577, 1704, 1706, 1707, 1790, 1902, 1960, 2201, 2462 application of optical lever principle, 2462 application to rocket design 1200 computation of data, 1704, 1706, 1707 effective burning time, 1434 1518 external ballistics, 1389, 1790, 2201 metric photography, 1241, 1577, 1902 motion records during burn-ing, 2462 reaction time, 1434 system of notation, 1960 Rocket ballistics (interior), 1790, 1862, 2379, 2381, 2432, 2663 factors affecting burning time, 2663 factors affecting impulse, 2663 factors affecting pressure, 2663 method of obtaining data, 2432 theory, 2381 Rocket bocster stations Rocket bocster stations
firing circuit, 1583
Rocket design, 1200, 1220,
1236, 1402, 1433, 1438,
1612, 1639, 1871, 2052,
2119, 2282, 2323, 2431,
2467, 2507, 2511, 2624,
2690, 2735
annular jet, 2323
application of rocket ballistics, 1200
components, 1402
determination of head malalignment, 1433 alignment, 1433 engineering and materiel, 2511, 2690 fin design, 2735 firing system, 2282 for extruded composite pro-pellants, 2119 geometric malalignment, 1438 1612 head design, 1236, 2052 heat failure of rocket tubes 1639 pressure limiting shear ring, 2467 reduction of dispersion, 2431 tail design, 1871, 2735 throat diameter, 2624 Rocket drivers, 2335, 2342, 2412, 2435, 2489, 2508, 2509, 2516, 2521, 2529,

4.2-in., 2342, 2508, 2509 81-mm shell, 2509 design for short driver, 2529 igniters, 2521 match-type, 2342 method of parting from shell 2412 mortars, 2516 non-separate type, 2435 reaction-type, 2489 safety device, 2335 Rocket extrusion dies design, 2246
Rocket flame throwers, 2635
Rocket flares, 1576, 1589,
2390, 2552, 2635
field standardization, 1576 field standardization, 1576
4.5-in., 2635
identification, 2562
jet-propelled llluminating
flare, 2390
specifications, 1589
vertical flares, 1576, 2635
Rocket fuzes, 1245, 1251,
1285a, 1292, 1330, 1335,
1336, 1346, 1610, 1625,
1696, 1713, 1766, 1836,
1873, 1927, 1981, 1983,
1984, 1986, 2137, 2304,
2750 2750 AIR, 1346, 1981 assembly and disassembly, 1292 catalog, 1251, 1330 design, 1245, 2137 electromagnetic, 2304 HHR, 1346 high velocity aircraft rockhigh velocity aircraft rocket, 1610
HIR, 1335, 1346, 1766, 1927
horn fuze, 1625
IHR, 1346
Mark 31; 1285a, 1984
Mark 140; 1696
Mark 162; 1836
Mark 166; 1836
PIR, 1336, 1713
SIR, 1346, 1873, 1983, 1986
Rocket grenades, 1221, 1235, 1550, 1771, 1853, 2142, 2143, 2154, 2206, 2338, 2404, 2461, 2469, 2474, 2477, 2480, 2512, 2474, 2477, 2480, 2512, 2578, 2580, 2618 see also Superbazooka rockets 2.36-in., 2142, 2204 2.5-in., 1550 ballistics, 1550 design, 2154 flight tests, 2512 follow-through grenade, igniters, 2204, 2474, 2578 incendiary, 1771 M6A3; 2404, 2578 powders, 2142, 2461, 2477, 2618 pressure, 2469 T1; 2154 T12; 2143, 2338, 2480 T-59; 1221, 1235, 2206, 2580

2634

SUBJECT INDEX

Rocket igniters, 1447, 1450, 1452, 1457, 1628, 1676, 1702, 1751, 1765, 1797, 1798, 2000, 2218, 2289, 2578, 2621 bayonet, 2218 catalog, 1628 cellulose acetate, 1450 construction, 1797 effect on maximum pressure, 2289 for cage-mounted propellants, 1452 M6; 2578 metal-oxidant, 1702 performance tests after storage, 1751 plastic case, 1676, 1765, 2000 testing mechanism, 2578 thermal ignition, 2621 tinplate case, 1457 toroid igniter, 1447 Rocket jets Schlieren photographs, 1889 ocket launchers, 1210, 1242, Schlieren photographs, 188
Rocket launchers, 1210, 1242
1246, 1249-1251, 1279,
1280, 1293, 1302, 1347,
1354-1360, 1405, 14071410, 1435, 1436, 1471,
1472, 1477, 1493, 1587,
1653, 1655, 1657, 1658 1653, 1655, 1657, 1658 1681, 1682, 1685, 1735 1.749, 1792, 1840-1742 1742, 1749, 1792, 1840, 1842, 1937, 1961, 2004, 2058, 2063, 2120, 2174, 2192, 2228, 2447, 2520, 2593, 2623, 2689-2691, 2698, 2702, 2704, 2748-2750 see also 4.5-in. barrage rocket launchers antisubmarine, 1279, 1280 booster launcher, 2120, 2228 catalog, 1246, 1250, 1251, 1347 rocket launchers 1347 Catapult-type, 1937, 2174 CIT type 3; 1355, 1356 CIT type 8; 1357 CIT type 49; 1249 closed-breech, 1359, 1360 design, 1246, 1280 DUKW launcher, 1477, 1587 offect on trajectory, 1493 firing mechanism, 2689, 2690 2702 "fishtail", 1749 for surface use, 1246 fuzes, 2750 installation, 1477, 1655 instruction manual, 1405 jungle warfare, 2698 Jungle wariare, 20: light-weight, 2447 Mallina, 2593 Mark 4; 1435 Hark 5; 1435, 1657 Mark 7; 1409 Mark 17; 2748 Mark 20; 2749 Mark 22; 2749 Mark 35; 1410 Mark 50; 1840 Mark 51; 1841, 2063 multiple powder charge, 1210 packing box, 1302, 1742

paratroop launcher, 2623 performance, 1749, 2447 performance, 1749, 2447 rail launchers, 1354, 1356, 1658, 1685 rotating, 2520 tankborne, 1472, 1653 target launchers, 1471, 1792 1961 tip-off about a fixed point, 2004 Universal Emplacement Launcher, 1358 universal sighting, 2058 use of compressed gas, 1735 vertical launchers, 1681, 1682, 2691, 2704 zero-length, 1435, 1436 Rocket launchers, aircraft see Aircraft rocket launch-Rocket launchers, barrage <u>see</u> Barrage rocket launch-ers; 4.5-in. barrage rocket launchers Rocket motor tests, 1423, 1504 1520, 1531a, 1537, 1543, 1642, 1662, 1678, 2085, 2206a, 2217, 2360, 2609 aerodynamic equations, 2217 effect of storage and weath-ering, 1504 effect on accuracy, 1543 heat transfer, 2206a, 2360 internal ballistic calculations, 1662 pressure-time relationship 1537 1678 steady-state pressure, temporature tests, 1423, 1520, 1642, 2609 test equipment, 1531a test procedure, 1531a vibration testing, 2085 Rocket motors, 1200, 1228-1230 1232, 1271, 1361, 1421, 1426, 1428, 1442, 1450, 1453, 1524, 1543, 1660, 1664, 1671, 1691, 1716, 1717, 1732, 1797, 1834a 1664, 1834a 1843a, 1843, 1874, 1915, 1943, 1980 1992, 2085, 2130, 2164 2190, 2202, 2217, 2226 2360, 2609 2644 -1/8-in., 1664 .25-in., 1450 1.25-in., 14 1.25-in., 14 3MR3; 1732 3MR12; 1915 6-in., 1874 8-in., 1442 alloy-steel, 2609 Baby Buzz, 1453 box grids, 1428 catalog, 1716 closure seals, 1361, 15°, 1660 design, 1200, 1543, 1717, 1834a double-ended, 1980 fiberglas laminates, 2164 for projecting line charges, 2190 gages for recording pressure

German, 1671 hazards in loading and as-sembly, 1943 sembly, 1943
loading facilities, 1797
Mark 7; 1691, 1992
metal components, 2130
Midland steel, 2609
products of incomplete reaction, 2644
radiation, 2360
refractory linings, 1818
tube heading machine, 1843 tube bending machine, 1843 UP, 1818
X-51599-B, 1232
X-52009-E, 1230
Rocket motors, 3.25-in.
see 3.25-in. rocket motors Rocket motors, 4.5-in.
sec 4.5-in. rocket motors Rocket motors, 5.0-in., 1376, 1449, 1895 computation of effective temperatures, 1376
specifications for standard assembly, 1895, 1896
24-lb. cruciform charge, 1449 Rocket motors, 11.75-in. see 11.75-in. rocket rotors
Rocket motors, step
see Step rocket motors Rocket nozzles, 1709, 1731, 1732, 1761, 1945 erosion, 1731, 1732, 1945 manufacture, 1709 plastic, 1761 subcaliter, 1761 Rocket ordnance Rocket ordnance
bibliography, 1304, 1305
Rocket powder tests, 1678,
2260, 2268, 2415, 2416,
2434, 2482, 2484, 2523,
2664, 2725
burning characteristics,
1678, 2416, 2484
chemical analysis, 2415
firing tests, 2260
heats of explosion, 2415
methods of analysis, 2482
non-jumping testers, 2434
products of explosion, 2664
"scotch" cellulose tape as
deterrent, 2523 deterrent, 2523 x-ray studies, 2268, 2725 Rocket powder traps, 2166, 2259, 2266, 2551, 2592, 2612, 2690 cage traps, 2266 cross pin trap, 2259 for chemical grenades, 2612 perforated and slotted, 2166 powder extrusion, 2690 strengthened bead, 2592 tapered traps, 2551 Rocket powders, 1231, 1234, 1521, 1554, 1556, 1674 1764, 1977, 2260, 2272 2294, 2313, 2337, 2418 2477, 2542-2544, 2547, 2272 2418, 2548, 2550, 2555, 2560, 2561, 2594, 2597, 2605 2613, 2614, 2644, 2706, 2708, 2709 2690 see also Ballistite;

powders; Cordite; G-2

SUBJECT INDEX

powders; HES powders; Jet propulsion tube powders; Powders; Radford powders; Russian powders; Smoke-less powders; Solventless powders A-30; 2555 A-31; 2594 A-32; 2542 A-34; 2337 A-35; 2337 A-60; 2543 A-61; 2418, 2544 A-68; 2560 A-69; 2560 A-77; 2706, 2708, 2709 ball powders, 1977, 2597 BBP, 2477 containing nitrocellulose, 2644 2042 containing potassium nitrate 1521, 2294, 2613, 2614 dinatrotoluene, 1554, 1556 extrusion, 2690 H-3; 1231, 1234 JP 265; 2547 potassium sulphate, 2561 7/8-in., 2550, 2605 SOW 14319; 2418 SOW 14319; 2418 storage, 1674 web, 2313, 2548 Western Cartridge, 1764 Rocket propellant grains, 1200 1369, 1425-1427, 1442, 1443, 1448, 1449, 1455, 1485, 1520, 1641, 1662, 1689, 1716, 1744, 1753, 1781, 1881, 2600, 2602, 2645, 2669 see also Propellant grains burning characteristics. burning characteristics, 2600 2600 colloidal, 1200, 2645, 2669 cruciform grain, 1425, 1449, 1455, 1520 design, 1426 fast-burning grain, 1427 hexaform grain, 1442, 1443 manufacturers, 1689 neutral-burning grains, 1662 1716 1716 partial-burning equipment, 1744 performance, 1689 photographic investigation, 1753 pressure distribution, 1369 radial-burning, 1641, 1781, 1881 restricted, 2602 triform grain, 1448 triform grain, 1448 tubular grains, 1485 Rocket propollant tests, 1373 1515, 1716, 1798, 1813, 1881, 1910, 2340, 2428, 2466, 2485, 2589, 2633, 2655, 2694 chemical analysis, 2589 1373, compressive characteristics, 1373 effect of ultrasonic waves, 2655 effect of weight, 1813, 2633 flow properties, 2694

gas flow, 2340 heats of explosion, 2589 interior ballistics, 1716, 1798 pressure distribution, 1881, 2466 pressure measuring device, 2428 radiation effects, 2485 static firing tests, 1910 temperature effects, 1515 test method and equipment, 1798 1798
Rocket propellants, 1200, 124
1299, 1300, 1334, 1426,
1452, 1485, 1499, 1540,
1552, 1565, 1668, 1773,
1783, 1797, 1834a, 1839,
1846, 1852, 1881, 1914,
2052, 2099, 2106, 2173,
2177, 2182, 2208, 2230,
2254, 2256, 2302, 2313, 2254, 2256, 2302, 2324, 2324, 2332, 2339, 2340, 2391, 2397, 2402, 2478, 2514, 2525, 2507, 2514, 2525, 2644, 2645, 2658, 2481, 2607, 2720 see also Ballistite; Propel-"A" charges, 2332 "B" charges, 2607 cage-mounted, 1452 carbon black, 1334 containing manganese dioxide 2720 2720
CP218B, 1773, 2339, 2478
diphenylamine, 1499
dry-processed, 1200
extruded, 1914
high-strength, 1668
ignition, 2644, 2658
ignection procedure, 18 Ignition, 2044, 2056 inspection procedure, 1839 Japanese, 1299, 1300, 2230 JP-76; 2099, 2645 laminated, 2397 liquid, 1834a, 2208, 2254 magnesium, 2052, 2173 materials, 2391 nigrosine, 1334, 2106 nitrotoluene, 1552 physical chemistry, 1200 physical properties, 1299, 1300, 2177 principles of specifications 1783 processing, 1243, 1797 solvent extrusion plant, 2256 stacked edge-restricted discs, 2525 storage, 2302 summary of types, 1200 T-80; 2402 UP, 1565 web, 1881, 2313 wrapped charges, 2324
Rocket propellants, burning
characteristics, 1521, 1551, 2097, 2147, 2220, 2288, 2307, 2485, 2624, 2654, 2661, 2668, 2715, 2718 burning area, 2624 burning rate apparatus, 2097

2654 burning time, 2288 dark zone, 2668 effect of ethyl centralite, 1521, 1551 effect of radiation, 2654 electric charge during burning, 2147
heat losses, 2307
heat transfer, 2220
restricted burning, 2485
theory, 2715, 2718 Rocket propellants, composite
see Composite rocket propellants Rocket propellants, design, 1200, 1400, 2139, 2182, 2710, 2712, 2725 charge design, 2182 detection of imperfections, 2725 elimination of fissure, 2710 2712 Rocket propellants, doublebase see Double-base propellants Rocket propulsion, 1200, 1256, 1530, 1591, 2515, 2556 effect on muzzle velocity, 1256 efficiency, 2515 pressure-time measurements, 2556 propulsion systems, 1200 spin produced by inclined spin produced by inclined jets, 1591 static firing tests, 1530 thrust-time measurements, 2556 Rocket range, 1241, 1390, 1808 1850, 1975, 2307 corrections for altitude and wind, 1808 wind, 1808 effect of heat losses, 2307 field tests, 1241 ground range, 1850 mean deviation, 1975 prediction curves, 1390 Rocket sights, 1242, 1546, calibration, 1546 comparative tests, 1955 Rocket sights, aircraft see Aircraft rocket sights Rocket step motors Rocket step motors
<u>see</u> Step rocket motors
Rocket targets, 1349, 1471,
1569, 1616, 1690, 1729,
1747, 1750, 1790, 1792,
1824, 1837, 1845, 1848,
1852-1856, 1860, 1861,
1894, 1929, 1961, 1962,
2066, 2267, 2517
2.5-in., 1747, 1750
3-fin with 32-in. motor,
1349 1349 4-fin with 72-in. motor, 1349 design, 2267 effectiveness of smoke pots, 2517 fin construction, 1729 gunnery and tactical train-ing, 1616, 1848



launchers, 1471, 1792, 1961 Mark 3; 1690 performance characteristics, 1747, 1750 requirements for antiair-craft training, 1848 scoring registers, 1860, 1861, 2066 subcaliber, 1750 tape recorder, 1860, 2066 tracers, 1861 visual scoring of shots, 1569, 1824 Rocket temperature indicators, 1519 1519
Rocket tests, 1200, 1226, 124
1341, 1350, 1382, 1439,
1488, 1514, 1543, 1577,
1755, 1757, 1784, 1787,
1798, 1838, 1849, 1850,
1902, 1996, 2129, 2152,
2160, 2161, 2201, 2216,
2222, 2287, 2328, 2357,
2410, 2413, 2422, 2429,
2444, 2498, 2506, 2532,
2624, 2685, 2690
accuracy, 1488, 1514, 1543
assisted take-off tests,
2328 2328 chamber pressure, 2287 field tests, 1241, 1577 firing by induction, 2161, 2410, 2685, 2690 firing from aircraft, 1784 firing from PT boats, 1838 flame temperature, 2152 flight performance, 1200, 1755 impact pattern, 1341 impulse determinations, 2160 instability, 1787 metric photography, 1241, 1577, 1757, 1902 partial burning experiments, 2444 performance, 1850, 2216, 2498, 2506 pitch measurements, 1382 pressure recording, 1996, 2532, 2624 radiation, 2152 static firing tests, 1850 stress analysis, 1226 terminal ballistics, 1849, 1850 test facilities, 1350, 1798 test methods, 1798 test rockets, 2413 thrust measurement, 2222, 2357, 2422, 2429 underwater tests, 1850 wind tunnel data, 229, 2413 x-ray photography, 2201 yaw camera, 1439 Rocke: tests, aircraft see Aircraft rocket tests Rocket torpedoes, 1851, 2099 burning characteristics, 2099 German, 2099 propeliants, 2099 Rocket trajectory, 1200, 1247, 1272, 1283, 1284, 1363, 1397, 1431, 1464, 1466,

1489, 1492, 1493, 1502, 1507, 1508, 1510-1512, 1515, 1517, 1534, 1536, 1708, 1724, 1807, 1808 1870, 1899, 1974, 1975 1993, 2016, 2186, 2288 2292 2745 Bernouilli effect, 1466 calculations, 1517, 1708, 1724
cross wind lift, 1466
damping noments, 1363
deflection, 1975, 2186, 2292
determination, 1431
deviation in deflection, 1974 deviation in range, 1974 dispersion, 1272, 1464, 1536 1974 2288 effect of burning time, 1489 1502, 1517, 1993 effect of fins, 1489, 1492 effect of projector, 1489, 1493 effect of propellant temper-ature, 1515 effect of velocity, 1502 formula for dispersion, 1283 1284 forward-firing, 1508 photographing techniques, 1899, 2745 short ranges, 2016 stability factor, 1899 trajectory tables, 1517, 1870 underwater, 1200, 1247, 1534 1807 wind effects, 1397, 1507, 1510-1512, 1808 Rocket velocity, 2295, 2299, 2406, 2633, 2737 derivations of formulas, 2737 effect of nozzle taper, 2295 effect of pressure, 2295 effect of propellant weight, 2633 effect on kinetic energy, 2299 measurement, 2406 Rocketry Rocketry
elementary principles, 1528
Rockets, 1244, 1248, 1251,
1351, 1599, 1602, 1619,
1622, 1666, 1667, 1768,
1806, 1824a, 1845, 1865,
1884, 1916, 2228, 2371,
2524, 2576, 2690, 2743, 2744 2-5/8-in., 2295 3A9; 1578 4.2-in., 2227, 2342, 2508, 7V11; 1572, 1921, 2069 7V12; 1573 7Y12; 1573 7Y13; 1574, 2070 10-in , 1225, 2244 abridged catalog, 1248, 125 ammunition catalog, 1264 arming elements, 2621 armor-piercing, 1622, 1916, 2228, 2371 1251 beach barrage, 1837, 1852-

1856, 1894, 1924 bibliography, 2524, 2690 British, 1599, 1768, 1845, 2576 "bumblebee", 2122 central venturi, 2464 central venturi, 2464
CIT rockets, 1351, 1602
comparison of efficiency
with guns, 2303
comparison of fin and rotational stabilization, 1370 CURATE, 2195 data sheets, 1844 description of service rockets, 1865 development, 1314, 2201, 2367 Formex Plastic, 2596 Formex Plastic, 2596 German, 1824a gravity drop tables, 1614 ground-fired, 1510, 1855 high-altitude, 1926, 2208 high-explosive, 2154, 2346, 2558, 2575 high-performance, 1208, 1834a, 1883, 2135 introductory study, 1666, 1667 1667
jet side forces, 1946
logistical problems, 1884
long-range, 1381, 2208, 2401
low-velocity, 1389
Mark 5; 1426, 1435, 1657
Maynor rocket, 2438
multiple nozzle, 2426, 2427
Nebel rocket, 2448
operational problems, 1384 operational problems, 1384 plane-to-ground, 2585, 2635 plane-to-plane, 2451 plane-to-ship, 2635 plane-to-ship, 2635 production, 1244 quality control, 1806 shipment hazards, 1619 short-burning rockets, 1381, 2366 2366
small caliber, 2195
smoke float, 1877, 1935
solid propellants, 1200,
2155, 2182
T-6; 2471, 2563
T-41; 1226 underwater, 1534 vertical flare, 1576, 2635 VICAR, 2131 weekly news letters, 2743, weekly news letters, 2743, 2744, "window" rockets, 1399
Rockets, 3.25-in.
See 3.25-in. rockets
Rockets, 3.5-in. aircraft rockets; 3.5-in. rockets; 3.5-in. spin-stabilized rockets rockets Rockets, 4.5-in.
see 4.5-in. barrage rockets;
4.5-in. rockets Rockets, 5.0-in. see 5.0-in. aircraft rockets; 5.0-in. high-velocity aircraft rockets;



5.0-in. spin-stabilized

rockets

SUBJECT INDEX

Rockets, 7.2-in.

<u>800</u> 7.2-in. rockets
Rockets, 115-mm
<u>see</u> 115-mm aircraft rockets;
115-mm rockets Rockets, aircraft
see 2.25-in. aircraft rockets; 3.5-in. aircraft rockets; 5.0-in. aircraft rockets; 5.0-in. high-ve-locity aircraft rockets; ll.75-in. aircraft rock-ets; ll5-mm aircraft rockets; Aircraft rockets; Forward-firing air-craft rockets Rockets, antiaircraft see Antiaircraft rockets Rockets, antisubmarine see Antisubmarine rockets; Retro rockets; Subcaliber antisubmarine rockets Rockets, artillery
see Artillory rockets
Rockets, barrage
see Barrage rockets; 4.5-in. barrage rockets, 4.3-in.
barrage rockets
Rockets, Budd
see Budd rockets
Rockets, chemical warfare
see Chemical warfare rockets
Rockets, demolition see Demolition rockets
Rockets, fin-stabilized
see Fin-stabilized rockets Rockets, forward-firing see Forward-firing aircraft rockets Rockets, high-capacity
see High-capacity spinner
rockets rockets
Rockets, high-velocity
see 5.0-in. high-velocity
aircraft rockets; Highvelocity rockets
Rockets, mallaunching, 1268,
1324, 1327, 1638, 1683,
1684, 1827
calculation, 1324, 1327, dynamically-unbalanced rounds, 1684 elliptical bourrelets, 1683 inertial forces, 1638 Rockets, retro see Retro rockets Rockets, Revere Rockets, Revere

see Revere rockets
Rockets, rotating
see Rotating rockets
Rockets, spin-stabilized
see 3.5-in. spin-stabilized
rockets; 5.0-in. spinstabilized rockets; High-capacity spinner rockets; Spin-stabilized rockets Rockets, subcaliber see Subcaliber antisubmarine rockets; Subcaliber rockets Rockets, superbazooka

<u>see</u> Superbazooka rockets
Rockets, vertical

<u>see</u> Retro rockets; Vertical
rockets

Rotary disk Cocelerometers, 1858 Rotating mirror cameras, 1297, 1352 adjustment, 1352 adjustment, 1352
auxiliary equipment, 1297
design, 1352
theory, 1352
Rotating rockets, 1207, 1396,
1514, 1543, 1544, 1643,
1705, 1730, 2520
accuracy, 1514, 1543
computation of ballistic
data, 1705
deflection due to mallaunching, 1396 ing, 1396
design, 1207
external ballistics, 1730
42-in., 1207 launchers, 2520 stability, 1643 yaw moment coefficient, 1544 Rubber butyl, 2504
Perbunan, 2504
Russian powders, 1554, 1556, 2231, 2238, 2252, 2272, 2294, 2526 burning characteristics, 2231 burning rate tosts, 2294 dinatrotoluene, 1554, 1556 G-2; 2238 No. 4010; 2526 No. 4012.2; 2526 No. 4072; 2526 7/8-in. by 1-in., 2526 useful temperature range, 2272

Safety match igniters for driver rocket, 2521 Salt Wells Pilot Plant, 2019 Salted powders burning rates, 2713
emission spectrum, 2713
Sampling, 1535, 1985
estimation of lot quality, 1535 tests of significance of means, 1985 Scatter bombs Scatter bombs
6-in., 1875
Schlieren photographs
rocket jets, 1889
Scratch gage decelerometers
DeForest gage, 1398
Self-propelled projectiles,
2068 SERD (stacked edge-restricted discs) project, 2525 Shipboard rocket launchers instruction manual, 1407, 1408 Shock-mounted step acceleromeers torpedo studies, 1864 Shroud rocket tails firing ring, 1871 Sights, rocket, 1242, 1546, 1955 see also Aircraft rocket sights calibration, 1546

comparative tests, 1955 SIR fuzes, 1346, 1873, 1983, 1986 arming tests, 1873 firing mechanism, 1983 Mark 139; 1986 Smoke float rockets, 1877, 1935 Smoke pots Smoke pots
rocket targets, 2517
Smoke tracers, 1878
Smokeless powders, 1385a, 2093
2107, 2108, 2138, 2181,
2240, 2638, 2640-2642,
2673, 2674
see also Ballistite; Cordite
burning characteristics,
2093
coatings. 2638 coatings, 2638 double-base, 2107 double-base, 2107
effect of aging, 2640
effect on metals, 1385a
extruded, 2673, 2674
gas generators, 2138, 2181
heats of explosion, 2240
HES powders, 2108
manufacture, 2641 molecular orientation, 2107 morecular Otheration, 2107
N.T. powders, 2674
physical testing, 2642
solventless, 2640, 2642
Snakes (mine-clearing charge),
2189, 2513
M-1; 2513 rocket-towed, 2189 Solar yaw cameras, 1880 Solid propellants, 1200, 2155, 2182 see also Double-base propel-lants; Propellants; Rock-et propellants; Rockets components, 1200 manufacturing specifications 2155 propellant charge design, 2182 Solvent double-base powders, 1746, 1759, 2316, 2317, 2375, 2441, 2534, 2617 dried, solvent-processed, 2316, 2317 extruded, 2375, 2441 extruded, 2375, 2441 inspection, 2375 production, 2441 testing, 2375, 2617 Solventless double-base pow-ders, 1607, 1624, 1779, 2321, 2405, 2534, 2617 extrusion, 1607, 1624, 1779 manufacture, 2405 tests, 2617
Solventless powders, 2091, 2320, 2321, 2354, 2392, 2394, 2546, 2554, 2610, 2640, 2642 see also Ballistite, solventless ventless burning characteristics, 2354, 2546, 2554 extrusion, 2091, 2320, 2321 Horcules, 2610 smokeless, 2640, 2642 welding by pressure, 2392,

2394

Sound range recorders

SUBJECT INDEX

range errors on deep targets 1816 settings on deep targets, 1816 SOW 14319 rocket powders mixed with A-61 powder, 2418 Spectrophotometric studies of propollants double-base, 2095, 2103 Spinner rockets see 3.5-in. spin-stabilized rockets; 5.0-in. spin-stabilized rockets; High-capacity spinner rockets; Spin-stabilized rockets Spin-stabilized rockets
Spin-stabilized rockets
1240, 1322, 1324, 1439,
1481, 1494, 1787, 1805,
1900, 1969, 1970, 2170
aerodynamics, 1322, 1481
ball/stics, 1240, 1969, 1970
instability, 1787
mallaunching, 1324, 1494
moment of inertia, 1439
motion during burning period motion during burning period 2170 stability, 1439, 1900 yaw, 1439, 1805, 1900 Spin-stabilized rockets, 1240, 2170 1300a, 1322, 1360, 1373, 1375, 1447, 1510, 1549, 1650, 1651, 1686, 1711a, 1715, 1726, 1762, 1763, 1811, 1815, 1837, 1855, 1856, 1894, 1297, 1991, 2001, 2183, 2635
2.25-in., 1837, 1855, 1856, 1894 1894 3.25-in., 1447 4.5-in., 2183 3.5-11., 21030a, 1711a assembly, 2001 construction, 1763, 2001 evaluation, 1373, 1726, 17 forward-fired, 1322, 1762 1763 general-purpose rockets, 1375, 1715 ground-fired, 1510 high-velocity, 1549, 1815, high-velocity, 1549, 1815, 1991, 2001
launchers, 1360, 1686
operation, 2001
propellant charge, 2183
range tablos, 1811
safety precautions, 2001
shipping and stowage, 2001
theory, 1763, 1897
Spin-stabilized rockets, 3.5in. see 3.5-in. spin-stabilized rockets Spin-stabilized rockets, 5.0see 5.0-in spin-stabilized rockets Spin-stabilized rockets, highcapacity see High-capacity spinner rockets Spring-arming rocket fuzes 1346, 1873, 1983, 1986 Spring decelerometers, 1362, 1721 Squibs, electric performance tests after

۲.

storage, 1751 see Spin-stabilized rockets SSR see Spin-stabilized rockets Steel induction heating, 1202 Step accelerometers, 1720, 1864, 1867 midget, 1720, 1867 shock-mounted, 1864 Step decelerometers Step decelerometers
recording, 1817
Step rocket motors, 1219, 1225
1228-1234, 1237, 2202,
2634, 2635
4.5-in., 1228-1234
7.2-in., 1237, 2634
10-in., 1225
construction, 1219
design, 1319, 1225, 2202
loaded with H-3 powder, 1231
1234 1234 non-rotational, 1232 X-51599-B, 1232 X-52009-E, 1230 X-52026-E, 1229 X-52036-E, 1228 Strain gages, 1829, 20 2222, 2306, 2564 bar type, 2222 calibration, 2084 2084, 2099 carbon, 1829 design, 2564 waterproofing, 2090 waterproofing, 2090
wire gage, 2306
Subcaliber antisubmarine bombs
1413, 1837, 1856, 1894,
1930, 1975a, 2064
launcher tests, 1975a
mousetrap, 1413, 2064
vertical bombs, 1837, 1856, 1894 Subcaliber antisubmarine rockets, 1291, 1319, 1570, 1837, 1852-1854, 1856, 1894, 2052 2.5-in., 1570, 2052 underwater performance tests underwater performance tests
1291, 1319, 2052
vertical rockets, 1853, 1854
Subcaliber rockets, 1291, 1317
1319, 1570, 1575, 1647,
1750, 1761, 1853, 1854,
2024, 2028, 2052, 2071
2.25-in., 1647, 2024
2.5-in., 1570, 1750, 2052,
2052a
aircraft 1575, 1647, 2024 aircraft, 1575, 1647, 2024, 2071 ASPC, 1291, 13 drawings, 2028 1319, 1570 field standardization, 1570 Wark 2; 1317 plastic nozzles, 1761 retro rockets, 1317, 1575, 1853, 1854, 2052a rocket targets, 1750 Submarines, (1529, 1987, 1995 attacks by surface vessels, 1520, 1995 1529, 1995 vertical bombing, 1987 Suicide aircraft dombs, Japa-nese, 2230, 2384 Sunflower Ordnance Works, 1831

Superbazooka rockets, 1221,
1235, 2154, 2206, 2398,
2579, 2580, 2635
design, 2206
ignition, 2206
interior ballistics, 2206
laminated propellant, 2398
multiple nozzle, 2579
performance, 2206
propellant loss, 2206
Surface craft, 1529, 1855,
1995
antisubmarine attacks, 1529,
1959
surface warfare rockets,
1855

T-1 rocket_grenades design, 2154 T-2 powders composition, 2318, 2421 extrusion, 2318 extrusion, 2318
T-4 powder charges
design, 2142
T-6 rockets, 2471, 2563
pressure-temperature relationship of powder, 247
T-12 rocket grenades, 2143, 2338, 2480
design, 2143
flight tests, 2338
standardization tests, 248 standardization tests, 2480 T-41 rockets design, 1226 T-55 mortars field tests, 2505 T-59 rocket grenades see Superbazooka rockets T-80 rocket propellants low temperature performance, 2402 Tank flame throwers, 1222, 2635, 2690 design, 1222 firing circuits, 2690 Tank rocket launchers, 1472, 1653 drawings, 1472 installation and use, 1653 Tape recorders use in target practice, 1860 2066 Target rockets see Rocket targets Theodolite readings reduction of data, 2496 Time fuzes delay elements, 1879 Tinplate case rocket igniters design, 1457 Tiny Tim see 11.75-in. aircraft rockets Torpedo cameras, 1740, 190 battories, 1740 F-46; 1902 midget neon lamps, 1740 1740, 1902 oscillators, 1740
Torpedo launching, 1353, 1430,
1445, 1525, 1539, 1627,
1892, 1939, 1949, 1999,
2007, 2008, 2072 hydrostatic pressure tests, 1627

SUBJECT INDEX

```
regions of highest stress,
   launching ranges, 1353, 1525
1892, 2007
launching tests, 2008
                                                                                                                                        1774
                                                                                                                            rocket torpedoes, 1851, 2099
shroud rings, 1868
Torpedoes, aircraft
     oscillograph measurements,
            1999
                                                                                                                                 see Aircraft torpedoes; Mark
13 torpedoes
     structural damage, 1939
    studies with photoflares,
                                                                                                                            Torpedoes, Mark 25
see Mark 25 torpedoes
           1445
    tube design, 1430
variable water entry angles,
2072
                                                                                                                            Tracers
                                                                                                                            target practice, 1861
Tricresylphosphate
     velocity, 1949
                                                                                                                            effect on Ballistite, 1644
Turbine gas generators, 2156
Tygon tubing, 2214
Torpedo trajectory, 1260, 1432
1441, 1469, 1496, 1498,
1506, 1712, 1723, 1737,
1776, 2005-2007, 2009,
                                                                                                                            Ultrasonic waves
             2073
                                                                                                                                 effect on rocket propellants 2655
      deceleration, 1469, 2005,
     depth measuring devices,
1432, 1712, 2007
distance-time curves, 2073
model tests, 1260, 1776,
2006
             2006
                                                                                                                            Underwater ballistics, 1758,
2022, 2031
Morris Dam testing station,
2022
                                                                                                                                 photographic studies, 1758
                                                                                                                            Underwater ordnance
      range, 2006, 2009
sources of error, 1723
underwater test facilities,
                                                                                                                                 bibliography, 1304, 1305
                                                                                                                           bibliography, 1304, 1305
Underwater photography
research facilities, 2047
Underwater projectiles
effect of tail spin, 1504a
Underwater rockets, 1200, 1247
1534
ballistics, 1247
drag coefficient, 1534
experimental facilities,
1200
pose-lift coefficient, 1534
              1737
      underwater trajectory, 1441, 1496, 1498, 1506 velocity-distance curves, 2073
  2073
velocity-time curves, 2073
Torpedo water entry, 1200,
1239, 1247, 1332a, 1498,
1506, 1626, 1659, 1733,
1776, 1864, 2007, 2072,
2087, 2088
                                                                                                                                  nose-lift coefficient, 1534
      2087, 2088
anti-bubble tests, 1776
ballistics, 1239
bubble studies, 1332a
cavitation, 1332a
effect of nose shape, 2087,
2088
                                                                                                                             Universal Emplacement Launch-
                                                                                                                             Universal Emplacement Launchers
ors
CIT type 33; 1358
UP (unrotating projectile),
1465, 1489, 1492, 1507,
1565, 1584, 1585, 1602,
1818, 1821, 1822, 1878,
1911, 2059, 2094, 2219
antisubmartne, 1585
assisted take-off tests,
2219
       effect of ring tail, 2088
entry angle, 1498, 2072
entry angle changer, 1506
hydrodynamics, 2007
hydrophone-signal amplifier,
                                                                                                                                          2219
                                                                                                                                    dispersion, 1465, 1492, 1821
                                                                                                                                           2094
               1626
        impulsive velocity, 1864 instruments for studying,
                                                                                                                                   factors affecting accuracy,
                                                                                                                                          1489
                                                                                                                                   factors affecting range, 2059
   model tests, 1247, 1776
pitch angle, 1498
theory, 1733
Torpedoes, 1270, 1328, 1379,
1392, 1393, 1496, 1527,
1743, 1774, 1799, 1851,
1853, 1868, 1940-1942,
1958, 2007, 2099, 2191
afterbodies, 1393, 1942,
1958
               1659
                                                                                                                                   factors affecting trajectory
1492, 1507
forward firing from air-
planes, 1602
propeliants, 1565
                                                                                                                              propellants, 1565
rocket motors, 1818
smoke tracers, 1878
static firing tests, 1911
3.25-in., 1584
trajectory, 1821, 1822
yaw, 1492, 1822, 2094
Urban areas
                 1958
         bangalore, 2191
detonating caps, 1328
electric torpedo, 2007
         electric torpedo, 2007
electronic bore-rider cir-
cuit, 1527
gyros, 1379, 1743
head, 1392
jet torpedo, 2007
mechanics, 2007
nose shapes, 1496
propellers, 1270, 1799, 1940
1941
                                                                                                                                     protection from aircraft,
                                                                                                                                           2631
                                                                                                                               U.W.R. projectiles (self-pro-
pelled)
                                                                                                                                     design, 2068
                                                                                                                                     underwater tests, 2068
                                                                                                                                V-1 bombs (U.S.)
launchers, 2241, 2399, 2425
```

SUBJECT INDEX

Weapons, recoilless, 2489, veapons, recolliess, 2489, 2492, 2559 reaction-type driver, 2489 Web rocket powders, 2313, 2548 static firing tests, 2548 Welding techniques see Vortical antisubmarine bombs VAR (vertical antisubmarine rockets) see Retro rockets use of dibutylphthalate, 2610 see Vertical bombing Vertical antisubmarine bombs, Western Cartridge powders, 1764, 2286, 2355, 2636 compression molded, 2636 ertical antisubmarine bombs, 1259a, 1473, 1803, 1827, 1852, 1853, 1855, 1856, 1894, 2075, 2075a, 2081a drawings, 1473 firing tosts, 2075 flight characteristics, dry extrusion, 2286
evaluation tests, 2355
rocket propollants, 1764
Westinghouse crystal accelerometers operating characteristics, 1259a installation on B-18A bomber 2075a 1989 projector, 1803
standard Mousetrap, 2081a
subcaliber, 1837, 1856, 1894
underwater characteristics,
1259a, 2081a
Vertical antisubmarine rockets
see Retro rockets sensitivity, 1989
Wind effects on rocket trajectory, 1397, 1507, 1510-1512, 1808 mean deflection, 1512 range, 1808 Wind tunnels Nertical bombing, 1681, 1682, 1739, 1795, 1803, 1933, 1987, 2075, 2076-2081, 2083 rocket tests, 2129, 2413 "Window" rockets delay ejector units, 1399 3.5-in., 1399
Wire strain gages
electronic DC/AC converter, AIR fuzes, 1260a flare bombs, 1739, 1933, 2075, 2083 flight tests, 1987 instruction manual, 2078, 2079 X-51599-B rocket motors, 1232 launchers, 1681, 1682, 1795, X-52009-E rocket motors, 1230 X-52026-E rocket motors, 1229 X-52036-E rocket motors, 1228 officers' manual, 2077 procedures, 2076 submarines, 1987 tests at Mojave antiaircraft AMTF fuzes
time-depth data, 2092
underwater trajectory, 2092
X-ray diffraction studies,
2093, 2095, 2102, 2201,
2268, 2690, 2725
detection of imperfections
in rocket powders, 2268,
2725
double-base procedure. XMTF fuzes tests at Mojave antimircraft range, 2081
Vertical float lights, 1837, 1852-1854, 1856
Vertical rockets, 1575, 1576, 1835, 2017, 2071, 2635, 2691, 2704
mircraft rockets, 1575, 1835 2017, 2071
flare rockets, 1576, 2635
launchers, 2691, 2704
VFR (vertical flare rockets), 1576, 2635
VICAR (rocket)
see also CURATE (rocket) double-base propellants, 2093, 2095, 2102 rockets, 2201 sheet powders, 2690 Yaw cameras, 1439, 1715, 184 rocket measurements, 1439 solar, 1880 Yaw machines, 1608, 1866, see also CURATE (rocket) design, 2131 performance characteristics, 1959a 2131

Water impact studies

2065

use of hydropressure plugs,

Contraction of the

1880

Zero-length rocket launchers

gravity drop tables, 1435,